## FIGC C

## Product Catalogue 2021



| Short Code | Image                 | Features  | Classification | Additional Information  | Description                                  |
|------------|-----------------------|---|----------------|---|--|
| 512 P      | latform Series As Bel | ow  | Same           | Battery 🕪 🕄   | <b>Û</b> ‡tools                              |
| CDL112325  | Q.5Ah                 | Voltage:12V No-load speed:0-350/0-1350/min Max.torque:20NM Chuck capacity:0.8-10mm Torque settings:15+1 Mechanical 2-speed gear Charge volts:220V-240V~50/60Hz Integrated work light With 2pcs 1.5Ah battery pack With 1pcs charger With 1pcs Cr-V 65mm bits Packed by plastic box  |                | 2 BATTERY<br>1 CHARGER<br>1 PIECE 65MM BIT                            | 12V PS+ C/L DRILL 20NM KIT 2BATTERIES        |
| CIDLI1232  | incce incce incce     | Voltage:12V No-load speed:0-350/0-1350/min Max.impact rate:22500/min Max.torque:20NM Chuck capacity:0.8-10mm Torque settings:18+1+1 Mechanical 2-speed gear Charge volts:220V-240V~50/60Hz Integrated work light With 2pcs battery pack With 1pcs 2Hr charger With 1pcs Cr-V 65mm bits With 3pcs masonry drill bits Packed by plastic box   |                | 2 BATTERY<br>1 CHARGER<br>1 PIECE 65MM BIT<br>3 PIECE MASONRY BIT SET | 12V PS+ C/L DRILL IMPACT 20NM KIT 2BATTERIES |
| FBL112152  |                       | Volts:12V<br>Lithium-Ion 1.5Ah battery<br>One battery fits all S12 multiple tools<br>Packed by colour box   |                |   | BATT.ONLY FOR PS 12V                         |
| FCL112071  | SIE I                 | Charge volts: 220V-240V~50/60Hz<br>Charging time:2Hr charger<br>Packed by colour box  |                |   | CHARG. ONLY FOR PS 12V                       |
| P205       | Platform Series As    | Below   | Same E         | Battery 😂 🦰   | 1200 tools                                   |
| CDLI20021  | PADS PACCIF           | Voltage:20V No-load speed:0-400/0-1500/min Max.torque:45NM Chuck capacity:0.8-10mm Torque settings:15+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function 20V Lithium-lon 2.0Ah battery With 1pcs battery pack With 1pc 1Hr fast charger Charge volts:110V-240V~50/60Hz Integrated work light LED battery power indicator Packed by colour box                          | INDUSTRIAL     | 1 BATTERY 1 CHARGER   | 20V PS+ C/L DRILL 45NM KIT                   |
| CDL12002   | PROS 20Ah             | Voltage:20V No-load speed:0-400/0-1500/min Max.torque:45NM Chuck capacity:0.8-10mm Torque settings:15+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function 20V Lithium-lon 2.0Ah batteries With 2pcs battery pack With 1pc 1Hr fast charger Charge volts:110V-240V~50/60Hz Integrated work light LED battery power indicator With 47pcs accessories Packed by canvas bag | INDUSTRIAL     | 2 BATTERY<br>1 CHARGER<br>1 CANVAS BAG<br>47 PIECE ACCESSORIES        | 20V PS+ C/L DRILL 45NM KIT 2B                |

| Short Code | Image   | Features  | Classification | Additional Information   | Description                    |
|------------|---|---|----------------|--|--------------------------------|
| CIDLI2002  | Impact function                                   | Voltage:20V No-load speed:0-400/0-1500/min Max.impact rate:22500/min Max.torque:45NM Chuck capacity:0.8-10mm Torque settings:18+1+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function 20V Lithium-lon 2.0Ah batteries With 2pcs battery pack With 1pc 1Hr charger Charge volts:110V-240V~50/60Hz Integrated work light LED battery power indicator With 50pcs accessories | INDUSTRIAL     | 2 BATTERY<br>1 CHARGER<br>1 CANVAS BAG<br>50 PIECE ACCESSORIES | 20V PS+ C/L DRILL 45NM IMP KIT |
| CDL120030  | Battery and charger                               | Voltage:20V No-load speed:0-450/0-1900/min Max.torque:55NM Chuck capacity:2.0-13mm Torque settings:23+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function Integrated work light With 47pcs accessories Battery and charger sold separately Packed by colour hox   | INDUSTRIAL     | 47 PIECE ACCESSORIES   | 20V PS+ C/L DRILL 55NM 47P ACC |
| CIDLI20030 | Impact function  Battery and charger NOT included | Voltage:20V  No-load speed:0-450/0-1900/min  Max.impact rate:28500/min  Max.torque:55NM  Chuck capacity:2.0-13mm  Torque settings:23+1+1  Auto-lock keyless chuck  Mechanical 2-speed gear  Spindle lock function  Integrated work light  LED battery power indicator  With 50pcs accessories  Battery and charger sold separately  Packed by colour box                                      | INDUSTRIAL     | 50 PIECE ACCESSORIES   | 20V PS+ C/L DRILL 55NM IMP 50P |
| CIWLI20010 | Battery and charger<br>NOT included               | Brushless Motor Voltage:20V Square Drive:1/2" No-load speed:0-1300/0-2100/min Impact rate:0-2000/0-3300bpm Max.torque:300NM Integrated work light LED battery power indicator With 3pcs sockets(17 19 21mm) Battery and charger sold separately Packed by colour box  | INDUSTRIAL     | 3 SOCKETS  | 20V PS+ C/L WRENCH 300NM IMP   |
| CIRL120020 | Battery and charger                               | Brushless Motor Drill voltage:20V Hex shank:1/4" No-load speed:0-1300/0-2100/min Impact rate:0-2000/0-3300bpm Max.torque:170NM Integrated work light LED battery power indicator With 2pcs screwdriver bits With 3pcs nut setters Battery and charger sold separately Packed by colour box  | INDUSTRIAL     | 2 SCREWDRIVER BITS<br>3 NUT SETTERS                            | 20V PS+ C/L DRIVER 170NM SP    |
| FBLI2001   | P203 20Ah   | Volts:20V<br>Lithium-Ion 2.0Ah battery<br>LED battery power indicator<br>One battery fits all P20S multiple tools<br>Packed by colour box   | INDUSTRIAL     |  | 20V PS+ C/L BATTERY 2.0AH      |
| FBL12002   | 205   | Voltage:20V<br>Lithium-Ion 4.0Ah battery<br>LED battery power indicator<br>Suitable for P20S multiple tools<br>Packed by colour box   | INDUSTRIAL     |  | 20V PS+ C/L BATTERY 4.0AH      |
| FCLI2001   | PROS  | Rated Input voltage:110V-240V~50/60Hz Output voltage: 20V Charge current:2A Rated Input power: 50W Charges 20V 2.0Ah battery in 1Hr Charges 20V 4.0Ah battery in 2Hr Packed by colour box   | INDUSTRIAL     |  | 20V PS+ C/L CHARGER            |

| Short Code     | Image                                  | Features   | Classification | Additional Information           | Description                     |
|----------------|--|--|----------------|----------------------------------|---------------------------------|
| FCLI2003       |  | Voltage:20V<br>Charge current:4A<br>Charges 20V 2.0Ah battery in 0.5Hr<br>Charges 20V 4.0Ah battery in 1Hr<br>Packed by colour box   | INDUSTRIAL     |                                  | 20V PS+ C/L FAST CHARGER        |
| CAGLI1151      | Battery and charger NOT included       | Voltage:20V No-load speed:8500/min Disc diameter:115mm Spindle thread:M14 Battery and charger sold separately Packed by colour box   | INDUSTRIAL     |                                  | 20V PS+ C/L GRINDER 115MM       |
| CAGLI1152      | Battery and charger NOT included       | Brushless Motor Voltage:20V No-load speed:9000/min Disc diameter:115mm Spindle thread:M14 Battery and charger sold separately Packed by colour box   | INDUSTRIAL     |                                  | 20V PS+ GRINDER 115MM BRUSHLESS |
| APLI2001       | Battery<br>and charger<br>NOT included | Voltage:20V No-load speed:500-2800/min Bottom bass:150mm LCD display show speed Battery and charger sold separately Packed by colour box   | INDUSTRIAL     |                                  | 20V PS+ ANGLE POLISHER 150MM    |
| APLI2001-SP-31 | 3                                      | Polishing Pad for APLI2001 Angle Grinder   |                |                                  | POLISHING PAD                   |
| APLI2001-SP-32 |  | Sponge Pad for APLI2001 Angle Grinder  |                |                                  | SPONGE PAD                      |
| CRHLI1601      | Battery and charger included           | Voltage:20V No-load speed:0-900/min Impact rate:0-5100bpm Single impact force:1.5J Max drilling capacity:Ф16 in concrete Integrated work light With 3pcs SDS-plus drills Battery and charger sold separately Packed by colour box  |                | 3 PIECE SDS DRILL SET            | 20V PS+ C/L ROTARY 1.5J +3 BIT  |
| CRHLI2201      | Battery and charger NOT included       | Brushless Motor Voltage:20V No-load speed:0-1350/min Impact rate:0-4700bpm Single impact force:1.5J Max drilling capacity:022 in concrete Integrated work light SDS plus chuck system With 3pcs drills and 1pcs chisels Battery and charger sold separately Packed by colour box | INDUSTRIAL     | 3 PIECE SDS DRILL SET &<br>CHUCK | 20V PS+ ROTARY DRILL BRUSHLESS  |
| CJSLI8501      | Battery and charger NOT included       | No-load speed:2400rpm Cutting capacity: Metal: 8mm Wood: 80mm With 5pcs blade Battery and charger sold separately Packed by colour box   |                | 5 PIECE BLADE SET                | 20V PS+ C/L JIGSAW 5P BLADE     |
| CRSLI1151      | Battery and charger NOT included       | Voltage:20V No-load speed:0-2800/min Cutting capacity:     Metal:8mm     Wood:115mm With 2pcs sabre saw blade Battery and charger sold separately Packed by colour box   |                | 2 SABRE SAW BLADES               | 20V PS+ C/L RECIP SAW 2 BLADES  |
| CMLI2001       | Battery and charger NOT included       | Voltage:20V No-load speed:5000-20000r/min With 1PCS flexible scraper With 1PCS cutting saw blade With 1PCS segment saw blade With 1PCS hex key With 1PCS sanding base With 3PCS sanding paper Battery and charger sold separately Packed by colour box                           |                | 8 PIECE ACCESSORIES              | 20V PS+ C/L MULTITOOL           |

| Short Code | Image                               | Features  | Classification | Additional Information | Description                    |
|------------|-------------------------------------|---|----------------|------------------------|--------------------------------|
| CROSLI2001 | Battery and charger sold separately | Voltage:20V No-load speed:10000/min Bottom bass:125mm With 5pcs sand papers Battery and charger sold separately Packed by colour box  |                | 5 PIECE SANDING SHEETS | 20V PS+ C/L SANDER 125MM+ 5P   |
| CABLI2001  | Battery and charger                 | Voltage:20V No-load speed:10000/12500/17000/min Max.air volume:2.7m3/min With 1pcs dust bag Battery and charger sold separately Packed by colour box  |                |                        | 20V PS+ C/L ASPIRATOR          |
| CABLI2002  | Battery and charger<br>NOT included | Voltage:20V No-load speed :15000rpm Average air volume:8.5m3/min Maximum air speed:38m/s Battery and charger sold separately Packed by colour box   |                |                        | 20V PS+ ASPIRATOR BLOWER       |
| CSLI1401   | Battery and charger<br>NOT included | Voltage: 20V No-load speed:3600rpm Blade diameter:140mm Cutting capacity: 45°degree:28mm 90°degree:40mm Adjustable cutting depth Adjustable bevel cutting With 1pcs 140mm blade Only use 140mm TCT saw blade( TSB114041) Battery and charger sold separately Packed by colour box |                | 140MM BLADE            | 20V PS+ C/L CIRCULAR SAW 140MM |
| CGGLI2001  | Battery and charger Not included    | Voltage:20V Gluing capacity:15-18g/min Glue stick diameter:11.2mm Heat-up time: 60s With 3pcs 150mm glue sticks Battery and charger sold separately Packed by double blister  |                | 3 PIECE GLUE STICKS    | 20V PS+ C/L GLUE GUN 2 STICKS  |
| CSGLI2001  | Battery<br>and charger NOT included | Voltage:20V Spraying Pressure:0.1-0.2Bar Max.flow:600ml/min Max.viscosity:40DIN-s Container capacity:800ml With 1PCS viscosity measuring cup With 1PCS nozzle cleaning needle Battery and charger sold separately Packed by colour hox  |                |                        | 20V PS+ C/L SPRAYGUN 800ML     |
| MXLI2001   | Battery and charger<br>NOT included | Voltage:20V<br>No-load speed:0-650rpm<br>Mixing pad thread:M14<br>Battery and charger sold separately<br>Packed by colour box   | INDUSTRIAL     |                        | 20V PS+ MIXER                  |
| CMS2001    | Battery and charger<br>NOT included | Voltage:20V No-load speed:3000rpm Blade size:210mm(8-1/4")*25.4mm Cutting capacity: 0°*0°: 120*60mm 45**0°:83*60mm 0°*45°:120*34mm 45°*45°: 83*34mm Battery and charger sold separately Packed by colour box  | INDUSTRIAL     |                        | 20V PS+ MITRESAW 210MM BLADE   |
| CSILI2001  | Battery and charger<br>NOT included | Voltage:20V<br>Input power:40W<br>Preheat time:3~5minuters<br>Battery and charger sold separately<br>Packed by sliding card   |                |                        | 20V PS+ C/L SOLDERING IRON     |
| CUCLI2001  | Battery and charger NOT included    | Voltage:20V<br>Output power:5V/1A 5V/2A<br>Battery and charger sold separately<br>Packed by colour box  |                |                        | 20V PS+ C/L USB-A CHARGER      |

| Short Code | lmage                                       | Features  | Classification | Additional Information | Description                   |
|------------|---|---|----------------|------------------------|-------------------------------|
| CVLI2001   | Battery and charger NOT included            | Voltage:20V  Dust Capacity:0.7L  Vacuum Pressure:High: ≥7.0KPa  Normal: ≥5.0KPa  Stainless steel filter net  With 1pcs flexible hose  With 1pcs floor brush  With 2pcs plastic tube  With 1pcs crevice nozzle  With 1pcs dust brush  Battery and charger sold separately  Packed by colour box  |                |                        | 20V PS+ HAND HELD VACUUM 0.7L |
| CVL12005E  | Battery and charger NOT included            | Voltage:20V Vacuity: 28.0KPa Dust capacity:20L Suction hose diameter: 32 mm Suction hose length: 1.5 m Tank: stainless steel tank With 1pcs flexible hose With 1pcs floor brush With 3pcs plastic tube With 1pcs paper bag With 1pcs crevice nozzle With 1pcs HEPA filter Battery and charger sold separately Packed by colour hox        |                |                        | 20V PS+VACUUM 20L             |
| CGTLI20018 | Battery and charger                         | Voltage:20V No-load speed:8200/min Cutting diameter:300mm Line dia:1.6mm twisted line length:5m  Battery and charger sold separately Packed by colour box   |                |                        | 20V PS+ C/L GRASS TRIMMER     |
| CACLI2001  | Battery and charger included                | Voltage:20V Max.pressure:150PSI/10BAR With 1PCS ball adaptor With 1PCS tire vale adaptor Battery and charger sold separately Packed by colour box   |                |                        | 20V PS+ C/L COMPRES 10B       |
| CACLI2002  | Bullery and inchedied changer and inchedied | Voltage:20V Max.pressure:160PSI/11BAR With 3PCS LED light Digital display Automatic stop at the specified pressure Powered by vehicle or by Lithium-Ion battery With 3M cord with cigarette lighter With 1PCS ball adaptor With 1PCS tire vale adaptor With 1PCS air bed adaptor Battery and charger sold separately Packed by colour box |                |                        | 20V PS+ C/L COMPRES 11B + 12V |
| CWLI2001   | Battery and charger and instituted          | Voltage:20V<br>LED power dissipation:3.2W<br>Lumens:225<br>Battery and charger sold separately<br>Packed by double blister  | INDUSTRIAL     |                        | 20V PS+ C/L TORCH 225 LUMENS  |
| CWLI2002   | Battery and charges now included            | Voltage:20V<br>LED power dissipation:20W<br>Lumens:<br>High:1500<br>Low:750<br>Battery and charger sold separately<br>Packed by colour box  |                |                        | 20V PS+ C/L LAMP 1500 LUMENS  |
| CFALI2001  | Battery and schaded                         | DC Voltage:20V AC Voltage:220-240V~50/60HZ Speed settings:3 Dimensions:12" Battery and charger sold separately Packed by carton box   |                |                        | 20V PS+ C/L FAN 30.5CM        |
| CFALI2002  | Battery<br>and charger<br>NOT included      | DC Voltage:20V AC Voltage:220-240V~50/60HZ Speed settings:2 Dimensions:11" Tilt adjustment:0-360° Battery and charger sold separately Packed by colour box  |                |                        | 20V PS+ C/L FAN               |

| Short Code | Image                               | Features  | Classification | Additional Information   | Description                      |
|------------|-------------------------------------|---|----------------|--|----------------------------------|
| CSPLI2001  | Battery and charge NOT included 161 | 16.L Battery Sprayer Voltage:20V Pressure: 4.5BAR Battery and charger sold separately Material: PE for tank, Other plactic are in PP, all the sealings/NBR, T trigger with stainless steel lance Flow: 1.5L/min Spray Distance: > 5m net weight: 3.1kg      |                |  | 20V PS KNAPSACK SPRAYER 16L      |
| CSDLI0402  | MICCO II                            | Voltage:4V Hex Shank:1/4" No-load speed:180/min Max.torque:4N.m Integrated work light Charge level indicator With 10pcs 25mm Cr-V bits+Holder With 1pcs magnetic bit holder Packed by Double blister  |                |  | S/DRIVER CORDLESS 4V & 10PCS BIT |
| ID6538     |                                     | Voltage:220-240V~50/60Hz Input power:650W No-load speed:0-3000rpm Max.drilling capacity:13mm Variable speed Froward/Reverse switch Hammer function Packed by colour box   |                |  | DRILL IMPACT 650W 13MM           |
| ID8508     | mco                                 | Voltage: 220-240V~50/60Hz Input power: 850W No-load speed:0-2700rpm Max.drilling capacity:13mm Variable speed Froward/Reverse switch Hammer function Packed by colour box   | INDUSTRIAL     | 1 SET CARBON BRUSHES   | DRILL IMPACT 850W 13MM           |
| ID11008    |                                     | Voltage:220-240V~50/60Hz Input power:1100W No-load speed:0-2800rpm Max.drilling capacity:13mm Variable speed Froward/Reverse switch Hammer function Aluminum durable gear box Packed by colour box  | INDUSTRIAL     | 1 SET CARBON BRUSHES   | DRILL IMPACT 1100W 13MM          |
| ID11008-1  | XSPCS                               | Voltage:220-240V~50/60Hz Input power:1100W No-load speed:0-2800rpm Max.drilling capacity:13mm Variable speed Froward/Reverse switch Hammer function Aluminum durable gear box With 5 pcs Masonry drill bits: 4X75, 5X85, 6X100, 8X120, 10X120 Packed by BMC | INDUSTRIAL     | 5 PIECE MASONRY DRILL<br>SET                                   | DRILL IMPACT 1100W 13MM BMC      |
| IW10508    |                                     | Voltage:220-240V~50/60Hz Input power:1050W  No-load speed:2300rpm Max.torque:550N.M Square drive:1/2" Aluminum gear box with rubber With 6pcs sockets(17,18,19,21,23,24mm) With 1pcs 125mm adaptor Packed by BMC  | INDUSTRIAL     | 6 PIECE SOCKETS AND<br>1 PIECE ADAPTOR<br>1 SET CARBON BRUSHES | WRENCH IMPACT 1050W 6P SCKTBMC   |
| AG75018    |                                     | Voltage:220-240V~50/60Hz Input power:750W No-load speed:12000rpm Disc diameter:115mm Spindle thread:M14 With 1pcs auxiliary handle Packed by colour box   | INDUSTRIAL     |  | ANGLE GRINDER 750W 115MM         |
| AG8508     |                                     | Voltage:220-240V~50/60Hz Input power:950W No-load speed:11000rpm Disc diameter:115mm Spindle thread:M14 With 1pcs auxiliary handle Packed by colour box   | INDUSTRIAL     |  | ANGLE GRINDER 950W 115MM         |
| AG8528     |                                     | Voltage:220-240V~50/60Hz Input power:950W No-load speed:11000rpm Disc diameter:125mm Spindle thread:M14 With 1pcs auxiliary handle Packed by colour box   | INDUSTRIAL     |  | ANGLE GRINDER 950W 125MM         |

| Short Code | Image  | Features   | Classification | Additional Information                              | Description                    |
|------------|--|--|----------------|---|--------------------------------|
| AG10108    | and the same of th | Voltage:220-240V~50/60Hz<br>Input power:1010W<br>No-load speed:12000rpm<br>Disc diameter:125mm<br>Spindle thread:M14<br>With 1pcs auxiliary handle<br>Packed by colour box   |                |   | ANGLE GRINDER 1010W 125MM      |
| AG24008    |  | Voltage:220-240V~50/60Hz Input power:2400W No-load speed:6400rpm Disc diameter:230mm Spindle thread:M14 With 1pcs auxiliary handle With 1set carbon brushes Packed by colour box   | INDUSTRIAL     | 1 SET CARBON BRUSHES                                | ANGLE GRINDER 2400W 230MM      |
| AP14008    |  | Voltage:220V-240V~50-60Hz Input power:1400W No-load speed:900-3800rpm Polishing pad diameter:180mm Durable aluminum gear box With 1pcs polishing pad With 1pcs polishing bonnet Packed by colour box                                 | INDUSTRIAL     | POLISHING PAD POLISHING BONNET 1 SET CARBON BRUSHES | ANGLE POLISHER 1400W 180MM     |
| MX214008   |  | Voltage:220-240V~50/60Hz Input power:1400W No-load speed:180-480rpm/300-750rpm Mixing pad thread:M14 Aluminum gear box With 1pcs LED light With 1pcs mixing pad Packed by colour box   | INDUSTRIAL     | MIXING PADDLE                                       | MIXER 1400W                    |
| MP1160     | R  | Diameter:160mm<br>Length:600mm<br>Tool fitting:M14x2<br>Mixing from top down<br>Packed by paper card   |                |   | MIX PADDLE 160MM X 600MM       |
| RGH9028    | INCO INCO  | Voltage:220-240V~50/60Hz Input power:800W No-load speed:0-1100rpm Impact rate:0-4000bpm Impact energy:2.5J Max.drilling capacity: Concrete:26mm Steel:13mm Wood:30mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC |                | 3 DRILL BITS<br>2 CHISELS                           | ROTARY HAMMER 800W             |
| RGH9028-2  | Innece   | Input power:800W No-load speed:0-1100rpm Impact rate:0-4000bpm Impact energy:2.5J Max.drilling capacity: Concrete:26mm Steel:13mm Wood:30mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC                          |                | 3 DRILL BITS<br>2 CHISELS                           | DRILL ROTARY HAMMER 800W BMC+2 |
| RH10508    |  | Voltage:220-240V~50/60Hz<br>Input power:1050W<br>No-load speed:900rpm<br>Impact rate:4000bpm<br>Impact energy:5J   | INDUSTRIAL     | 3 DRILL BITS<br>2 CHISELS<br>1 SET CARBON BRUSHES   | DRILL ROTARY HAMMER 1050W BMC  |
| RH12008    |  | No-load speed:850rpm Impact rate:3800bpm Impact rate:3800bpm Impact energy:5J Max.drilling capacity: Concrete:30mm Steel:13mm Wood:40mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC                              | INDUSTRIAL     | 3 DRILL BIT<br>2 CHISELS<br>1 SET CARBON BRUSHES    | DRILL ROTARY HAMMER 1250W BMC  |

| Short Code | Image              | Features   | Classification | Additional Information                           | Description                   |
|------------|--------------------|--|----------------|--|-------------------------------|
| RH150028   | IIICCE INCCE       | Voltage:220-240V~50/60Hz Input power:1500W No-load speed:850rpm Impact rate:4400bpm Impact energy:5.5J Max.drilling capacity: Concrete:32mm Steel:13mm Wood:40mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC                                     | INDUSTRIAL     | 3 DRILL BITS<br>2 CHISELS                        | ROTARY HAMMER 1500W           |
| RH15008    | aneco E            | Voltage:220-240V~50/60Hz Input power:1500W No-load speed:750rpm Impact rate:3000bpm Impact energy:5.0J Max.drilling capacity: Concrete:36mm Steel:13mm Wood:40mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC                                     | INDUSTRIAL     | 3 DRILL BIT<br>2 CHISELS<br>1 SET CARBON BRUSHES | DRILL ROTARY HAMMER 1500W BMC |
| PDB17008   |                    | Voltage:220-240V~50/60Hz Input power:1700W Impact rate:1400bmp Impact force:45J HEX chuck system 16Kgs demolition breaker With 2pcs chisels Packed by BMC  | INDUSTRIAL     | 2 CHISELS<br>1 SET CARBON BRUSHES                | BREAKER DEMOLITION 1700W 45J  |
| PDB22001   | moca y and         | Voltage:220V-240V~50/60Hz Input power:2200W Impact rate:950bmp Impact force:75J Anti-vibration system Auto-stop carbon brushes HEX chuck system 30Kgs demolition breaker 4m rubber cables With 2pcs chisels Packed by carton box                                     | INDUSTRIAL     | 2 CHISELS<br>1 SET CARBON BRUSHES                | BREAKER DEMOLITION 2200W 75J  |
| PDB22001-S | Stand for PDB22001 | Stand for Demolition breaker item No. PDB22001 Packed by carton box  |                |  | STAND FOR BREAKER PDB22001    |
| CS18528    |                    | Voltage:220-240V~50/60Hz Input power:1400W No-load speed:4800rpm Blade diameter:185x20mm Cutting capacity: 45 degree:45mm 90 degree:65mm Adjustable cutting depth Adjustable bevel cutting With 1pcs 185mm blade With 1set extra carbon brushes Packed by colour box | INDUSTRIAL     | 1 BLADE<br>1 SET CARBON BRUSHES                  | SAW CIRCULAR 1400W 185MM      |
| JS57028    | meco E             | Voltage:220-240V~50/60Hz Input power:570W No-load speed:800-3000rpm Cutting capacity: Wood:65mm Steel:8mm 4 step pendulum function With 3pcs saw blades With 1set carbon brushes Packed by colour box  |                | 3 PIECE BLADES SET<br>1 SET CARBON BRUSHES       | JIG SAW 570W                  |
| JS80028    | neco neco          | Voltage:220-240V~50/60Hz Input power:800W No-load speed:800-3000rpm Cutting capacity: Wood:100mm Steel:10mm 4 step pendulum function Aluminum base With 5pcs saw blades Packed by colour box   | INDUSTRIAL     | 5 PIECE BLADE SET<br>1 SET CARBON BRUSHES        | SAW JIG 800W WITH 5PC BLADE   |

| Short Code | Image | Features   | Classification | Additional Information                    | Description                  |
|------------|-------|--|----------------|---|------------------------------|
| FS3208     | x5pcs | Voltage:220V-240V~50/60Hz<br>Input power:320W<br>No-load speed:14000rpm<br>Bottom base:180mmx90mm<br>Aluminum durable base<br>With 5pcs sand papers(AKFS240101-1)<br>Packed by colour box  | INDUSTRIAL     | 5 PIECE SAND SHEET                        | SANDER FINISHING 320W 185X93 |
| AKTMT1502  |       | 15pcs/set Suitable for CMLI2001, MF3008 and UMF3008, 1pcs BIM(M2) Segment saw blade, Dia.87mm(3-7/16") 1pcs Delta sanding Pad, size:80mm(3-1/8") 1pcs Aluminum-Oxide delta sandpaper for Wood, size:80mm(3-1/8") 1pcs CRV Radial flush-cut wood saw blade, size:34mm(1-5/16") 1pca Bi-Metal standard flush-cut metal sawblade, size:34mm(1-5/16") 1pcs Rigid scraper, size:50mm(2") Packed by double blister |                |   | MULTI TOOL BLADE SETS        |
| AKB0501    | incco | Suitable for Die grinder 1PCS Cylindrical 16*25mm 1PCS Bullet type 20*21mm 1PCS Cone 20*32mm 1PCS T-Type 24*10mm 1PCS Round 20*20mm Packed by sliding card   |                |   | DIE GRINDER 5PCS SET         |
| RS8008     |       | Voltage:220-240V~50/60Hz Rated power:750W Voltage:220-240V~50/60Hz Rated power:750W No-load speed:900-3300rpm Max.cutting depth: Wood:115mm Steel:8mm Aluminum:12mm SDS blade change chuck With 1pcs metal saw blade (SSB922EF) With 1pcs wood saw blade (SSB644D) Packed by colour box  |                | 1 PIECE WOOD SAW<br>1 PIECE METAL SAW     | RECIPROCATING SAW 750W       |
| PL10508    |       | Voltage:220-240V~50/60Hz Input power:1050W No-load speed:16000rpm Planning width&depth:82x3mm Heavy duty aluminum base Aluminum side cover Self-cooling belt system With 2pcs planing blades With 1pcs belt With 1set parallel guide With 1pcs depth guide Packed by colour box  | INDUSTRIAL     | 2 PIECE PLANING BLADES                    | PLANER ELECTR. 1050W         |
| WLC15008   |       | Voltage:220-240V~50/60Hz Input power:1500W No-load speed:9000rpm Disc diameter:125mm Spindle thread:M14 Cutting depth:3-29 mm Cutting width:8-30 mm With 1pcs chisel With 1pcs auxiliary handle With 1set carbon brushes With 4pcs cutting disc Packed by colour box   | INDUSTRIAL     | 4 PIECE BLADE SET<br>1 SET CARBON BRUSHES | WALL CHASER 1500W            |
| GG148      | II A  | Volts:220-240V~50/60Hz<br>Input power:20W(100W)<br>Gluing capacity:13-18g/min<br>Glue stick diameter:11.2mm<br>2pcs 150mm glue sticks<br>Packed in double blister  |                | 2 PIECE GLUE STICK                        | GLUE GUN 100W + 2PCE G/STICK |
| GG308      | x8Pcs | Voltage:220-240V~50/60Hz<br>Input power:30W(220W)<br>Gluing capacity:20-30g/min<br>Glue stick diameter:11.2mm<br>With 8pcs 150mm glue sticks<br>Preheat time:3-5minutes<br>Packed by double blister  | INDUSTRIAL     | 8 PIECE GLUE STICK                        | GLUE GUN 220W + 8PCE G/STICK |

| Short Code | Image         | Features   | Classification | Additional Information                                  | Description                       |
|------------|---------------|--|----------------|---|-----------------------------------|
| AKTGS2061  |               | Material : petroleum resin<br>Diameter:11.2mm<br>Length : 20cm<br>With 6pcs stick<br>Packed by blister card  |                |   | GLUE STICK 11.2X200MM 6/CARD      |
| AKTGS3011  |               | Material: petroleum resin<br>Diameter:11.2mm<br>Length:30cm<br>With 1kg stick<br>Packed by Poly bag  |                |   | GLUE STICK 11.2X300MM 1KG         |
| HG200028   | Inco          | Voltage:220V-240V~50/60Hz Input power:2000W Temperature: stage 1:50°C stage 2:380°C stage 3:570°C Airflow: stage 1:500L/min stage 2:300L/min With 1pcs scraper and 4pcs nozzles  | INDUSTRIAL     | 1 SCRAPER<br>4 NOZZLES                                  | HEAT GUN 2000W                    |
| BMS14002   |               | Voltage:220-240V*50/60Hz Input power:1400W No-load speed:5000rpm Blade size:210mm(8-1/4")*25.4mm Aluminium base Max.cutting capacity:55x120mm Dust bag keep work area clean Mitre cuts 0-45°left and right Bevel cuts up to 45°to the left With 1 pcs TCT blade Packed by colour box                           |                | 1 TCT BLADE INCLUDED                                    | MITRE SAW 1400W, BLADE 210MM      |
| COS35568E  |               | CE certification Voltage: 220V-240V^50-60Hz Input power: 2400W Blade size:355x25.4x3mm No-load speed: 3900rpm Max. cutting capacity: 100mm in round pipe 100X100mm in square steel 120X100mm in rectangle Max. cutting steel bar:50mm With 1pcs 355mm cutting disc Packed by colour box                        | INDUSTRIAL     | 1 CUTTING DISC  | SAW CUTOFF 2400W 355MM 3900RPM    |
| SPG5008    | inco          | Input power:550W Spraying Pressure:0.1-0.2Bar Max. flow:850ml/min Max. viscosity:50DIN-s Container capacity:800ml Power cord length:2.0m With 1pcs viscosity measuring cup With 1pcs nozzle cleaning needle With 1pcs shoulder strap Packed by colour box  | INDUSTRIAL     | 1 MEASURING CUP<br>1 NOZZLE CLEANER<br>1 SHOULDER STRAP | HVLP SPRAY GUN                    |
| SPG5008-2  | Aluminum tank | Voltage:220-240V~50/60Hz Input power:550W Spraying Pressure:0.1-0.2Bar Max. flow:850ml/min Max. viscosity:50DIN-s Container capacity:800ml Container material:Aluminum Power cord length:2.0m With 1pcs viscosity measuring cup With 1pcs nozzle cleaning needle With 1pcs shoulder strap Packed by colour box | INDUSTRIAL     | 1 MEASURING CUP<br>1 NOZZLE CLEANER<br>1 SHOULDER STRAP | HVLP SPRAY GUN (ALUMIN CONTAINER) |
| VC14122    | 12L           | Voltage: 220V-240V~50/60Hz Input power: 800W Copper wire motor Metal tank Dust capacity:12L Air flow:1.7m3/min Vacuum pressure:16KPa 1.5m flexible hose Plastic three parts tube 1pcs plastic floor brush 1set 2 in 1 brush 2.3m cord length HEPA fliter Wet and dry cleaning Packed by carton box             |                | HEPA FILTER   | VACUUM CLEANER 800W               |

| Short Code | Image | Features  | Classification | Additional Information | Description                    |
|------------|-------|---|----------------|------------------------|--------------------------------|
| VPM3708    |       | Peripheral Pump Voltage:220-240V~50Hz Input power:370W(0.5HP) Max.head:35M Max.flow:35L/min Max.suction:8M Pipe diameter:1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by colour box                       |                |                        | PUMP 370W MAX FLOW 35L/MIN     |
| VPM5508    |       | Parked by Colour dax Peripheral Pump Voltage:220-240V~50Hz Input power:550W(0.75HP) Max.head:45M Max.flow:45L/min Max.suction:8M Pipe diameter:1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by carton box |                |                        | PUMP 550W MAX FLOW 45L/MIN     |
| VPM7508    |       | Peripheral Pump Voltage:220-240V~50Hz Input power: 750W(1HP) Max.head:52m Max.flow:50L/min Max.suction:8M Pipe diameter:1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by carton box                        |                |                        | PUMP 750W MAX FLOW 50L/MIN     |
| СРМ3708    |       | Centrifugal pump Voltage:220-240V^50Hz Input power:370W(0.5HP) Max.head:18M Max.flow:80L/min Max.suction:8M Pipe diameter:1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by carton box                      |                |                        | PUMP CEN 370W MAXFLOW 80L/MIN  |
| CPM5508    |       | Centrifugal pump Voltage:220-240V^50Hz Input power:550W(0.75HP) Max.head:25M Max.flow:100L/min Max.suction:8M Pipe diameter:1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by carton box                    |                |                        | PUMP CEN 550W MAXFLOW 100L/MIN |
| СРМ7508    |       | Centrifugal pump Voltage:220-240V*50Hz Input power:750W(1HP) Max.head:30M Max.flow:110L/min Max.suction:8M Pipe diameter:1"x1" Copper wire motor Stainless steel impeller 0.15m length cable Packed by carton box             |                |                        | PUMP CEN 750W MAXFLOW 110L/MIN |
| CPM15008   |       | Centrifugal pump Voltage:220-240V*50Hz Input power:1500W(2HP) Max.head:45M Max.flow:140L/min Max.suction:8M Pipe diameter:1"x1" Copper wire motor Stainless steel impeller 0.15m length cable Packed by carton box            |                |                        | PUMP CEN 1500W MAXFLOW 140LMIN |
| JP07508    |       | Self-priming Jet Pump Voltage:220-240V~50Hz Input power:750W(1HP) Max.head:51M Max.flow:55L/min Max.suction:9M Pipe diameter:1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by carton box                   |                |                        | PUMP JET 750W MAXFLOW 55L/MIN  |

| Short Code   | Image | Features   | Classification | Additional Information  | Description                    |
|--------------|-------|--|----------------|---|--------------------------------|
| JP11008      |       | Self-priming Jet Pump Voltage:220-240V~50Hz Input power:1100W(1.5HP) Max.head:60M Max.flow:70L/min Max.suction:9M Pipe diameter:1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by carton box   |                |   | PUMP JET 1100W MAXFLOW 70L/MIN |
| WAPS001      |       | Rated voltage:220-240V Frequency:50/60Hz Staring pressure:1.5bar Max.current:10A Max.pressure:10bar Pipe diameter:1"x1" Protection degree:1P65 Packed by colour box  |                |   | PUMP CONTROL PRES SWITCH 10BAR |
| WAPS002      |       | Rated voltage:220-240V Frequency:50/60Hz Staring pressure:1.5bar Max.current:10A  Max.pressure:10bar Pipe diameter:1"x1" Protection degree:1P65 Packed by colour box   |                |   | PUMP CONTROL PRES GUAGE 10BAR  |
| GWP102       |       | Suction&Discharge port diameter:25mm,1" Max.flow:100L/min Max.head lift:16m Max.suction head:7m 2.5HP gasoline engine Displacement::105cc Fule tank:1.2L Starting system:Recoil Packed by carton box   | INDUSTRIAL     |   | PUMP WATER, 2.5HP 100L/MIN     |
| GWP202       | 2"    | Suction&Discharge port diameter:50mm,2" Max.flow:550L/min Max.head lift:28m Max.suction head:8m 7.0HP gasoline engine Displacement:208cc Fuel tank:3.6L Starting system:Recoil Packed by carton box  | INDUSTRIAL     |   | PUMP WATER 7.0HP 550L/MIN      |
| ING-MMA1305N | Mitro | IGBT Inverter technology Input voltage(V):1~220-240 Frequency (H2:S0/60 Output current(A):10-130 Duty cycle(%):130A@40% LCD display No-load voltage(V):85 Max.output current(A):130 Diameter of electrode(mm):1.6-3.2 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box |                | 1PC ELECTRODE HOLDER<br>1PC EARTH CLAMP<br>1PC WIRE BRUSH<br>1PC HELMET | INVERTER 130A +ACCESSORIES     |
| ING-MMA1606N |       | IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ):50/60 Output current(A):10-160 Duty cycle(%):160A@60% LCD display No-load voltage(V):65 Max.output current(A):160 Diameter of electrode(mm):1.6-4.0 With 1pcs electrode holder with cable With 1pcs wire brush and 1pcs helmet Packed by carton box                                 | INDUSTRIAL     | 1PC ELECTRODE HOLDER 1PC EARTH CLAMP 1PC WIRE BRUSH 1PC HELMET          | INVERTER 160A +ACCESSORIES     |

| Short Code       | Image            | Features  | Classification | Additional Information  | Description                          |
|------------------|------------------|---|----------------|---|--------------------------------------|
| ING-MMA2006N     |                  | IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ):50/60 Output current(A):10-200 Duty cycle(%):200A@60% LCD display No-load voltage(V):70 Max.output current(A):200 Diameter of electrode(mm):1.6-5.0 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box | INDUSTRIAL     | 1PC ELECTRODE HOLDER<br>1PC EARTH CLAMP<br>1PC WIRE BRUSH<br>1PC HELMET | INVERTER 200A +ACCESSORIES           |
| <b>М</b> ур      | inoco            | Pull Force: 25 Lbs Specifications : 3" Angles:45°,90°,135° Material:Magnet and Steel Packed by double blister   |                |   | MAGNETIC WELDING HOLDER 25LBS        |
| AMWH50041        | inoce            | Pull Force: 50 Lbs<br>Specifications : 4"<br>Angles:45°,90°,135°<br>Material:Magnet and Steel<br>Packed by double blister   |                |   | MAGNETIC WELDING HOLDER 50LBS 45-135 |
| <b>М</b> ун75051 | inoco            | Pull Force: 75 Lbs<br>Specifications : 5"<br>Angles:45°,90°,135°<br>Material:Magnet and Steel<br>Packed by double blister   |                |   | MAGNETIC WELDING HOLDER 75LBS        |
| AMWH6001         | incco x4         | Magnetic welding holder 6pcs set Specifications: 3"*7pcs; Mini magnet*4pcs Pull Force: 25 Lbs (3"), 10Lbs (Mini) Angles:45°,90°,135° Material:Magnet and Steel Packed by double blister   |                |   | MAGNETIC WELDING HOLDER SET 6 PCE    |
| WAH3008          | [Copper] [300A]  | Unique design New design<br>Rated current:300A<br>Suitable for MMA welding machine<br>Packed by carton box  |                |   | ELECTRODE HOLDER 300A                |
| WAH5008          | Copper 500A      | Unique design New design<br>Rated current:500A<br>Netherlands type<br>Suitable for MMA welding machine(below<br>500A)<br>Packed by carton box   |                |   | ELECTRODE HOLDER 500A                |
| WAH8008          | [Copper] [800A]  | Unique design New design<br>Rated current:800A<br>Suitable for MMA welder(below 630A)<br>Packed by carton box   |                |   | ELECTRODE HOLDER 800A                |
| WAH10008         | [Copper] [1000A] | Unique design New design<br>Rated current:1000A<br>Suitable for MMA welding machine<br>Packed by carton box   | INDUSTRIAL     |   | ELECTRODE HOLDER 1000A               |
| AAC1408          |                  | Power supply:DC12V Rated current:10A Max.pressure:140PSI(10Bar) Max.air flow:35L/min With 1PCS LED light With 3M cord with cigarette lighter With 1Pcs battery clips With 4pcs nozzle adapters Packed by color box  |                |   | AUTO AIR COMP. 12V 35L/MIN           |
| AAC2508          | Inoco            | Heavy duty air compressor With light Power supply:12V,Rated current:18A Max pressure:120PSI, Duration working time:15minutes 5M air hose with a brass quick-releasing adapter 120PSI high-quality pressure gauge 3M cord with battery clips with 3PCS LED 2x Cylinder diameter: 30mm Packed by colour box and Canvas bag                                |                | CANVAS BAG<br>5M AIR HOSE<br>ASSORTED NOZZLES                           | AUTO AIR COMP. 12V 120PSI            |

| Short Code | Image  | Features   | Classification | Additional Information | Description                    |
|------------|--|--|----------------|------------------------|--------------------------------|
| AC402001   | Control of the contro | Voltage:220-240V~50Hz Phase:Single Input power: 3.0kW (4HP) Tank:200L Noise:83db 3000Hr lifetime promise Belt driving system Pump lubricated with oil Copper wire induction motor Operation pressure:max.8bar Packed by wooden case  | INDUSTRIAL     |                        | COMPRESSOR 200L 3.0KW BELT     |
| AC553001   | Endcco   | Voltage:380V~50Hz Phase:Three Input power: 4.1kW (5.5HP) Tank:300L Noise:83db 3000Hr lifetime promise Belt driving system Pump lubricated with oil Copper wire induction motor Operation pressure:max.8bar Packed by wooden case   | INDUSTRIAL     |                        | COMPRESSOR 300L 4.1KW          |
| ACS175246  |  | Voltage:220-240V~50Hz Input power: 600W (0.8HP) Tank:24L(6.3Gal) Oil free system Noise: 60db Copper wire motor No-load speed:1440rpm Operation pressure:max.8bar   |                |                        | COMPRESSOR 24L 600W SILENT     |
| AC20248    | The State of the   | Voltage:220-240V~50Hz Input power: 1.5 kW (2 HP) Tank:24L(6.3Gal) Noise:96db 1000HR lifetime promise Pump lubricated with oil No-load speed:2850rpm Operation pressure:max.8bar Packed by carton box   | INDUSTRIAL     |                        | COMPRESSOR 24L 1.5KW 8BAR      |
| AC25508    | Carter 1/2   | Voltage:220-240V~50Hz Input power: 1.8kW(2.5HP) Tank:50L(13.2Gal) Noise:96db 1000HR lifetime promise Pump lubricated with oil No-load speed:2850rpm Operation pressure:max.8bar Packed by carton box   | INDUSTRIAL     |                        | COMPRESSOR 50L 1.8KW 8BAR      |
| GE8002     |  | Rated voltage(V):220-240 Rated frequency(Hz):50 Max.output(kW):0.8 Rated output(kW):0.65 Rated speed(rpm):3000 Engine:2 stroke Displacement(ml):63 Cooling system:Air-cooled Starting system:Recoil Aluminum wire alternator Fuel tank(L):4.0 Dry weight(kg):16.5 Packed by carton box   |                |                        | GENERATOR 2ST AIR COOLED 800W  |
| GE30005    |  | Rated voltage(V):220-240 Rated frequency(Hz):50 Max.output(kW):2.8 Rated output(kW):2.5 Rated speed(rpm):3000 Engine:4 stroke,OHV Displacement(ml):210 Cooling system:Air-cooled Ignition system:T.C.I Starting system:Recoil Aluminum wire alternator Fuel tank(L):15 Dry weight(Kg):42   |                |                        | GENERATOR 4ST AIR COOLED 2.8KW |
| GE55003    |  | Packed hy carton box Rated voltage(V):220-240 Rated frequency(Hz):50 Max.output(kW):5.5 Rated output(kW):5.0 Rated speed(rpm):3000 Engine:4 stroke,OHV Displacement(mI):389 Cooling system:Air-cooled Ignition system:T.C.I Starting system:Recoil+Electric Copper wire alternator Fuel tank(L):25 Dry weight(Kg):77 With 1 set auxiliary handle and wheels Packed by carton box |                |                        | GENERATOR 4ST AIR COOLED 5.5KW |

| Short Code | Image                                 | Features  | Classification | Additional Information | Description                    |
|------------|---------------------------------------|---|----------------|------------------------|--------------------------------|
| GVR-2      | Claw                                  | Petrol engine<br>Engine power:4.0Kw(5.5HP)<br>Claw type coupling<br>Not included vibrator poker<br>Packed by carton box   |                |                        | VIBRATOR PETROL CLAW 4.0KW     |
| VBP1381    |                                       | Diameter:38mm Head length:580mm Claw type fitting Vibrating frequency:200Hz Vibrating ampitude:1.2mm Flexible hose length:6m Packed by carton box   |                |                        | VIBRATOR POKER 38MM            |
| VBP1451    | O CLAN                                | Diameter:45mm Head length:580mm Claw type fitting Vibrating frequency:200Hz Vibrating ampitude:1.2mm Flexible hose length:6m Packed by carton box   |                |                        | VIBRATOR POKER 45MM            |
| GCP100-2   | Engine:<br>ingco 6.5HP<br>N.W.: 90KGS | Petrol engine Engine power:4.8Kw(6.5HP) Weight:90Kgs Frequency:4200VPM Centrifugal force:15kN Compaction depth:30cm Travel speed:45cm/s Efficiency:660M2/Hr Plate size:50x45cm Packed by carton box   |                |                        | COMPACTOR PETROL 4.8KW         |
| GRT75-2    | Engine:<br>INGCO 6.5HP<br>N.W.:79KGS  | Petrol engine Engine power:4.8Kw(6.5HP) Weight:79Kgs Impact force:10kN Impact rate:450-660rpm Jumping stroke:65mm Shoe size:33X29cm Fuel tank volume:2.0L Packed by carton box  |                |                        | TAMPING RAMMER PETROL 4.8KW    |
| GPT361-2   | Engine:<br>INGCO 6.5HP<br>N.W.:78KGS  | Petrol engine Engine power:4.8Kw(6.5HP) Weight:78Kgs Rotor diameter:91cm(36") Blade number:four Finish blade:35X15cm(6X14") Blade included Packed by carton box   |                | BLADE INCLUDED         | POWER TROWEL PETROL 4.8KW      |
| GLM141181  |                                       | Zongshen brand engine(The best one in China) Displacement:141cc Rated power:3.0Kw(4HP) Rated speed: 2600rpm Drive type:Hand push 4 stroke engine Cutting height:25-75mm(7 positions) Cutting width:460mm(18") Catchervolume:60L Deck material:steel Wheel size:6"/8" Packed by carton box   | INDUSTRIAL     |                        | LAWN MOWER PETROL, 3.0KW 141CC |
| GLM196201  |                                       | Zongshen brand engine(The best one in China) Displacement:196cc 4 stroke engine Rated power:3.5Kw(4.8HP) Displacement:196cc Rated speed: 3600rpm 3 function:Catcher,side discharge, mulching,rear discharge 4 stroke engine Cutting height:28-80mm(7 positions) Cutting width:510mm(20") Catchervolume:60L Deck material:steel Wheel size:8"/10" Packed by carton box | INDUSTRIAL     |                        | LAWN MOWER PETROL, 3.5KW 196CC |
| нвтср6008  |                                       | Current: 600AMP Clamp size :18x10cm Suitable for emission ≤4.5L car Cable material :copper coated Cable outside diameter:10mm Cable length :3m Packed by colour box   |                |                        | BOOSTER CABLE 600AMP IN BOX    |

| Short Code | Image                                 | Features   | Classification | Additional Information | Description                    |
|------------|---------------------------------------|--|----------------|------------------------|--------------------------------|
| HBTCP2001  |                                       | Current: 200AMP Clamp size :14x9cm Suitable for emission ≤1.8L car Cable material :copper coated Cable outside diameter:8mm Cable length :2.5m Packed by colour box  |                |                        | BOOSTER CABLE 200AMP IN BOX    |
| AKT0051    | 22 OF                                 | Air tools 5pcs set Only with Europe type connector. Recoil hose Length:5m,Diameter:8mm Air blow gun Nozzle length:16mm Air spray gun Operating pressure:3-4bar Paint capacity:1000cc Pattern width:140-180mm Air washing gun Operation pressure:4bar Washing capacity:750cc Air tire inflating gun Max pressure:12Bar Packed by colour box |                |                        | AIR TOOL SET 5PCE              |
| АКТОО53    | STEEN STEEN                           | Air tools 5pcs set Only with Europe type connector. Recoil hose Length:4m,Diameter:8mm Air blow gun Nozzle length:16mm Air spray gun Operating pressure:3-4bar Paint capacity:600cc Pattern width:180-250mm Air washing gun Operation pressure:4bar Washing capacity:750cc Air tire inflating gun Max pressure:12Bar Packed by colour box  |                |                        | AIR TOOL SET 5PCS              |
| AKT0052    |                                       |  |                |                        | AIR TOOL SET 5P GRAVITY FEED   |
| ASG4041    | 40033<br>☑ Finishing Coat ☑ Base Coat | Standard nozzle:1.5mm Pattern width:180-250mm Paint capacity:400cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.2-1.8mm Operating pressure:3-4bar Air cons:4.2-7.1cfm(119-200l/min) Packed by colour box  |                |                        | AIR SPRAY GUN GRAV 0.4L        |
| ASG4042    | A Finishing Coat  Base Coat           | Standard nozzle:1.5mm Pattern width:180-250mm Paint capacity:400cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.5-2.0mm Operating pressure:3-4bar Air cons:3.5-6.0cfm(99-170l/min) Packed by colour box   |                |                        | AIR S/GUN GRAV. 0.4CC BC 1.5MM |
| ASG3101    | 1000ca<br>Finishing Coat<br>Base Coat | Standard nozzle:1.5mm Pattern width:140-180mm Paint capacity:1000cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.2-1.8mm Operating pressure:3-4bar Air cons:4.2-7.1cfm(119-200l/min) Packed by colour box                                       |                |                        | AIR SPRAY GUN 1LT 119-200L/PM  |
| ASG3105    | 100033  ☑ Finishing Coat ☑ Base Coat  | Standard nozzle:1.8mm Pattern width:180-250mm Paint capacity:1000cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.5-2.0mm Operating pressure:3-4bar Air cons:3.5-6.0cfm(99-170I/min) Packed by colour box  |                |                        | AIR S/GUN CONV. 1.0CC BC 1.5MM |

| Short Code | Image                                   | Features  | Classification | Additional Information | Description                    |
|------------|---|---|----------------|------------------------|--------------------------------|
| ASG3102    | 1000cc    Finishing Coat   Base Coat    | Standard nozzle:1.8mm Pattern width:200-250mm Paint capacity:1000cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.4-2.5mm Operating pressure:3-4bar Air cons:4.6-7.1cfm(130-200l/min) Packed by colour box                                    | INDUSTRIAL     |                        | AIR SPRAY GUN 1LT 130-200L/PM  |
| ASG1061    | 60033 HVLP  Finishing Coat  Base Coat   | Pattern vision in the Standard nozzle:1.4mm  Pattern width:180-250mm  Paint capacity:600cc  Suitable for finishing coat  With Europe type connector, USA type connector, Nitto type connector and Italy type connector.  Optional nozzle:1.3-2.5mm  Operating pressure:2-3.5bar Air cons:4.2-7.1cfm(119-2001/min)  Packed by colour hox | INDUSTRIAL     |                        | AIR SPRAY GUN 600CC GRAV HVLP  |
| ASG2101    | HVLP  Finishing Coat  Base Coat         | Standard nozzle:1.4mm Pattern width:180-250mm Paint capacity:1000cc Suitable for finishing coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.3-2.5mm Operating pressure:2.5-3.5bar Air cons:4.2-7.1cfm(119-2001/min) Packed by colour box                           | INDUSTRIAL     |                        | AIR SPRAY GUN 1LT HVLP         |
| ASG1051    | Forged Quality better than SATA.        | TOP GRADE SPRAY GUN Forging gun body Standard nozzle:1.3mm Pattern width:180-260mm Paint capacity:500cc Suitable for finishing coat, Professional for spray car. Operating pressure:2.0bar Air cons:4.1-4.5cfm(116-127l/min) Heat treat stainless needle ,nozzle and brass cap Air volume control Packed in colour box                  |                |                        | AIR S/GUN GRAV. 0.5CC FC 1.3MM |
| ASG1065    | ✓ Finishing Coat  ▼ Base Coat           | TOP GRADE SPRAY GUN Standard nozzle:1.3mm Pattern width:180-260mm Paint capacity:600cc Suitable for finishing coat,Professional for spray car. With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operating pressure:2.0bar Air cons:5-9cfm(141-253l/min) Packed by colour hox              | INDUSTRIAL     |                        | AIR S/GUN GRAV. 0.6CC FC 1.3MM |
| AWG1001    | 75008                                   | Nozzle size:215mm Washing capacity:0.75L With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operation pressure:4bar Packed by colour box  |                |                        | AIR WASHING GUN 0.75L          |
| ATG0601    |   | Max pressure:12Bar(174PSI) With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Packed by sliding card  |                |                        | AIR TYRE INFL. GUN 150PSI      |
| ABG031     | and | Nozzle length:16mm Only with Europe type connector. Packed by sliding card  |                |                        | AIR DUSTER 1.6MM NOZZLE        |

| Short Code | Image          | Features  | Classification | Additional Information | Description                   |
|------------|----------------|---|----------------|------------------------|-------------------------------|
| APS1501    | 150mm          | Sanding pad:6"(150mm) Air Inlet(PT):1/4" With Europe type connector, USA type connector, Nitto type connector and Italy type connector. No-load Speed RPM:10000 Air Hose(ID):3/8" Air Cons:2.8cfm(79.2l/min) Air pressure:90PSI,6.2bar Sug.Air Comp.(Hp):2 Packed by colour box   | INDUSTRIAL     |                        | AIR SANDER INDUSTRIAL 150MM   |
| AlW12562   | Toma 19mm 21mm | Square drive:12.5mm(1/2") No-load speed:7000 rpm Max.torque:610Nm(450ft) Weight: 2.6KG Twin hammer mechanism With 3 pcs socket (17mm,19mm,21mm) With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Air Consumption:142.5l/min(5.0cfm) Air Pressure:6.2bar(90psi) Length:187mm(7.3") Weight:2.6kgs(5.7lbs) Air Inlet:1/4" Air hose:3/8" Packed by colour box | INDUSTRIAL     | 3 PIECE SOCKET         | AIR IMPACT WRENCH 1/2"        |
| AIW341301  | 3/A*           | Square drive:19mm(3/4") No-load speed:7000 rpm Max.torque:1355Nm(1000ft) Weight: 3.0KG Twin hammer mechanism With universal connector Air Consumption:269l/min(9.5cfm) Air Pressure:6.2bar(90psi) Length:208mm(8.2") Weight:3.0kgs(6.6lbs) Air Inlet:3/8" Air hose:1/2" Packed by colour box  | INDUSTRIAL     |                        | AIR IMPACT WRENCH 1355Nm 3/4" |
| AIW341302  | 3/4            | Square drive:19mm(3/4") No-load speed:4000 rpm Max.torque:1600Nm(1180ft) Weight: 6.0KG Twin hammer mechanism With universal connector. Air Consumption:256l/min(9cfm) Air Pressure:6.2bar(90psi) Length:234mm(9.2") Weight:5.9kgs(13lbs) Air Inlet:3/8" Air hose:1/2" Packed by colour box  | INDUSTRIAL     |                        | AIR IMPACT WRENCH 1600Nm 3/4" |
| AIW11223   |                | Square drive:25mm(1") No-load speed:4000 rpm Max.torque:1800Nm(1328ft) Weight: 6.0KG Twin hammer mechanism With universal connector. Air Consumption:256l/min(9cfm) Air Pressure:6.2bar(90psi) Length:234mm(9.2") Weight:5.9kgs(13lbs) Air Inlet:3/8" Air hose:1/2" Packed by colour box  | INDUSTRIAL     |                        | AIR IMPACT WRENCH 1"          |
| AlW11222   | T TO           | Square drive:25mm(1") No-load speed:3600 rpm Max.torque:3100Nm(2300ft) Weight: 18.5KG With universal connector Air Consumption:1019l/min(36cfm) Anvil:200mm(8") Capacity bolt Size:45mm(1-3/4") Air inlet:1/2" Parked by BMC  | INDUSTRIAL     |                        | AIR IMPACT WRENCH 1" 200MM    |
| ABN15501   | Sand See       | Load capacity:100pcs Brad size:15-50mm Ga18,1.25x1.00mm With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operation pressure:0.5-0.7Mpa(75-100Psi) With 1000pcs brad nails Packed by colour box  |                | PACK 1000 BRAD NAILS   | AIR NAILER BRAD 15-50MM GA18  |

| Short Code     | Image  | Features  | Classification | Additional Information                    | Description                    |
|----------------|--|---|----------------|---|--------------------------------|
| ACN50401       |  | Load capacity:100Pcs Brad size:15-50mm Ga18,1.25X1.0mm Staple size:16-40mm Ga18,1.25X1.0mm Staple crown:5.7mm With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operation pressure:0.4-0.7Mpa(60-100Psi) With 1000pcs brad nails With 1000pcs staples Packed by colour box |                | PACK 1000 BRAD NAILS<br>PACK 1000 STAPLES | AIR NAIL&STAPLER 2IN1 GA18     |
| ANA18201       | Manager Manage | Brad leight:20mm<br>5000pcs/colour box<br>Suitable for ACN50401, ABN15501,<br>ABN10301 and ABN10301-3<br>Ga18,1.25X1.0mm<br>Packed by colour box  |                |   | BRAD NAIL GA18 1.25X1X20       |
| ANA18251       |  | Brad leight:25mm<br>5000pcs/colour box<br>Suitable for ACN50401, ABN15501,<br>ABN10301 and ABN10301-3<br>Ga18,1.25X1.0mm<br>Packed by colour box  |                |   | BRAD NAIL GA18 1.25X1X25       |
| ANA18351       |  | Brad leight:35mm<br>5000pcs/colour box<br>Suitable for ACN50401 and ABN15501<br>Ga18,1.25X1.0mm<br>Packed by colour box   |                |   | BRAD NAIL GA18 1.25X1X35 5000  |
| ANA18501       |  | Brad leight:50mm<br>5000pcs/colour box<br>Suitable for ACN50401 and ABN15501<br>Ga18,1.25X1.0mm<br>Packed by colour box<br>Staple size:25mm   |                |   | BRAD NAIL GA18 1.25X1X50 5000  |
| AST18251       |  | 2500pcs/colour box<br>Suitable for ACN50401<br>Ga18,1.25X1.0mm<br>Staple crown:5.7mm<br>Packed by colour box  |                |   | STAPLE 25MM GA18 1.25X1.0 2500 |
| AST18351       | ance of the second   | Staple size:35mm<br>2500pcs/colour box<br>Suitable for ACN50401<br>Ga18,1.25X1.0mm<br>Staple crown:5.7mm<br>Packed by colour box  |                |   | STAPLE 35MM GA18 1.25X1.0 2500 |
| AST18401       | FIX CO   | Staple size:40mm<br>2500pcs/colour box<br>Suitable for ACN50401<br>Ga18,1.25X1.0mm<br>Staple crown:5.7mm<br>Packed by colour box  |                |   | STAPLE 40MM GA18 1.25X1.0 2500 |
| AH1051         | The state of the s | Material:PU Length:5M Only with Europe type connector. Diameter:5/8mm Packed by shrink  |                |   | AIR HOSE 5M                    |
| AH1101         | The state of the s | Material:PU Length:10M Only with Europe type connector. Diameter:5/8mm Packed by shrink   |                |   | AIR HOSE 10M                   |
| <b>А</b> Н1151 | THE REPORT OF THE PARTY OF THE  | Material:PU Length:15M Only with Europe type connector. Diameter:5/8mm Packed by shrink   |                |   | AIR HOSE 15M 6-8MM             |
| GCS5451811     | 16 Indea 2   | Displacement:46cc Rated power:1.8Kw Engine idle speed:3100±300rpm Max. cutting diameter:445mm(18") Fuel tank capacity:550ml Oil tank capacity:260ml Powerful 2-stroke motor 18" chain saw Packed by colour box  |                |   | CHAINSAW 18" 46CC PET. 2ST     |
| AGSC51801      | To the second  | 18" Saw chain<br>Suitable for GCS5451811 gasoline chain saw<br>Packed by double blister   |                |   | CHAIN FOR SAW GCS5451811       |

| Short Code  | Image           | Features  | Classification | Additional Information | Description                     |
|-------------|-----------------|---|----------------|------------------------|---------------------------------|
| Short Code  | image           | reatures  | Classification | Additional information | Description                     |
| AGSB51801   | — ineco 18° · » | 18" Chain Saw Bar<br>Suitable for GCS5451811 gasoline chain saw<br>Packed by double blister   |                |                        | BLADE FOR SAW GCS5451811        |
| AGSC1805    |                 | 18" Saw chain  Suitable for INGCO GCS45185 gasoline chain saw  Packed by poly bag   |                |                        | CHAINSAW LINK 18" CGS45185      |
| AGSB1805    | ingco 18        | 18" Chain Saw Bar<br>Suitable for GCS45185 gasoline chain saw<br>Packed by poly bag   |                |                        | CHAINSAW BAR 18" GCS45185       |
| AGSC1801    | OREGON CHAIN    | 18" Oregon Saw chain<br>Suitable for INGCO GCS45182 gasoline chain<br>saw<br>Packed by poly bag   | INDUSTRIAL     |                        | CHAINSAW LINK 18" CGS45182      |
| AGSB1801    | ÷ incco 18°     | 18" Oregon Chain Saw Bar<br>Suitable for INGCO GCS45182 gasoline chain<br>saw<br>Packed by poly bag   | INDUSTRIAL     |                        | CHAINSAW BAR 18" GCS45182       |
| <b>Фр</b> д |                 | Displacement:52cc Rated power:1.4Kw(2.2HP) Max speed : 9000rpm Max cutting path:420mm Spool liner:2.4mmx4m Blade diameter:255mm(3teeth) Fuel tank capacity:1200ml Powerful 2-stroke motor With 2 function:trimmer and cutter Air cooled engine,single cylinder Packed by colour box |                |                        | BRUSH CUTTER 52CC 2HP DUAL FUN  |
| ALS25405    | -60-            | Line diameter:2.5mm<br>Line length:4M<br>Suitable for<br>GBC5434411,GBC5434421,GBC5524411,GBC<br>5524421,GBC5624421,GBC5624421<br>gasoline grass trimmer<br>Packed by double blister  |                |                        | LINE SPOOL 4M 2.5MM             |
| ALS25401    |                 | Line diameter:2.5mm Line length:4M Suitable for INGCO GBC45441 gasoline grass trimmer Packed by poly bag  |                |                        | LINE SPOOL 4M 2.5MM             |
| ABCB01      | A               | Blade diameter:230mm(9") Blade teeth:three Suitable for INGCO GBC45441 gasoline grass trimmer Packed by poly bag  |                |                        | BLADE 230MM FOR BRUSH CUTTER    |
| GEA55221    |                 | Rated power(cc./wattolt): 52cc/1.4kw Auger speed:0-265/min With a auger bit 2-stroke Fuel tank capacity: 1200ml Max. engine speed: 9000/min Max. idle speed: 3300±300 Auger bit length:Ф150*80cm Packed by carton box   |                |                        | EARTH AUGER 52CC 1.4KW INCL BIT |

| Short Code              | Image                                      | Features   | Classification | Additional Information | Description                |
|-------------------------|--|--|----------------|------------------------|----------------------------|
| GMT55231                | 192  | Displacement:52cc Rated power:1.4Kw(2.2HP) Max speed: 10000rpm Max cutting path:420mm Spool liner:2.4mmx4m Blade diameter:255mm(3teeth) Fuel tank capacity:1200ml Powerful 2-stroke motor With 1pcs grass trimmer With 1pcs bush cutter With 1pcs bush cutter With 1pcs chain saw Packed by colour box |                |                        | MULTI TOOL 52CC 1.4KW 4PCS |
| HPWR14008               | 130Bar<br>5.51/min<br>1400W<br>Bruth Melte | Voltage: 220-240V~50/60Hz Carbon brush motor Pure copper wire Input power:1400W Max Pressure:130Bar (1900PSI) Flow rate:5.5L/min Auto stop system 1 set water spray gun (AMSG028) 5m high pressure hose( AHPH5028) Packed by colour box  |                |                        | HIGH PRESSURE WASHER 1400W |
| HPWR18008               | S T SOBAR 6L/min 1800W Carbon Brush Motor  | Voltage: 220-240V~50/60Hz Carbon brush motor Pure copper wire Input power:1800W Max Pressure:150Bar (2200PSI) Flow rate:6.0L/min Auto stop system 1pcs soap bottle 1 set water spray gun (AMSG028 ) Sm high pressure hose( AHPH5028) Packed by colour box  | INDUSTRIAL     |                        | HIGH PRESSURE WASHER 1800W |
| AMSG028                 | Quick                                      | Material:Plastic body<br>Quick connector<br>Suitable for HPWR14008,HPWR18008,<br>HPWR20008,HPWR25008,UHPWR14008,UHP<br>WR18008<br>Packed by colour box   |                |                        | QUICK CONNECT SPRAYGUN     |
| <b>Тер</b><br>АМНВ2791  |  | Size:270*95mm Material : PP and PA66+30GF Suitable for HPWR14008 HPWR18008 HPWR20008 HPWR25008 HPWR28008 Packed by paper card  |                |                        | HORIZONTAL BRUSH           |
| <b>Т</b> ерг<br>АМРВ251 | 15   | Size:250mm Material : PP and PA66+30GF With one 455mm Extension rod Suitable for HPWR14008 HPWR18008 HPWR20008 HPWR25008 Packed by paper card  |                |                        | PATIO BRUSH                |
| <b>М</b> ур.            |  | length: 390mm For cleaning vehicle wheel Suitable for HPWR14008 HPWR18008 HPWR20008 HPWR25008 HPWR28008 Packed by paper card   |                |                        | WHEEL BRUSH                |
| AMAN4501                |  | length: 590mm<br>45º Angle<br>Suitable for HPWR14008 HPWR18008<br>HPWR20008<br>Packed by paper card  |                |                        | ANGLE NOZZLE               |
| АНРН5028                | Quick connector                            | Length:5 Meters Material:PVC Quick connector Match with the Machinery of HPWR14008, HPWR18008, HPWR20008, UHPWR14008, UHPWR18008 Packed by colour box  |                |                        | QUICK CONNECT HOSE         |

| Short Code | Image  | Features   | Classification | Additional Information | Description                |
|------------|--|--|----------------|------------------------|----------------------------|
| DBT1100103 |  | HSS,diameter:1mm<br>10pcs/Poly bag<br>Total length:34m<br>Usable length:12m<br>Packed by poly bag      |                |                        | DRILL BIT HSS 1.0MM 10/PKT |
| DBT1100153 |  | HSS,diameter:1.5mm 10pcs/Poly bag Total length:32mm Usable length:9mm Packed by poly bag               |                |                        | DRILL BIT HSS 1.5MM 10/PKT |
| DBT1100253 |  | HSS,diameter:2.5mm<br>10pcs/poly bag<br>Total length:57mm<br>Usable length:30mm                        |                |                        | DRILL BIT HSS 2.5MM 10/PKT |
| DBT1100303 | 1000   | HSS,diameter:3.0mm<br>10pcs/poly bag<br>Total length:61mm<br>Usable length:33mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 3.0MM 10/PKT |
| DBT1100323 |  | HSS,diameter:3.2mm<br>10pcs/poly bag<br>Total length:61mm<br>Usable length:33mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 3.2MM 10/PKT |
| DBT1100353 | THE STATE OF THE S | HSS,diameter:3.5mm<br>10pcs/poly bag<br>Total length:70mm<br>Usable length:39mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 3.5MM 10/PKT |
| DBT1100403 |  | HSS,diameter:4.0mm<br>10pcs/poly bag<br>Total length:75mm<br>Usable length:43mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 4.0MM 10/PKT |
| DBT1100423 |  | HSS,diameter:4.2mm<br>10pcs/poly bag<br>Total length:75mm<br>Usable length:43mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 4.2MM 10/PKT |
| DBT1100453 |  | HSS,diameter:4.5mm<br>10pcs/poly bag<br>Total length:80mm<br>Usable length:47mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 4.5MM 10/PKT |
| DBT1100483 |  | HSS,diameter:4.8mm<br>10pcs/poly bag<br>Total length:86mm<br>Usable length:52mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 4.8MM 10/PKT |
| DBT1100503 |  | HSS,diameter:5.0mm<br>10pcs/poly bag<br>Total length:86mm<br>Usable length:52mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 5.0MM 10/PKT |
| DBT1100553 | The state of the s | HSS,diameter:5.5mm<br>10pcs/poly bag<br>Total length:93mm<br>Usable length:57mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 5.5MM 10/PKT |
| DBT1100603 |  | HSS,diameter:6.0mm<br>10pcs/poly bag<br>Total length:93mm<br>Usable length:57mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 6.0MM 10/PKT |
| DBT1100653 | ince<br>11 E   | HSS,diameter:6.5mm<br>10pcs/poly bag<br>Total length:101mm<br>Usable length:63mm<br>Packed by poly bag |                |                        | DRILL BIT HSS 6.5MM 10/PKT |
| DBT1100703 |  | HSS,diameter:7.0mm<br>10pcs/poly bag<br>Total length:109mm<br>Usable length:69mm<br>Packed by poly bag |                |                        | DRILL BIT HSS 7.0MM 10/PKT |
| DBT1100753 |  | HSS,diameter:7.5mm<br>10pcs/Poly bag<br>Total length:109mm<br>Usable length:69mm<br>Packed by poly bag |                |                        | DRILL BIT HSS 7.5MM 10/PKT |

| Short Code  | Image  | Features   | Classification | Additional Information | Description                |
|-------------|--|--|----------------|------------------------|----------------------------|
| DBT1100803  |  | HSS,diameter:8.0mm<br>Spcs/poly bag<br>Total length:117mm<br>Usable length:75mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 8.0MM 5/PKT  |
| DBT1100853  | The state of the s | HSS,diameter:8.5mm<br>5pcs/poly bag<br>Total length:117mm<br>Usable length:75mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 8.5MM 5/PKT  |
| DBT1100903  |  | HSS,diameter:9.0mm<br>Spcs/poly bag<br>Total length:125mm<br>Usable length:81mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 9.0MM 5/PKT  |
| DBT1100953  |  | HSS,diameter:9.5mm<br>5pcs/poly bag<br>Total length:125mm<br>Usable length:81mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 9.5MM 5/PKT  |
| DBT1101003  |  | HSS,diameter:10mm<br>5pcs/poly bag<br>Total length:133mm<br>Usable length:87mm<br>Packed by poly bag   |                |                        | DRILL BIT HSS 10MM 5/PKT   |
| DBT1101053  |  | HSS,diameter:10.5mm<br>5pcs/poly bag<br>Total length:133mm<br>Usable length:87mm<br>Packed by poly bag |                |                        | DRILL BIT HSS 10.5MM 5/PKT |
| DBT1101203  |  | HSS,diameter:12mm<br>5pcs/poly bag<br>Total length:151mm<br>Usable length:101mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 12MM 5/PKT   |
| DBT1101303  | THE STATE OF THE S | HSS,diameter:13mm<br>Spcs/poly bag<br>Total length:151mm<br>Usable length:101mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 13MM 5/PKT   |
| DBT1101403  |  | HSS,diameter:14mm<br>Spcs/poly bag<br>Total length:160mm<br>Usable length:108mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 14MM 5/PKT   |
| DBT11001031 | TOTAL TOTAL STATE OF THE STATE  | HSS,diameter:1mm<br>Total length:34mm<br>Usable length:12mm<br>2pcs/bag<br>Packed by plastic bag       |                |                        | DRILL BIT HSS 1MM 2PCS     |
| DBT11002031 |  | HSS,diameter:2mm<br>Total length:49mm<br>Usable length:24mm<br>2pcs/bag<br>Packed by plastic bag       |                |                        | DRILL BIT HSS 2MM 2PCS     |
| DBT11002531 |  | HSS,diameter:2.5mm<br>Total length:56mm<br>Usable length:30mm<br>2pcs/bag<br>Packed by plastic bag     |                |                        | DRILL BIT HSS 2.5MM 2PCS   |
| DBT11003031 |  | HSS,diameter:3.0mm<br>Total length:61mm<br>Usable length:33mm<br>2pcs/bag<br>Packed by plastic bag     |                |                        | DRILL BIT HSS 3MM 2PCS     |
| DBT11003231 |  | HSS,diameter:3.2mm<br>2pcs/poly bag<br>Total length:61mm<br>Usable length:33mm<br>Packed by poly bag   |                |                        | DRILL BIT HSS 3.2MM 2PCS   |
| DBT11003531 |  | HSS,diameter:3.5mm Total length:70mm Usable length:39mm 2pcs/bag Packed by plastic bag                 |                |                        | DRILL BIT HSS 3.5MM 2PCS   |
| DBT11004031 |  | HSS,diameter:4.0mm<br>Total length:75mm<br>Usable length:43mm<br>2pcs/bag<br>Packed by plastic bag     |                |                        | DRILL BIT HSS 4MM 2PCS     |
| DBT11004231 |  | HSS,diameter:4.2mm<br>2pcs/poly bag<br>Total length:75mm<br>Usable length:43mm<br>Packed by poly bag   |                |                        | DRILL BIT HSS 4.2MM 2PCS   |

| Short Code  | Image | Features  | Classification | Additional Information | Description               |
|-------------|-------|---|----------------|------------------------|---------------------------|
| DBT11004531 |       | HSS,diameter:4.5mm<br>Total length:80mm<br>Usable length:47mm<br>2pcs/bag<br>Packed by plastic bag    |                |                        | DRILL BIT HSS 4.5MM 2PCS  |
| DBT11004831 |       | HSS,diameter:4.8mm<br>2pcs/poly bag<br>Total length:86mm<br>Usable length:52mm<br>Packed by poly bag  |                |                        | DRILL BIT HSS 4.8MM 2PCS  |
| DBT11005031 |       | HSS,diameter:5.0mm<br>Total length:86mm<br>Usable length:52mm<br>2pcs/bag<br>Packed by plastic bag    |                |                        | DRILL BIT HSS 5MM 2PCS    |
| DBT11005531 |       | HSS,diameter:5.5mm<br>Total length:93mm<br>Usable length:57mm<br>1pcs/bag<br>Packed by plastic bag    |                |                        | DRILL BIT HSS 5.5MM 1PCS  |
| DBT11006031 |       | HSS,diameter:6.0mm<br>Total length:93mm<br>Usable length:57mm<br>1pcs/bag<br>Packed by plastic bag    |                |                        | DRILL BIT HSS 6MM 1PCS    |
| DBT11006531 |       | HSS,diameter:6.5mm<br>Total length:101mm<br>Usable length:63mm<br>1pcs/bag<br>Packed by plastic bag   |                |                        | DRILL BIT HSS 6.5MM 1PCS  |
| DBT11007031 |       | HSS,diameter:7.0mm<br>Total length:109mm<br>Usable length:69mm<br>1pcs/bag<br>Packed by plastic bag   |                |                        | DRILL BIT HSS 7MM 1PCS    |
| DBT11007531 |       | HSS,diameter:7.5mm<br>Total length:109mm<br>Usable length:69mm<br>1pcs/bag<br>Packed by plastic bag   |                |                        | DRILL BIT HSS 7.5MM 1PCS  |
| DBT11008031 |       | HSS,diameter:8.0mm<br>Total length:117mm<br>Usable length:75mm<br>1pcs/bag<br>Packed by plastic bag   |                |                        | DRILL BIT HSS 8MM 1PCS    |
| DBT11008531 |       | HSS,diameter:8.5mm<br>Total length:117mm<br>Usable length:75mm<br>Ipcs/bag<br>Packed by plastic bag   |                |                        | DRILL BIT HSS 8.5MM 1PCS  |
| DBT11009031 |       | HSS,diameter:9.0mm<br>Total length:125mm<br>Usable length:81mm<br>1pcs/bag<br>Packed by plastic bag   |                |                        | DRILL BIT HSS 9MM 1PCS    |
| DBT11009531 |       | HSS,diameter:9.5mm<br>Total length:125mm<br>Usable length:81mm<br>Ipcs/bag<br>Packed by plastic bag   |                |                        | DRILL BIT HSS 9.5MM 1PCS  |
| DBT11010031 |       | HSS,diameter:10mm<br>Total length:133mm<br>Usable length:87mm<br>1pcs/bag<br>Packed by plastic bag    |                |                        | DRILL BIT HSS 10MM 1PCS   |
| DBT11011031 |       | HSS,diameter:11mm<br>Total length:142mm<br>Usable length:94mm<br>1pcs/bag<br>Packed by plastic bag    |                |                        | DRILL BIT HSS 11MM 1PCS   |
| DBT11012031 |       | HSS,diameter:12mm<br>Total length:151mm<br>Usable length:101mm<br>1pcs/bag<br>Packed by plastic bag   |                |                        | DRILL BIT HSS 12MM 1PCS   |
| DBT11012531 |       | HSS,diameter:12.5mm<br>Total length:151mm<br>Usable length:101mm<br>1pcs/bag<br>Packed by plastic bag |                |                        | DRILL BIT HSS 12.5MM 1PCS |
| DBT11013031 |       | HSS,diameter:13mm<br>Total length:151mm<br>Usable length:101mm<br>1pcs/bag<br>Packed by plastic bag   |                |                        | DRILL BIT HSS 13MM 1PCS   |
| DBT11014031 |       | HSS,diameter:14mm<br>Total length:160mm<br>Usable length:108mm<br>1pcs/bag<br>Packed by plastic bag   |                |                        | DRILL BIT HSS 14MM 1PC    |

| Short Code | Image  | Features  | Classification | Additional Information | Description                    |
|------------|--|---|----------------|------------------------|--------------------------------|
| DBT1110401 |  | M2 HSS,diameter:4.0mm<br>10pcs/plastic box<br>Total length:75mm<br>Usable length:43mm | INDUSTRIAL     |                        | DRILL BIT M2 HSS 4.0MM 10/BOX  |
| DBT1110451 |  | M2 HSS,diameter:4.5mm<br>10pcs/plastic box<br>Total length:80mm<br>Usable length:47mm | INDUSTRIAL     |                        | DRILL BIT M2 HSS 4.5MM 10/BOX  |
| DBT1110501 |  | M2 HSS,diameter:5.0mm<br>10pcs/plastic box<br>Total length:86mm<br>Usable length:52mm | INDUSTRIAL     |                        | DRILL BIT M2 HSS 5.0MM 10/BOX  |
| WOOD05     | ****   | Wood Drill Bit Twist 5X86mm   |                |                        | DRILL BIT WOOD TWIST 5X86MM    |
| WOOD07     |  | Wood Drill bit Twist 7X109mm  |                |                        | DRILL BIT WOOD TWIST 7X109MM   |
| DBM111031  |  | 3X60mm<br>Packed by plastic bag   | INDUSTRIAL     |                        | DRILL BIT MAS/CON TCT3X60 1P   |
| DBM111041  |  | 4X75mm<br>Packed by plastic bag   | INDUSTRIAL     |                        | DRILL BIT MAS/CON TCT4X75 1P   |
| DBM111051  |  | 5X85mm<br>Packed by plastic bag   | INDUSTRIAL     |                        | DRILL BIT MAS/CON TCT5X85 1P   |
| DBM111061  |  | 6X100mm<br>Packed by plastic bag  | INDUSTRIAL     |                        | DRILL BIT MAS/CON TCT6X100 1P  |
| DBM111062  |  | 6X150mm<br>Packed by plastic bag  | INDUSTRIAL     |                        | DRILL BIT MAS/CON TCT6X150 1P  |
| DBM111081  |  | 8X120mm<br>Packed by plastic bag  | INDUSTRIAL     |                        | DRILL BIT MAS/CON TCT8X120 1P  |
| DBM111101  |  | 10X120mm<br>Packed by plastic bag   | INDUSTRIAL     |                        | DRILL BIT MAS/CON TCT10X120 1P |
| DBM111102  | The state of the s | 10X150mm<br>Packed by plastic bag   | INDUSTRIAL     |                        | DRILL BIT MAS/CON TCT10X150 1P |
| DBM111121  |  | 12X150mm<br>Packed by plastic bag   | INDUSTRIAL     |                        | DRILL BIT MAS/CON TCT12X150 1P |
| DBM111142  |  | 14X200mm<br>Packed by plastic bag   | INDUSTRIAL     |                        | DRILL BIT MAS/CON TCT14X200 1P |
| DBM111161  | 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3  | 16X150mm<br>Packed by plastic bag   | INDUSTRIAL     |                        | DRILL BIT MAS/CON TCT16X150 1P |
| DBM111162  |  | 16X200mm<br>Packed by plastic bag   | INDUSTRIAL     |                        | DRILL BIT MAS/CON TCT16X200 1P |
| DBH1210601 | PLUS BARRACOURSES (6)  | 6x110mm,SDS plus<br>Packed by plastic hanger  | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 6X110MM  |
| DBH1210701 |  | 7x110mm,SDS plus Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 7X110MM  |

| Short Code | Image  | Features  | Classification | Additional Information | Description                    |
|------------|--|---|----------------|------------------------|--------------------------------|
| DBH1210801 |  | 8x110mm,SDS plus<br>Packed by plastic hanger    | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 8X110MM  |
| DBH1211001 |  | 10x110mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 10X110MM |
| DBH1210602 |  | 6x160mm,SDS plus<br>Packed by plastic hanger    | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 6X160MM  |
| DBH1210802 |  | 8x160mm,SDS plus<br>Packed by plastic hanger    | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 8X160MM  |
| DBH1211002 |  | 10x160mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 10X160MM |
| DBH1211201 |  | 12x160mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 12X160MM |
| DBH1211301 | CHARLES TO THE STATE OF THE STA | 13 X 160mm,SDS plus Packed<br>by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 13X160MM |
| DBH1211401 |  | 14x160mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 14X160MM |
| DBH1211601 |  | 16x160mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 16X160MM |
| DBH1210603 |  | 6x210mm,SDS plus<br>Packed by plastic hanger    | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 6X210MM  |
| DBH1210803 |  | 8x210mm,SDS plus<br>Packed by plastic hanger    | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 8X210MM  |
| DBH1211302 |  | 13x210mm,SDS plus Packed by plastic hanger      | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 13X210MM |
| DBH1211402 |  | 14x210mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 14X210MM |
| DBH1211602 |  | 16x210mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 16X210MM |
| DBH1211801 |  | 18x210mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 18X210MM |
| DBH1212001 |  | 20x210mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 20X210MM |
| DBH1210604 |  | 6x260mm,SDS plus<br>Packed by plastic hanger    | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 6X260MM  |
| DBH1210805 |  | 8.0x310mm,SDS plus<br>Packed by plastic hanger  | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 8X310MM  |

| Short Code | Image | Features                                      | Classification | Additional Information | Description                    |
|------------|-------|---|----------------|------------------------|--------------------------------|
| DBH1211004 |       | 10x260mm,SDS plus<br>Packed by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 10X260MM |
| DBH1211005 |       | 10x310mm,SDS plus<br>Packed by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 10X310MM |
| DBH1211203 |       | 12x260mm,SDS plus<br>Packed by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 12X260MM |
| DBH1211403 |       | 14x260mm,SDS plus<br>Packed by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 14X260MM |
| DBH1212003 |       | 20x310mm,SDS plus<br>Packed by plastic hanger |                |                        | DRILL BIT SDS+ HAMMER 20X310MM |
| DBH1212402 |       | 24x310mm,SDS plus<br>Packed by plastic hanger |                |                        | DRILL BIT SDS+ HAMMER 24X310MM |
| DBH1211603 |       | 16x260mm,SDS plus<br>Packed by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 16X260MM |
| DBH1212201 |       | 22x260mm,SDS plus<br>Packed by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 22X260MM |
| DBH1212601 |       | 26x260mm,SDS plus<br>Packed by plastic hanger |                |                        | DRILL BIT SDS+ HAMMER 26X260MM |
| DBH1211803 |       | 18x310mm,SDS plus<br>Packed by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 18X310MM |
| DBH1211604 |       | 16x310mm,SDS plus<br>Packed by plastic hanger |                |                        | DRILL BIT SDS+ HAMMER 16X310MM |
| DBH1212202 |       | 22x310mm,SDS plus<br>Packed by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 22X310MM |
| DBH1210806 |       | 8x450mm,SDS plus<br>Packed by plastic hanger  | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 8X450MM  |
| DBH1211006 |       | 10x450mm,SDS plus<br>Packed by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 10X450MM |
| DBH1211205 |       | 12x450mm,SDS plus<br>Packed by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 12X450MM |
| DBH1211405 |       | 14x450mm,SDS plus<br>Packed by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 14X450MM |
| DBH1211804 |       | 18x450mm,SDS plus<br>Packed by plastic hanger | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 18X450MM |

| Short Code | Image         | Features  | Classification | Additional Information | Description                    |
|------------|---------------|---|----------------|------------------------|--------------------------------|
| DBH1212004 |               | 20x450mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 20X450MM |
| DBH1212203 |               | 22x450mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 22X450MM |
| DBH1212404 |               | 24x450mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 24X450MM |
| DBH1212204 |               | 22x600mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 22X600MM |
| DBH1212504 |               | 25x600mm,SDS plus<br>Packed by plastic hanger   | INDUSTRIAL     |                        | DRILL BIT SDS+ HAMMER 25X600MM |
| AKDL11601  | incco incco   | 16PCS Metal, Concret and wood drill bits set 16pcs drill bits set 6pcs Metal drill bits set SIZE:2,3,4,5,6,8mm 5pcs Concret drill bits SIZE:4,5,6,8,10mm 5pcs Wood drill bits SIZE:4,5,6,8,10mm Packed by double blister              |                |                        | DRILL BIT SET CONC/WOOD 16PC   |
| AKSDB9165  |               | 16PCS drill bits & setscrewdriver bits set<br>6pcs HSS twist drill bits<br>SIZE:2,3,3.5,4,5,6mm<br>4pcs Masonry drill bits<br>SIZE:4,5,6,8mm<br>6PCS 25mm Screwdriver bits<br>SL4.5,SL5.5,PH1,PH2,PZ1,PZ2<br>Packed by double blister |                |                        | 16PC DRILL & SCREWDRV BITS SET |
| AKDB3055   | TEE           | Size: 4X75, 5X85, 6X100, 8X120, 10X12<br>0<br>5PCS Masonry drill bits set<br>Packed by double blister   |                |                        | DRILL BIT SET MAS SPCE         |
| AKD3051    |               | Size: 4X75, 5X85, 6X100, 8X120, 10X12<br>0<br>5PCS Masonry drill bit set<br>Packed by plastic box   | INDUSTRIAL     |                        | DRILL BIT SET MAS 5PC          |
| AKD3081    |               | 8PCS Masonry drill bit set<br>Size: 3X60, 4X75, 5X85, 6X100, 7X100<br>, 8X120, 9x120,10X120<br>Packed by plastic box  | INDUSTRIAL     |                        | DRILL BIT SET MAS 8PC          |
| AKD2048    |               | 5X110mm,6X110mm,8X110mm,10X110mm<br>4pcs SDS Plus hammer drill bits set<br>Packed by plastic box  | INDUSTRIAL     |                        | DRILL BIT SET SDS+ 4PC         |
| AKD2052    | <b>用性 区</b> 网 | 6X110mm,8X110mm,8X160mm,10X160mm,1<br>2X160mm<br>5 pcs SDS Plus hammer drill bits set<br>Packed by plastic box  | INDUSTRIAL     |                        | DRILL BIT SET SDS+ 5PC         |
| AKDB1065   |               | Size: 2X49,3X61, 4X75, 5X86,6X93, 8X11<br>7<br>6pcs HSS twist drill bits set<br>Packed by double blister  |                |                        | DRILL BIT SET TWIST 6PC HSS    |

| Short Code  | lmage  | Features  | Classification | Additional Information | Description                              |
|-------------|--|---|----------------|------------------------|--|
| AKD1055     |  | 6pcs Metal drill bits set<br>SIZE:2,3,4,5,6,8mm<br>Packed by plastic box  |                |                        | DRILL BIT SET METAL 6PC                  |
| <b>М</b> д. | inoco  | 9pcs HSS twist drill bits set<br>Size:2,3,3.5,4,4.5,5,6,8,10mm<br>Packed by plastic box   |                |                        | DRILL BIT SET 9PC                        |
| AKDB1125    | ingeo  | 12pcs HSS twist drill bits set<br>Size: 2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,8mm<br>Packed by double blister   |                |                        | DRILL BIT SET HSS 12PCE                  |
| AKD1075     | uneco ineco  | 7pcs Metal drill bits set<br>SIZE:2,2,3,3,4,5,6mm<br>Packed by plastic box  |                |                        | DRILL BIT SET METAL 7PC                  |
| AKDB1195    | mcco mcco  | 19pcs HSS twist drill bits set<br>Size: 1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,<br>8,8.5,9,9.5,10mm<br>Packed by plastic box                 |                |                        | DRILL BIT SET TWIST 19PC HSS             |
| AKDB5055    |  | 5pcs wood drill bits set<br>Size: 3X61, 4X75, 5X86,6X93, 8X117<br>Packed by double blister  |                |                        | DRILL BIT SET WOOD 5PC 3-8MM DBL BLISTER |
| AKD5058     | No.  | 4mm,5mm,6mm,8mm,10mm<br>5pcs wood drill bits set<br>Packed by plastic box   |                |                        | DRILL BIT SET WOOD 5PC 4-10MM P/BOX      |
| AKD6058     |  | 4mm,5mm,6mm,8mm,10mm<br>5 pcs multi-function drill bits<br>Packed by plastic box  |                |                        | DRILL BIT SET MULTI FUNCT. 5PC           |
| AKD7058     | THE THE PARTY OF T | 4mm,5mm,6mm,8mm,10mm<br>5 pcs glass drill bits<br>Packed by plastic box   | INDUSTRIAL     |                        | DRILL BIT SET GLASS 5PC                  |
| ASE008      |  | Material:Cr-V<br>Size:3~6mm(1#),6~8mm(2#),8~11mm(3#),<br>11~14mm(4#),14~18mm(5#)<br>Hardness:48~52HRC<br>Coarse thread                          | INDUSTRIAL     |                        | EXTRACTOR SCREW METR CRV 5PCS            |
| AKD41301    | inoco inoco  | 13PCS flat wood drill bits set<br>Size(mm):6,8,10,12,14,16,18,20,25,28, 30,<br>32, 38<br>Shank:1/4" hex<br>Length:152mm<br>Packed by canvas bag | INDUSTRIAL     |                        | DRILL BIT SET FLATWOOD 13PC              |
| DBW2210601  | (* · · · · · · · · · · · · · · · · · · ·   | Alloy steel,hardened& tempered<br>With 1/4" hex shank<br>Quick release flute<br>6mm.total length:152mm  |                |                        | BIT WOOD FLAT 6MM                        |
| DBW2210801  | <b>→</b> 8   | 8mm,total length:152mm<br>Packed in double blister  |                |                        | BIT WOOD FLAT 8MM                        |
| DBW2211001  | - 4  | 10mm,total length:152mm<br>Packed in double blister   |                |                        | BIT WOOD FLAT 10MM                       |
| DBW2211201  | - 8  | 12mm,total length:152mm<br>Packed in double blister   |                |                        | BIT WOOD FLAT 12MM                       |

| Short Code  | Image             | Features  | Classification | Additional Information | Description                  |
|-------------|-------------------|---|----------------|------------------------|------------------------------|
| DBW2211401  | - 8               | 14mm,total length:152mm<br>Packed in double blister   |                |                        | BIT WOOD FLAT 14MM           |
| DBW2212001  |                   | 20mm,total length:152mm<br>Packed in double blister   |                |                        | BIT WOOD FLAT 20MM           |
| DBW2212501  | - W               | 25mm,total length:152mm<br>Packed in double blister   |                |                        | BIT WOOD FLAT 25MM           |
| DBW2212801  | **                | 28mm,total length:152mm<br>Packed in double blister   |                |                        | BIT WOOD FLAT 28MM           |
| DBW2213001  | - 8               | 30mm,total length:152mm<br>Packed in double blister   |                |                        | BIT WOOD FLAT 30MM           |
| DBW2213201  |                   | 32mm,total length:152mm<br>Packed in double blister   |                |                        | BIT WOOD FLAT 32MM           |
| DBW2213601  |                   | 36mm,total length:152mm<br>Packed in double blister   |                |                        | BIT WOOD FLAT 36MM           |
| DBW2213801  | - 8               | 38mm,total length:152mm<br>Packed in double blister   |                |                        | BIT WOOD FLAT 38MM           |
| DBW2214001  | - 8               | 40mm,total length:152mm<br>Packed in double blister   |                |                        | BIT WOOD FLAT 40MM           |
| AKD2101     | PLUS<br>10Pcs/set | SDS Plus shank 10pcs/Set 8pcs SDS Plus hammer drill bits: 6X160mm,8X160mm,10X160mm,8X21 0mm,10X210mm,12X210mm,14X210mm,16X 210mm 2pcs SDS Plus chisel: 14X250mm,14X250X20mm Packed by canvas bag  |                | CANVAS ROLL UP BAG     | DRILL BIT SET 10PCE + CHISEL |
| HKTAC010671 | -E                | 67 Pcs accessories set Include: 5pcs masonry drill bits:4mm,5mm,6mm,8mm,10mm 10pcs HSS twist drill bits:2mm,2.5mm,3mm,3.5mm,4mm,4.5mm,5 mm,5.5mm,6mm, 8mm 5pcs wood twist drill bits:4mm,5mm,6mm,8mm,10mm 40pcs 25mm length screwdriver   |                |                        | ACCESSORIES SET 67PCS        |
| HKTAC010861 | ineco             | 86 Pcs accessories set Include:  5pcs masonry drill bits:4mm,5mm,6mm,8mm,10mm 15pcs HSS twist drill bits: 1mm,1.5mm,2mm,2.5mm,3mm,3.5mm,4mm ,4.5mm,5mm,5.5mm,6mm,7mm, 8mm,9m m,10mm 5pcs wood twist drill bits:4mm,5mm,6mm,8mm,10mm 40pcs 25mm length screwdriver bits: PH0/1/2/2/3/4 H3/4/5/6 PZ0/1/2/2/3/4 HT3/4/5/6 110/15/20/25/30/40 M6 SP8 TW3 TS8 SL3/4/5/6 S1/2/3 TT15/20/25 1pcs bits holder 1pcs drill bits diameter gauge 3pcs wood flat drill bits:16mm,20mm,25mm 1pcs 12mm Countersink 1pcs snap-off blade knife |                |                        | ACCESSORIES SET 86PCS        |

| Short Code  | Image            | Features  | Classification | Additional Information | Description                    |
|-------------|------------------|---|----------------|------------------------|--------------------------------|
| HKTAC011201 | incco            | 120 Pcs accessories set Include:  6pcs masonry drill bits:3mm,4mm,5mm,6mm,8mm,10mm 19pcs HSS twist drill bits: 1mm,1.5mm,2mm,2.5mm,3mm,3.5mm,4mm ,4.5mm,5mm,5.5mm,6mm,6.5mm, 7mm, 7.5mm, 8mm,8.5mm,9mm,9.5mm,10mm 6pcs wood twist drill bits:3mm,4mm,5mm,6mm,8mm,10mm 52pcs 25mm length screwdriver bits: PH0/1/2/2/3/4; PZ0/1/2/2/3/4;SL3/4/5/6/3.5/4.5/5.5/6.5; TX10/15/20/25/30/40;SL7/3;H3/4/5/6;TT10 /15/20/25/30/40;HT3/4/5/6;M6;SP6/8;TW2/ |                |                        | TOOLKIT 120PCS ACC BMC         |
| DBC0112501  | COS MAX          | 14X250mm,pointed<br>Packed by plastic hanger  |                |                        | CHISEL SDS+14X250MM POINT      |
| DBC0122501  |                  | 14X250 X 20mm,flat<br>Packed by plastic hanger  |                |                        | CHISEL SDS+ 14X250X20MM FLT    |
| DBC0122502  |                  | 14X250 X 40mm,flat<br>Packed by plastic hanger  |                |                        | CHISEL SDS+ 14X250X40MM FLT    |
| DBC0214001  | 505 COX          | 18X400mm,pointed<br>Packed by plastic hanger  |                |                        | CHISEL SDS MAX 18X400MM POINT  |
| DBC0222801  | [E]              | 18 X300X 25mm,flat<br>Packed by plastic hanger  |                |                        | CHISEL SDS MAX 18X280X25MM FLT |
| DBC0224001  | SECONDA (A)      | 18 X400X 25mm,flat<br>Packed by plastic hanger  |                |                        | CHISEL SDS MAX 18X400X25MM FLT |
| DBC0216001  |                  | 18X600mm,pointed<br>Packed by plastic hanger  |                |                        | CHISEL SDS MAX 18X600MM POINT  |
| DBC0314101  |                  | 30X 410mm,point<br>Suitable for item PDB17008 and PDB17018<br>Packed by plastic tube  |                |                        | CHISEL HEX 30X410MM POINT      |
| DBC0324102  |                  | 30 X410X 40mm,flat<br>Suitable for item PDB17008 and PDB17018<br>Packed by plastic tube   |                |                        | CHISEL HEX 30X410X40MM FLAT    |
| DBC0415301  |                  | 28X 530mm,point<br>Suitable for item PDB22001<br>Packed by plastic tube   |                |                        | CHISEL HEX 28X530MM POINT      |
| DBC0425302  |                  | 28X35X 530mm,flat<br>Suitable for item PDB22001<br>Packed by plastic tube   |                |                        | CHISEL HEX 28X35X530MM FLAT    |
| ADC\$3501   | 35000            | TCT blade<br>Diameter: 35mm<br>Packed by Sliding card   |                |                        | DRILL BIT TCT BLADE 35MM       |
| MCD121001   | ingco            | 105mm(4")X1.2mm(3/64")X16.0mm(5/8")<br>Flat centre<br>Cutting disc for metal and inox<br>Packed by label  |                |                        | DISC CUT STEEL 105X1.2X16.0MM  |
| MCD1210525  | x25Pcs<br>inside | 25pcs/set<br>105MM(4<br>1/16")X1.2MM(3/64")X16MM(5/8")<br>Flat centre<br>Cutting disc for metal and inox<br>Packed by metal box   |                |                        | DISC CUT STEEL 105 25PCE       |
| MCD301151   | inoco            | 115mm(4/<br>1/2")X3.0mm(1/8")X22.2mm(7/8")<br>Depressed centre<br>Cutting disc for metal<br>Packed by label   |                |                        | DISC CUT STEEL 115X3.0X22.2MM  |

| Short Code | Image  | Features  | Classification | Additional Information | Description                    |
|------------|--|---|----------------|------------------------|--------------------------------|
| MCD121155  | x10Pcs<br>inside   | 10pcs/set<br>10pcs/shrink<br>115MM(4/<br>1/2")X1.2MM (3/64") X22.2MM(7/8")<br>Flat centre<br>Cutting disc for metal and inox<br>Packed by metal box |                |                        | DISC CUT STEEL 115 10PCS       |
| MCD1211525 | x25Pcs<br>inside   | 25pcs/set<br>115MM(4/<br>1/2")X1.2MM (3/64") X22.2MM(7/8")<br>Flat centre<br>Cutting disc for metal and INOX<br>Packed by metal box                 |                |                        | DISC CUT STEEL 115 25PCS       |
| MCD1211550 | TICCO TO THE PARTY OF THE PARTY | 50pcs/set<br>50pcs/shrink<br>115MM(4/<br>1/2")X1.2MM(3/64")X22.2MM(7/8")<br>Flat centre<br>Cutting disc for metal and INOX<br>Packed by plastic box |                |                        | DISC CUT STEEL 115 50PCS       |
| MCD121251  | incce  | 125MM(5")X1.2MM(3/64")X22.2MM(7/8") Flat centre Cutting disc for metal and inox Packed by label   |                |                        | DISC CUT STEEL 125X1.2X22.2MM  |
| MCD301251  | TICCO Music Market Mark | 125mm(5")X3.0mm(1/8")X22.2mm(7/8") Depressed centre Cutting disc for metal Packed by label  |                |                        | DISC CUT STEEL 125X3.2X22.2MM  |
| MCD302302  | INGCO CALL   | 230MM(9")X1.6MM(1/16")X22.2MM(7/8")<br>Flat centre<br>Cutting disc for metal and inox<br>Packed by label  |                |                        | DISC CUT STEEL 230X1.6X22.2MM  |
| MCD302303  | incco  | 230MM(9")X1.9MM(5/64")X22.2MM(7/8")<br>Flat centre<br>Cutting disc for metal and inox<br>Packed by label  |                |                        | DISC CUT STEEL 230X1.9X22.2MM  |
| MCD302301  | inco   | 230mm(9")X3.0mm(1/8")X22.2mm(7/8") Depressed centre Cutting disc for metal  |                |                        | DISC CUT STEEL 230X3.2X22.2MM  |
| MCD303551  | Free   | 355mm(14")X3.0mm(1/8")X25.4mm(1")<br>Flat centre<br>Cutting disc for metal<br>Packed by label   |                |                        | DISC CUT STEEL 355X3.2X25.4MM  |
| MCD304051  | incco inco   | 405(16")X3.0(1/8")X25.4(1")<br>Flat centre<br>Cutting disc for metal<br>Packed by label   |                |                        | DISC CUT STEEL 405X3.0X25.4MM  |
| MGD601151  | TINGCO AND   | 115mm(4/<br>1/2")X6.0mm(1/4")X22.2mm(7/8")<br>Depressed centre<br>Grinding disc for metal<br>Packed by label  |                |                        | DISC GRIND STEEL115X6.0X22.2MM |
| MGD601251  | TICCO MANAGEMENT OF THE PARTY O | 125mm(5")X6.0mm(1/4")X22.2mm(7/8") Depressed centre Grinding disc for metal Packed by label   |                |                        | DISC GRIND STEEL125X6.0X22.2MM |

| Short Code | Image  | Features   | Classification | Additional Information | Description                      |
|------------|--|--|----------------|------------------------|----------------------------------|
| MGD602301  | incco de la constantia del constantia della constantia della constantia della constantia della constantia de | 230mm(9")X6.0mm(1/4")X22.2mm(7/8") Depressed centre Grinding disc for metal Packed by label                    |                |                        | DISC GRIND STEEL230X6.0X22.2MM   |
| DMD031152M | inoco inoco inoco  | 115(4-1/2")X22.2mm<br>Blade width:7.5mm<br>10pcs/metal box<br>Unit price is for 1 piece<br>Packed by metal box |                |                        | DISC WET/DRY DIAMOND 115MM 10 PC |
| DMD031252M | inco (rec)   | 125(5")X22.2mm<br>Blade width:7.5mm<br>10pcs/metal box<br>Unit price is for 1 piece<br>Packed by metal box     |                |                        | DISC TURBO DIAMOND 125MM 10 PC   |
| DMD031802M | incco (Fig. 1)   | 180(7")X22.2mm<br>Blade width:7.5mm<br>5pcs/metal box<br>Unit price is for 1 piece<br>Packed by metal box      |                |                        | DISC TURBO DIAMOND 180MM 5PCS    |
| DMD032302M | incco  | 230(9")X22.2mm<br>Blade width:7.5mm<br>5pcs/metal box<br>Unit price is for 1 piece<br>Packed by metal box      |                |                        | DISC WET/DRY DIAMOND 230MM 5 PC  |
| DMD011102M | ince ince  | 110(4 3/8")X20mm<br>Blade width:7.5mm<br>10pcs/metal box<br>Unit price is for 1 piece<br>Packed by metal box   |                |                        | DISC DRY DIAMOND 110MM 10PCS     |
| DMD011152M | noco (noco ( | 115(4-1/2")X22.2mm<br>Blade width:7.5mm<br>10pcs/metal box<br>Unit price is for 1 piece<br>Packed by metal box |                |                        | DISC DRY DIAMOND 115MM 10PCS     |
| DMD011252M | inoco (muco o muco o mu | 125(5")X22.2mm Blade width:7.5mm 10pcs/metal box Unit price is for 1 piece Packed by metal box                 |                |                        | DISC DRY DIAMOND 125MM 10PCS     |
| DMD011802M | incco mcco   | 180(7")X22.2mm Blade width:7.5mm Spcs/metal box Unit price is for 1 piece Packed by metal box                  |                |                        | DISC DRY DIAMOND 180MM 5PC       |
| DMD012302M | Incco Incco  | 230(9")X22.2mm Blade width:7.5mm 5pcs/metal box Unit price is for 1 piece Packed by metal box                  |                |                        | DISC WET/DRY DIAMOND 230MM 5PC   |
| DMD021152M | incce (mage)   | 115(4-1/2")X22.2mm<br>Blade width:5mm<br>10pcs/metal box<br>Unit price is for 1 piece<br>Packed by metal box   |                |                        | DISC WET DIAMOND 115MM 10PC      |
| DMD021252M | incco (nccs)   | 125(5")X22.2mm<br>Blade width:5mm<br>10pcs/metal box<br>Unit price is for 1 piece<br>Packed by metal box       |                |                        | DISC WET DIAMOND 125MM 10PC      |

| Short Code  | Image   | Features   | Classification | Additional Information | Description                   |
|-------------|---|--|----------------|------------------------|-------------------------------|
| DMD021802M  | inoco Picco | 180(7")X22.2mm<br>Blade width:5mm<br>5pcs/metal box<br>Unit price is for 1 piece<br>Packed by metal box  |                |                        | DISC WET DIAMOND 180MM 5PC    |
| DMD022302M  | inoco (moss)  | 230(9")X22.2mm Blade width:5mm 5pcs/metal box Unit price is for 1 piece Packed by metal box  |                |                        | DISC WET DIAMOND 230MM 5PC    |
| DMD301153   | SPCs/set ,  | 8pcs/set<br>115mm(4-1/2")X22.2mm<br>6pcs dry diamond discs<br>2pcs turbo diamond discs<br>Packed by metal box  |                |                        | DISC DIAMOND 115MM 8PCS       |
| DMD031151HT | Wind Caraling   | 115(4-1/2")X22.2mm Blade width:8mm Metal base thickness:0.8mm Universal purpose:ceramic,tile,marble,brick Forbidden to use for Vitrified brick (nano glass) With flange plate Packed by double blister | INDUSTRIAL     |                        | DISC DIAMOND ULTRA THIN 115MM |
| CGW011151   |   | Diameter:115mm<br>Blade width:20mm<br>Arbor:22.22mm<br>Packed by colour box  |                |                        | GRIND WHEEL SEG TURBO 115MM   |
| CGW021151   |   | Diameter:115mm<br>18pcs blades<br>Arbor:22.22mm<br>Packed by colour box  |                |                        | GRIND WHEEL DBL ROW CUP 115MM |
| TSB111015   | incco   | 110mm(4-3/8")<br>40T,arbor:20mm<br>Reduction ring:16mm<br>Suitable for Marble Cutter, Wood Cutting<br>Packed by colour box   | INDUSTRIAL     |                        | BLADE TCT WOOD 110X40T 20;16  |
| TSB111555   | inco  | 115mm(4-1/2"),<br>40T,arbor:22.2mm<br>Reduction ring:16mm<br>Suitable for angle Grinder, wood Cutting<br>Packed by colour box  | INDUSTRIAL     |                        | BLADE TCT SAW 115MMx40T       |
| TSB51852153 | inoco | 3pcs/set 185mm(7-1/4") 1pcs 24T 1pcs 40T 1pcs 60T Arbor:30mm 2pcs 30mm to 16mm reduction ring  | INDUSTRIAL     |                        | BLADE TCT SAW 3PC SET 185MM   |
| TSB118505   | incco   | 185mm(7-1/4")<br>40T,arbor:16mm<br>Suitable for circular saw<br>For INGCO item CS1858<br>Packed by colour box  | INDUSTRIAL     |                        | BLADE TCT WOOD 185X40T 16     |
| TSB118515   | incco   | 185mm(7-1/4") 40T, arbor:20mm With 16mm reduction ring Suitable for circular sawFor item CS18528 Wood cutting Packed by colour box   |                |                        | BLADE TCT WOOD 185X40T 20/16  |
| TSB118513   | incco incco   | 185mm(7-1/4") 60T,arbor:20mm With 16mm reduction ring Suitable for circular sawFor item CS18528 Wood cutting Packed by colour box  | INDUSTRIAL     |                        | BLADE TCT WOOD 185X60T 20/16  |

| Short Code | Image       | Features   | Classification | Additional Information | Description                    |
|------------|-------------|--|----------------|------------------------|--------------------------------|
| TSB121021  | incco incco | 210mm(8-1/4") 24T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre sawFor item BMS14002 Wood cutting Packed by colour box                      | INDUSTRIAL     |                        | BLADE TCT WOOD 210X24T 30+RNGS |
| TSB121022  | ncco nsco   | 210mm(8-1/4") 48T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre sawFor item BMS14002 Wood cutting Packed by colour box                      | INDUSTRIAL     |                        | BLADE TCT WOOD 210X48T 16/25.4 |
| TSB321023  | incco s     | 210mm(8-1/4") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For item BMS14002 Aluminum cutting Packed by colour box                 | INDUSTRIAL     |                        | BLADE TCT ALU 210X60T 16/25.4  |
| TSB123525  | incco neco  | 235mm(9-1/4") 40T,arbor:30mm 16mm and 25.4 ring Suitable for circular saw item CS2358 Wood cutting Packed by colour box                          | INDUSTRIAL     |                        | BLADE TCT WOOD 235X40T         |
| TSB123523  | incco       | 235mm(9-1/4") 60T,arbor:30mm 16mm and 25.4 ring Suitable for circular saw item CS2358 Wood cutting Packed by colour box                          | INDUSTRIAL     |                        | BLADE TCT WOOD 235X60T         |
| TSB125423  | inco inco   | 254mm(10") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For item BM2518004 Wood cutting Packed by colour box                       | INDUSTRIAL     |                        | BLADE TCT WOOD 254X60T 16/25.4 |
| TSB3254210 | incco.      | 254mm(10") 100T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For item BM2S18004 Aluminum cutting Packed by colour box                  | INDUSTRIAL     |                        | BLADE TCT ALU 254X100T 30+RNGS |
| TSB130523  | inoco inoco | 305mm(12") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For item BMIS16002 Wood cutting Packed by colour box                       | INDUSTRIAL     |                        | BLADE TCT WOOD 305X60T 30+RNGS |
| TSB325428  | incco       | 254mm(10")<br>80T,arbor:30mm<br>16mm and 25.4mm ring<br>Suitable for mitre saw<br>For item BM2518004<br>Aluminum cutting<br>Packed by colour box | INDUSTRIAL     |                        | BLADE TCT ALU 254X80T 16/25.4  |

| Short Code | Image | Features   | Classification | Additional Information | Description                    |
|------------|-------|--|----------------|------------------------|--------------------------------|
| TSB3305212 | inco  | 305mm(12") 120T,arbor:30mm<br>16mm and 25.4mm ring<br>Suitable for mitre saw<br>For item BMIS16002<br>Aluminum cutting<br>Packed by colour box | INDUSTRIAL     |                        | BLADE TCT ALU 305X120T 30+RNGS |
| AGW200361  |       | Abrasive wheel size: 200x16x20mm<br>Abrasive wheel grit:36 grit<br>For item BG83502<br>Packed by bulk  |                |                        | GRINDING WHEEL 36 GRIT BG83502 |
| WB10751    | incco | 75mm<br>Wire dia:0.3mm<br>Thread:M14X2<br>Packed by double blister   |                |                        | BRUSH WIRE CUP+NT 75 M14X2.0P  |
| WB11001    | ineco | 100mm<br>Wire dia:0.3mm<br>Thread:M14X2<br>Packed by double blister  |                |                        | BRUSH WIRE CUP+NT 100 M14X2.0P |
| WB11251    | insco | 125mm<br>wire:0.35mm<br>Thread:M14X2<br>Packed by double blister   |                |                        | BRUSH WIRE CUP+NT 125 M14X2.0P |
| WB20751    | incco | 75mm<br>Wire dia:0.5mm<br>Thread:M14X2<br>Packed by double blister   |                |                        | BRUSH W/CUP TWIS+NT 75 M14X2   |
| WB21001    | incco | 100mm<br>Wire dia:0.5mm<br>Thread:M14X2<br>Packed by double blister  |                |                        | BRUSH W/CUP TWIS+NUT 100 M14X2 |
| WB21251    | incco | 125mm<br>wire:0.5mm<br>Thread:M14X2<br>Packed by double blister  |                |                        | BRUSH W/CUP TWIS+NUT 125 M14X2 |
| WB30501    |       | 50mm(2")<br>wire:0.35mm<br>Shank dia:6.35mm(1/4")<br>Packed by double blister  |                |                        | BRUSH W/CUP + SHANK 50X6.35 CS |

| Short Code | lmage   | Features  | Classification | Additional Information | Description                    |
|------------|---|---|----------------|------------------------|--------------------------------|
| WB30751    |   | 75mm(3")<br>wire:0.35mm<br>Shank dia:6.35mm(1/4")<br>Packed by double blister   |                |                        | BRUSH W/CUP + SHANK 75X6.35 CS |
| WB40501    |   | 50mm(2")<br>wire:0.35mm<br>Shank dia:6.35mm(1/4")<br>Packed by double blister   |                |                        | WHEEL WIRE SOMMX2.0 PITCH      |
| WB40751    |   | 75mm(3")<br>wire:0.35mm<br>Shank dia:6.35mm(1/4")<br>Packed by double blister   |                |                        | WHEEL WIRE 75MMX2.0 PITCH      |
| WB41001    | neco (Control of the Control of the | 100mm(4")<br>wire:0.35mm<br>Shank dia:6.35mm(1/4")<br>Packed by double blister  |                |                        | WHEEL WIRE 100MMX2.0PITCH      |
| WB70241    | TICCO<br>A P  | 24mm(1")<br>Wire:0.35mm<br>Shank dia:6.35mm(1/4")<br>Packed by double blister   |                |                        | BRUSH WIRE END +SHANK 24X6.35  |
| WB51251    |   | Wheel Winding For Grinding<br>125mm   |                |                        | WHEEL WIRE GRIN 125 22.2;16;13 |
| APP0201801 |   | Diameter:180mm<br>Material:Rubber<br>M14x2 nut<br>For wool polishing bonnet<br>Packed by colour box                       |                |                        | BACKING PAD 180MM M14 RUBBER   |
| APP0111801 | Incco<br>Bearing  | Diameter:180mm Material:PP M14x2 nut Velcro-type backing For wool polishing bonnet and sanding paper Packed by colour box |                |                        | BACKING PAD 180MM M14 PP       |
| APB0111801 | incco   | Diameter:180mm<br>Real wool bonnet<br>Packed by colour box  |                |                        | POLISHING BONNET WOOL 180mm    |

| Short Code | lmage  | Features   | Classification | Additional Information | Description                    |
|------------|--|--|----------------|------------------------|--------------------------------|
| SDB11PH213 | inco_o   | PH2,25mm,20pcs/set<br>S2 industrial steel<br>Nickle plated magnetic<br>Packed by plastic box                         | INDUSTRIAL     |                        | S/DRIVER BIT PH2X25MM 20PC     |
| SDB11PH223 | O Incco  | PH2,50mm,10pcs/set<br>S2 industrial steel<br>Nickle plated magnetic<br>Packed by plastic box                         | INDUSTRIAL     |                        | S/DRIVER BIT PH2X50MM 10PC     |
| SDB11SL423 | angeo Para Para Para Para Para Para Para Par   | SL6.0*1.0,50mm,10pcs/set<br>S2 industrial steel<br>Nickle plated magnetic<br>Packed by plastic box                   | INDUSTRIAL     |                        | S/DRIVER BIT SL 06X50MM 10PC   |
| SDB11PZ213 | en incco.  | PZ2,25mm,20pcs/set<br>S2 industrial steel<br>Nickle plated magnetic<br>Packed by plastic box                         | INDUSTRIAL     |                        | S/DRIVER BIT PZ2 25MM 20PC     |
| SDB11PZ223 | incco  | PZ2,50mm,10pcs/set<br>S2 industrial steel<br>Nickle plated magnetic<br>Packed by plastic box                         | INDUSTRIAL     |                        | S/DRIVER BIT PZ2 50MM 10PC     |
| SDB21HL133 | incco  | PH2+SL6.0,65mm,10pcs/set<br>S2 industrial steel<br>double end bit<br>Nickle plated magnetic<br>Packed by plastic box | INDUSTRIAL     |                        | S/D BIT PH2 D/END MAG 10P      |
| SDB21PH223 | inco   | PH2, Double end bits, NICKLE PLATED MAGNETIC 50mm,10pcs/set S2 industrial steel Packed by plastic box                | INDUSTRIAL     |                        | S/D BIT PH2 50MM D/END MAG 10P |
| SDB21PH233 | C C INCCC IN | PH2, Double end bits, NICKLE PLATED MEGNETIC 65mm,10pcs/set S2 industrial steel Packed by plastic box                | INDUSTRIAL     |                        | S/D BIT PH2 65MM D/END MAG 10P |
| АВН10601   | ingce<br>endual clastic<br>production clastic  | 60mm,2pcs/set<br>Material : Steel + Cr-v<br>Packed by double blister   |                |                        | S/DRIVER BIT HLD 2PC 60MM      |

| Short Code | Image   | Features  | Classification | Additional Information | Description                    |
|------------|---|---|----------------|------------------------|--------------------------------|
| AKSD0071   | inoco<br>Co Co C | 9 pcs Screwdriver Bits Set PH1,PH2,PH3,SL4.0,SL5.5,SL6.5,PZ1,PZ2 Material:S2 industrial steel With magnetic Strong magnetic With 1 pcs bit holder with quick release Packed by sliding card |                |                        | S/DRIVER BIT ASSORT 9PCS MAG   |
| AMN0831    |   | 8mm,3pcs/set<br>Shank:1/4" Hex<br>Length:65mm<br>Material : 50BV30<br>With strong magnet<br>Packed by sliding card  |                |                        | MAGNETIC NUT SETTER 3PCE 8MM   |
| AMN1031    |   | 10mm,3pcs/set<br>Shank:1/4" Hex<br>Length:65mm<br>Material : 50BV30<br>With strong magnet<br>Packed by sliding card   |                |                        | MAGNETIC NUT SETTER 3PCE 10MM  |
| AMN1231    |   | 12mm,3pcs/set<br>Shank:1/4" Hex<br>Length:65mm<br>Material : 50BV30<br>With strong magnet<br>Packed by sliding card   |                |                        | MAGNETIC NUT SETTER 3PCE 12MM  |
| кс1001     | noco noco   | Chuck capacity:0.8-10mm Connection size:3/8"-24UNF With 1pcs chuck key Packed by colour box   |                |                        | CHUCK KEYED 10MM 3/8"-24UNF    |
| KC1301     | ince  | Chuck capacity:1.5-13mm Connection size:1/2"-20UNF With 1pcs chuck key Packed by colour box   |                |                        | CHUCK KEYED 13MM 1/2"-20UNF    |
| KC1301.1   |   | Chuck capacity:1.5-13mm Connection size:1/2"-20UNF With 1pcs adaptor With 1pcs chuck key Packed by colour box   |                |                        | CHUCK 13MM &SDS ADAP1/2"-20UNF |
| кс1601     | inces 18  | Chuck capacity:3-16mm Connection size:1/2"-20UNF With 1pcs chuck key Packed by colour box   |                |                        | CHUCK KEYED 16MM 1/2"-20UNF    |
| KCL1028    |   | 10mm keyless chuck<br>Unique design<br>Chuck capacity:0.8-10mm(1/32"-3/8")<br>Suitable for CDLI2002<br>Packed by colour box   |                |                        | CHUCK KEYLESS 20V 10MM         |

| Short Code | Image  | Features   | Classification | Additional Information | Description                          |
|------------|--|--|----------------|------------------------|--------------------------------------|
| KCL1301    | TA PART  | Chuck capacity:2-13mm<br>Connection size:1/2"-20UNF<br>Keyless<br>Packed by colour box   |                |                        | CHUCK KEYLESS 2-13MM                 |
| CK1301     | incco  | Key for 13mm key chuck<br>Length:80mm<br>Packed by sliding card  |                |                        | CHUCK KEY 13MM                       |
| CK1601     | inco   | Key for 16mm key chuck<br>Length:150mm<br>Packed by sliding card   |                |                        | CHUCK KEY 16MM                       |
| EPB820121  | Alternative Control of the Control o | Size:82X5.5X1.2mm<br>Material:HSS<br>2pcs/set<br>Suitable for electric planer PL10508<br>Packed by double blister  | INDUSTRIAL     |                        | PLANER BLADE 82X5.5X1.2MM 2PC        |
| EPB820301  | ingco  | Size:82X29X3.0mm<br>Material:HSS<br>2pcs/set<br>Packed by double blister   | INDUSTRIAL     |                        | PLANER BLADE HSS 82x29x3MM           |
| JBT101D    | insco<br>Bacasa  | Clean for wood<br>Length of tooth:74mm<br>Tooth space:4-5.2mm<br>HCS,Ground teeth and taper ground<br>Spcs/set<br>Packed by blister card   |                |                        | BLADE J/SAW T C/CUT WOOD 5PC 4-5.2MM |
| JBT244D    | CO C   | Speed for Wood Length of tooth:74mm 6TPI HCS, side set, ground Softwood (5-50 mm), chipboards, wood core plywood, fi bre boards, especially for curve cuts Spcs/set Packed by blister card |                |                        | BLADE J/SAW T F/CUT WOOD 5PC 6TPI    |
| JBT118B    | incco<br>because   | Basic for metal Length of tooth:50mm Tooth space:1.9-2.3mm HSS,wavy set,milled Medium-thick sheet metal (2.5-6 mm)5pcs/setPacked in single blister Packed by blister card                  |                |                        | BLADE J/SAW T HSS METAL SPC          |
| AKJ0051    | Stringston   | 2PCS JBT111C for wood<br>2PCS JBT118B for metal<br>1PCS JBT127D for Alu<br>5PCS/set<br>Packed by blister card  |                |                        | JIGSAW BLADE COMB SET 5 PC           |

| Short Code    | lmage            | Features  | Classification | Additional Information | Description                    |
|---------------|------------------|---|----------------|------------------------|--------------------------------|
| AKD8088       | unoco .          | 1PCS 127D for cutting aluminum 1PCS JBT101D for cutting wood ( clean surface) 2PCS JBT118B for cutting metal 4PCS JBT111C for cutting wood( fast cut) 8pcs Jig saw blades set Packed by plastic box |                |                        | JIGSAW SET 8PC                 |
| AKJ0051       | ingce<br>Capenda | 2PCS JBT111C for wood<br>2PCS JBT118B for metal<br>1PCS JBT127D for Alu<br>5PCS/set<br>Packed by blister card   |                |                        | JIGSAW BLADE COMB SET 5 PC     |
| AKCH0071      | indec.           | Hole Saw Size: 33mm, 53mm, 67mm, 73mm, 83 mm Alloy steel blade 1pcs Aluminum locating plate 1pcs pilot drill Packed by plastic box  |                |                        | HOLE SAW SET CARB. 7PC 33-83MM |
| AKHS702       |                  | 7pcs hole saw set<br>Hole saw<br>diameter:26, 32, 38, 45, 50, 56, 63m<br>m<br>Height:50mm(2")<br>Packed by double blister   |                |                        | HOLE SAW SET 7PC 26-63MM 50MCD |
| HSA01         |                  | Arbor for hole saw<br>Hex shank 3/8"<br>Fit hole saws 14mm to 30mm<br>Packed by double blister  |                |                        | ARBOR HOLE SAW SH:9.5MM 14-30  |
| HSA02         |                  | Arbor for hole saw<br>Hex shank 7/16"<br>Fit hole saws 32mm to 210mm.<br>Packed by double blister   |                |                        | ARBOR HOLE SAW SH:16MM 32-210  |
| FD1151        |                  | Size: 115mm*22mm,P40 Suitable for high steel, steel, cast iron and sheet steel Packed by label  |                |                        | DISC FLAP 115X22MM P40         |
| FD1152        |                  | Size: 115mm*22mm,P60 Suitable for high steel, steel, cast iron and sheet steel Packed by label  |                |                        | DISC FLAP 115X22MM P60         |
| FD1153        |                  | Size: 115mm*22mm,P80 Suitable for high steel, steel, cast iron and sheet steel Packed by label  |                |                        | DISC FLAP 115X22MM P80         |
| AKF\$140102   | Insco            | Size:145X114mm<br>3pcs P80,2pcs P120<br>5pcs/set<br>Suitable for item PS2408<br>Packed by label   |                |                        | SAND SHEET ASS 145X114MM 5PC   |
| AKF\$240101-1 | ineco            | Size:90X231mm<br>3pcs P80,2pcs P120<br>5pcs/set<br>Suitable for FS3208<br>Packed by label   |                |                        | SAND SHEET ASS 90X231MM 5PC    |
| AKFS264115    | incco            | Size:264X115mm<br>5pcs P120<br>5pcs/set<br>Suitable for item FS35028<br>Packed by label   |                |                        | SAND SHEET P120 PC             |
| AKRS125051    |                  | 125mm<br>3pcs P80,2pcs P120,5pcs/set<br>Suitable for RS3208 URS3208 CROSLI2001<br>Packed by label   |                |                        | SAND SHEET RAN/ORB, 5PC 125MM  |

| Short Code | Image    | Features   | Classification | Additional Information | Description                    |
|------------|----------|--|----------------|------------------------|--------------------------------|
| AKRS150051 |          | 150mm<br>Suitable for RS4501.2<br>3pcs P80, 2pcs P120,5pcs/set<br>Packed by label  |                |                        | SAND SHEET RAN/ORB, 5PC 150MM  |
| BSP020801  | incto    | 100*610mm<br>P80,2pcs/set<br>Suitable for PBS12001<br>Packed by paper hanger   |                |                        | SANDING BELT 100X610 P80 2PCE  |
| AKMG2501   | incco mi | 250pcs accessories of mini drill 76pcs Cutting disk 60pcs Sanding paper 1pcs Rubber grinding wheel 10pcs Grinding wheel with shank 4pcs Rubber polishing wheel 5pcs Felt wheels 1pcs Felt wheel point 1pcs Cloth wheel |                |                        | DRILL MINI ACC 250PCS          |
| нмн880100  |          | Weight: 100g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle  |                |                        | HAMMER MACHINIST F/G HND 100G  |
| нмн880200  |          | Weight: 200g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle  |                |                        | HAMMER MACHINIST F/G HND 200G  |
| нмн880300  |          | Weight: 300g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle  |                |                        | HAMMER MACHINIST F/G HNDL 300G |
| нмн880500  |          | Weight: 500g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle  |                |                        | HAMMER MACHINIST F/G HNDL 500G |
| НМН881000  |          | Weight: 1000g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle   |                |                        | HAMMER MACHINIST F/G HND 1000G |
| нмн881500  |          | Weight: 1500g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle   |                |                        | HAMMER MACHINIST F/G HND 1500G |
| нмн882000  |          | Weight: 2000g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle   |                |                        | HAMMER MACHINIST FG HNDL 2000G |
| HSTH8802   | Since Q  | Weight: 1000g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle   |                |                        | HAMMER STONING F/G HNDL 1KG    |
| Н5ТН8803   | TIRKO O  | Weight: 1500g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle   |                |                        | HAMMER STONING F/G HND 1500G   |
| Н5ТН8804   | Second O | Weight: 2000g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle   |                |                        | HAMMER STONING F/G HNDL 2KG    |
| нѕтно41000 | посо     | Weight: 1000g<br>hardwood handle<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel<br>Packed by label  |                |                        | HAMMER STONING WOOD HNDL 1KG   |

| Short Code       | Image                                | Features  | Classification | Additional Information | Description                   |
|------------------|--------------------------------------|---|----------------|------------------------|-------------------------------|
| HSLH8802         | C=0.0                                | Weight: 2LB<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle        |                |                        | HAMMER SLEDGE F/G HND 0.9KG   |
| HSLH8803         | Cauca)                               | Weight: 3LB<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle        |                |                        | HAMMER SLEDGE F/G HND 1.36KG  |
| HSLH8804         |                                      | Weight: 4LB<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle        |                |                        | HAMMER SLEDGE F/G HND 1.8KG   |
| нсн80808         | Fibreglass handle                    | Weight: 8oz/220g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle   |                |                        | HAMMER CLAW 200G F/GLASS HNDL |
| <b>НСН8081</b> 6 |                                      | Weight: 16oz/450g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle  |                |                        | HAMMER CLAW 450G F/GLASS HNDL |
| HCH8816          | Does topal THEEC Anti-shock hardle   | Unique design Handle<br>All steel drop-forged claw hammer<br>Heat treatment16oz/450g<br>Packed by paper card        | INDUSTRIAL     |                        | HAMMER CLAW 450G ALL STEEL    |
| нсн0820          | Dwest tapped Wisco Anti-shock bandle | Unique design Handle<br>All steel drop-forged claw hammer<br>Heat treatment20oz/560g<br>Packed by paper card        | INDUSTRIAL     |                        | HAMMER CLAW 560G ALL STEEL    |
| НВРН88016        |                                      | Weight: 16oz/450g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle  |                |                        | HAMMER BP 450G F/GLASS HNDLE  |
| НВРН88024        |                                      | Weight: 24oz/660g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle  |                |                        | HAMMER BP 660G F/GLASS HNDLE  |
| НВРН88032        |                                      | Weight: 32oz/900g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle  |                |                        | HAMMER BP 900G F/GLASS HNDLE  |
| НВРН88048        |                                      | Weight: 48oz/1300g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle |                |                        | HAMMER BP 1300G F/GLASS HNDLE |

| Short Code  | Image           | Features   | Classification | Additional Information | Description                    |
|-------------|-----------------|--|----------------|------------------------|--------------------------------|
| HRUH8208    | The second of   | Weight: 8oz/220g<br>Unique design Fiberglass handle  |                |                        | MALLET BLACK 220G F/GLASS HNDL |
| HRUH8216    |                 | Weight: 16oz/450g<br>Unique design Fiberglass handle   |                |                        | MALLET BLACK 450G F/GLASS HNDL |
| HRUH8308    | Canada A        | Weight: 8oz/220g<br>Natural rubber,Soft Type<br>Unique design Fiberglass handle  | INDUSTRIAL     |                        | MALLET WHITE 220G F/GLASS HNDL |
| HRUH8316    |                 | Weight: 16oz/450g<br>Natural rubber,Soft Type<br>Unique design Fiberglass handle   | INDUSTRIAL     |                        | MALLET WHITE 450G F/GLASS HNDL |
| НКРН8140    |                 | Hammer diameter:40mm<br>Unique design Fiberglass handle  |                |                        | HAMMER RUB&PLAS 40MM F/G HNDL  |
| HAX0206008  | 390mm<br>→ 600g | Weight: 600g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle              |                |                        | AXE 600G FIBRE GLASS HANDLE    |
| HAX0208008  | 390mm<br>→800g  | Weight: 800g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle              |                |                        | AXE 800G FIBRE GLASS HANDLE    |
| HAX02010008 | 430mm<br>→1000g | Weight: 1000g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle             |                |                        | AXE 1000G FIBRE GLASS HANDLE   |
| HAX02012508 | 700mm<br>→1250g | Weight: 1250g<br>Drop-forged hammerhead<br>Heat treatment, 45# carbon steel Unique<br>design Fiberglass handle             |                |                        | AXE 1250G FIBRE GLASS HANDLE   |
| HSM01498    | ) Oddmen        | Weight: 10LB<br>45# carbon steel Drop-forged<br>Heat treatment<br>Unique design 900mm Fiberglass handle<br>Packed by Label |                |                        | HAMMER SLEDGE 4KG 900MM F/G HN |
| нѕм01598    | 900mm           | Weight:12LB<br>45# carbon steel Drop-forged<br>Heat treatment<br>Unique design 900mm Fiberglass handle<br>Packed by Label  |                |                        | HAMMER SLEDGE 5.4KG 900MM F/G  |

| Short Code        | lmage  | Features   | Classification | Additional Information | Description                   |
|-------------------|--------|--|----------------|------------------------|-------------------------------|
| НЅТНО3498         | 900ecm | Weight:4kg<br>45# carbon steel Drop-forged<br>Heat treatment<br>Unique design 900mm Fiberglass handle<br>Packed by Label |                |                        | HAMMER STONING 4KG 900MM F/G  |
| <b>Н</b> STH03598 | 900000 | Weight:5kg<br>45# carbon steel Drop-forged<br>Heat treatment<br>Unique design 900mm Fiberglass handle<br>Packed by Label |                |                        | HAMMER STONING 5KG 900MM F/G  |
| HCP08168          |        | Size:6"/160mm<br>Polish and anti-rust oil<br>Two colour handle<br>Packed by sliding card                                 |                |                        | PLIER COMB 160MM POLISHED     |
| HCP08188          |        | Size: 7"/180mm<br>Polish and anti-rust oil<br>Two colour handle<br>Packed by sliding card                                |                |                        | PLIER COMB 180MM POLISHED     |
| HCP08208          |        | Size: 8"/200mm<br>Polish and anti-rust oil<br>Two colour handle<br>Packed by sliding card                                |                |                        | PLIER COMB 200MM POLISHED     |
| HDCP08168         |        | Size: 6"/160mm<br>Polish and anti-rust oil<br>Two colour handle<br>Packed by sliding card                                |                |                        | PLIER DIAGONAL 160MM POLISHED |
| HDCP08188         |        | Size: 7"/180mm<br>Polish and anti-rust oil<br>Two colour handle<br>Packed by sliding card                                |                |                        | PLIER DIAGONAL 180MM POLISHED |
| HLNP08168         |        | Size: 6"/160mm<br>Polish and anti-rust oil<br>Two colour handle<br>Packed by sliding card                                |                |                        | PLIER L/NOSE 160MM POLISHED   |
| HCP28168          |        | Size: 6"/160mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger                           | INDUSTRIAL     |                        | PLIER COMBINATION 160MM CR-V  |
| HCP28188          |        | Size: 7"/180mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger                           | INDUSTRIAL     |                        | PLIER COMBINATION 180MM CR-V  |

| Short Code | Image | Features   | Classification | Additional Information | Description                   |
|------------|-------|--|----------------|------------------------|-------------------------------|
| HCP28208   |       | Size: 8"/200mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger                           | INDUSTRIAL     |                        | PLIER COMBINATION 200MM CR-V  |
| HDCP28168  |       | Size: 6"/160mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger                           | INDUSTRIAL     |                        | PLIER DIAGONAL 160MM CR-V     |
| HDCP28188  |       | Size: 7"/180mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger                           | INDUSTRIAL     |                        | PLIER DIAGONAL 180MM CR-V     |
| HHDCP28188 |       | Size: 7"/180mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger                           | INDUSTRIAL     |                        | PLIER DIAGONAL H/D 180MM CR-V |
| HLNP28168  |       | Size: 6"/160mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger                           | INDUSTRIAL     |                        | PLIER L/NOSE 160MM CRV        |
| HLNP28208  |       | Size: 8"/200mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger                           | INDUSTRIAL     |                        | PLIER L/NOSE 200MM CRV        |
| HBNP28168  |       | Size: 6"/160mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger                           | INDUSTRIAL     |                        | PLIER BENT NOSE 160MM CR-V    |
| HWSP28160  |       | Size: 6"/160mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger                           | INDUSTRIAL     |                        | PLIER WIRE STRIPPER 160MM CRV |
| HECP28160  |       | Size: 6"/160mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger                           | INDUSTRIAL     |                        | PLIER END CUTTER 160MM CRV    |
| HPP28258   |       | Size:10"/250mm<br>Max clamping open:40mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger | INDUSTRIAL     |                        | PLIER W/PUMP 250MM CRV        |

| Short Code  | Image | Features   | Classification | Additional Information | Description                  |
|-------------|-------|--|----------------|------------------------|------------------------------|
| НРР03300    |       | Size: 12"/300mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Packed by PP hanger  | INDUSTRIAL     |                        | PLIER W/PUMP 300MM CRV       |
| HHCP28180   |       | Size: 7"/180mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Saving 30% strength than normal pliers<br>Packed by PP hanger     | INDUSTRIAL     |                        | PLIER COMB 180MM HL CR-V     |
| ннср28200   |       | Size: 8"/200mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Saving 30% strength than normal pliers<br>Packed by PP hanger     | INDUSTRIAL     |                        | PLIER COMB 200MM HL CR-V     |
| ННСР28240   |       | Size: 9.5"/240mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Saving 30% strength than normal pliers<br>Packed by PP hanger   | INDUSTRIAL     |                        | PLIER COMB 240MM HL CR-V     |
| HHLDCP28160 |       | Size: 6"/160mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Saving 30% strength than normal pliers<br>Packed by PP hanger     | INDUSTRIAL     |                        | PLIER DIAG 160MM HL CR-V     |
| HHLDCP28180 |       | Size: 7"/180mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Saving 30% strength than normal pliers<br>Packed by PP hanger     | INDUSTRIAL     |                        | PLIER DIAG 180MM HL CR-V     |
| HHHDCP28180 |       | Size: 7"/180mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Saving 30% strength than normal pliers<br>Packed by PP hanger     | INDUSTRIAL     |                        | PLIER DIAG H/D 180MM HL CR-V |
| HHLNP28160  |       | Size: 6"/160mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Saving 30% strength than normal pliers<br>Packed by PP hanger     | INDUSTRIAL     |                        | PLIER L/NOSE 160MM HL CR-V   |
| HHLNP28200  |       | Size: 8"/200mm<br>Cr-V,black finish and polish<br>TPR two colour handle<br>Saving 30% strength than normal pliers<br>Packed by PP hanger     | INDUSTRIAL     |                        | PLIER L/NOSE 200MM HL CR-V   |
| HKPS08318   | O O O | Size: 8" Combination pliers 6" Long nose pliers 6" Diagonal cutting pliers Polish and anti-rust oil Two colour handle Packed by sliding card |                |                        | PLIER SET 3PC POLISHED       |

| Short Code | Image | Features   | Classification | Additional Information | Description                    |
|------------|-------|--|----------------|------------------------|--------------------------------|
| HKPS28318  | Cr-V  | Size: 8" Combination pliers 6" Long nose pliers 6" Diagonal cutting pliers Cr-V,black finish and polish TPR two colour handle Packed by PP hanger  | INDUSTRIAL     |                        | PLIER SET 3PC CRV              |
| HKHLPS2831 |       | Size: 8"/200mm high leverage combination pliers 7"/180mm high leverage diagonal cutting pliers 6"/160mm high leverage long nose pliers Cr-V,black finish and polish TPR two colour handle Saving 30% strength than normal pliers                       | INDUSTRIAL     |                        | PLIER SET 3P HL CR-V           |
| HKHLPS2832 |       | Size: 9.5"/240mm high leverage combination pliers 8"/200mm high leverage long nose pliers 7"/180mm high leverage diagonal cutting pliers Cr-V,black finish and polish TPR two colour handle Saving 30% strength than normal pliers Packed by PP hanger |                |                        | PLIER SET 3P HL CR-V 240MM     |
| HMPS01115  |       | 1PCS 4.5" Combination pliers 1PCS 4.5" Diagonal cutting pliers 1PCS 4.5" End cutting pliers 1PCS 4.5" Long nose pliers 1PCS 4.5" Flat nose pliers Two colour handle Packed by double blister   |                |                        | PLIER MINI SET SPCS            |
| HECP02180  |       | Size: 7"/180mm<br>Cr-V,black finish and polish<br>Packed by PP hanger  | INDUSTRIAL     |                        | PLIER END CUTTER 180MM BLCK PO |
| HRP02200   |       | Size: 8"/200mm<br>Cr-V,black finish and polish<br>With plastic handle<br>Packed by PP hanger   | INDUSTRIAL     |                        | PLIER C/CRETE NIPPER 200MM CRV |
| HRP02250   |       | Size: 10"/250mm<br>Cr-V,black finish and polish<br>With plastic handle<br>Packed by PP hanger  | INDUSTRIAL     |                        | PLIER C/CRETE NIPPER 250MM CRV |
| НСРР02200  | Ø     | Size: 8"/200mm<br>Cr-V,black finish and polish<br>With plastic handle<br>Packed by PP hanger   | INDUSTRIAL     |                        | PLIER CARP PINCER 200MM        |
| HSPJP02160 |       | Size : 6"/160mm<br>Black finish and polish<br>Packed by PP hanger  | INDUSTRIAL     |                        | PLIER SLIP JOINT 160MM         |
| HSPJP02200 |       | Size: 8"/200mm<br>Black finish and polish<br>Packed by PP hanger   | INDUSTRIAL     |                        | PLIER SLIP JOINT 200MM         |

| Short Code   | Image  | Features   | Classification | Additional Information | Description                       |
|--------------|--|--|----------------|------------------------|-----------------------------------|
| HSPJP02250   |  | Size:10"/250mm<br>Black finish and polish<br>Packed by PP hanger   | INDUSTRIAL     |                        | PLIER SLIP JOINT 250MM            |
| HICP28168    |  | Size:6"/160mm<br>Black finish and polish<br>Insulated handle<br>Stand high pressure:1000V<br>Packed by PP hanger             | INDUSTRIAL     |                        | PLIER VDE 1000V 160MM COMBINATION |
| <b>М</b> д   | Incco Incco  | Size:?"/180mm<br>Black finish and polish<br>Insulated handle<br>Stand high pressure:1000V<br>Packed by PP hanger             | INDUSTRIAL     |                        | PLIER VDE 1000V 180MM COMBINATION |
| <b>М</b> у.  | incco incco  | Size:8"/200mm<br>Black finish and polish<br>Insulated handle<br>Stand high pressure:1000V<br>Packed by PP hanger             | INDUSTRIAL     |                        | PLIER VDE 1000V 200MM COMBINATION |
| HIHLDCP28160 | Incco incco  | Size:6"/160mm<br>Black finish and polish<br>Insulated handle<br>Stand high pressure:1000V<br>Packed by PP hanger             | INDUSTRIAL     |                        | PLIER VDE 1000V 160MM DIAGONAL    |
| HIHDCP28188  |  | Size:?"/180mm<br>Black finish and polish<br>Insulated handle<br>Stand high pressure:1000V<br>Packed by PP hanger             | INDUSTRIAL     |                        | PLIER VDE 1000V 180MM DIAGONAL    |
| HILNP28168   |  | Size:6"/160mm<br>Black finish and polish<br>Insulated handle<br>Stand high pressure:1000V<br>Packed by PP hanger             | INDUSTRIAL     |                        | PLIER VDE 1000V 160MM LONG NOSE   |
| HILNP28208   |  | Size:8"/200mm<br>Black finish and polish<br>Insulated handle<br>Stand high pressure:1000V<br>Packed by PP hanger             | INDUSTRIAL     |                        | PLIER VDE 1000V 200MM LONG NOSE   |
| HIBNP28208   | The state of the s | Size:8"/200mm<br>Black finish and polish<br>Insulated handle<br>Stand high pressure:1000V<br>Packed by PP hanger             | INDUSTRIAL     |                        | PLIER VDE 1000V 200MM BENT NOSE   |
| НІРР28250    |  | Size:10"/250mm Max clamping open:40mm Black finish and polish Insulated handle Stand high pressure:1000V Packed by PP hanger | INDUSTRIAL     |                        | PLIER VDE 1000V 250MM WATER PUMP  |

| Short Code | Image  | Features   | Classification | Additional Information | Description                    |
|------------|--|--|----------------|------------------------|--------------------------------|
| HICP01180  |  | Size:?"/180mm<br>Satin finish,insulated handle<br>Stand high pressure,1000V<br>Packed by sliding card                  |                |                        | PLIER COMB 180MM INSUL 1000V   |
| HICP01200  | MODE AND ADDRESS OF THE PARTY O | Size:8"/200mm<br>Satin finish,insulated handle<br>Stand high pressure,1000V<br>Packed by sliding card                  |                |                        | PLIER COMB 200MM INSUL 1000V   |
| HIDCP01160 |  | Size:6"/160mm<br>Satin finish,insulated handle<br>Stand high pressure,1000V<br>Packed by sliding card                  |                |                        | PLIER DIAG 160MM INSUL 1000V   |
| HILNP01200 |  | Size:8"/200mm<br>Satin finish,insulated handle<br>Stand high pressure,1000V<br>Packed by sliding card                  |                |                        | PLIER L/NOSE 200MM INSUL 1000V |
| HCJLW0210  | Carbon-steel Same function as HCJLW0110  | Carbon Steel Size:10" HRC38*-HRC48* Nickel plated With plastic handle Packed by half double blister                    |                |                        | VICEGRIP CURVED JAW 250MM      |
| HCJLW0110  |  | Cr-V<br>Size:10"<br>HRC52-HRC60<br>Nickel plated<br>With plastic handle<br>Packed by half double blister               | INDUSTRIAL     |                        | VICEGRIP CURVED JAW 250MM      |
| HSP0107    |  | Cr-V<br>Size:7"<br>HRC42-HRC50<br>Nickel plated<br>Packed by half double blister                                       | INDUSTRIAL     |                        | VICEGRIP PINCH-OFF TOOL 175MM  |
| HCJLW0207  | Carbon-steel Same function as HCJLW0107  | Carbon Steel Size:7" HRC38°-HRC48° Nickel plated With plastic handle Packed by half double blister                     |                |                        | PLIER LOCK 175MM CURV JAW      |
| HSJP0110   | Carbon-steel Same function as HSJP0210   | Carbon Steel Size:10" HRC38°-HRC48° Nickel plated With plastic handle Packed by half double blister                    |                |                        | VICEGRIP STRAIGHT JAW 250MM    |
| HCLP0210   | Carbon-steel Same function as HCLP0110   | Carbon Steel Size:10" Chain size: 18.5"/470mm Nickle plated Weight:700g Same function as HCLP0110 Packed by colour box |                |                        | PLIER LOCK CHAIN CLAMP 250MM   |

| Short Code | Image  | Features   | Classification | Additional Information | Description                    |
|------------|--|--|----------------|------------------------|--------------------------------|
| HWP0210    | Carbon-steel Same function as HWP0110  | Carbon Steel<br>Size:10"<br>Nickel plated<br>Weight:592g<br>Same function as HWP0110<br>Packed by plastic hanger   |                |                        | VICEGRIP WELDING 10" 250MM     |
| HLNP0209   | Carbonesteel Same function as HLNP0109   | Carbon Steel Size:9" HRC38°-HRC48° Nickel plated With plastic handle Packed by half double blister   |                |                        | VICEGRIP LONG NOSE 225MM       |
| HCCLW0211  | Carbonisteel Same function as HCCLW0111  | Carbon Steel Size:11" Weight:710g Nickel plated Same function as HCCLW0111 Packed by plastic hanger  |                |                        | VICEGRIP C-CLAMP 280MM         |
| HWSP04     | insco  | Size:180mm/7"<br>Blade material:65Mn<br>Zinc alloy<br>pack by double blister   |                |                        | WIRE STRIPPER AUTOMATIC 180MM  |
| HWSP15608  | The latest and the la | Stripper diameter:0.5mm~6mm<br>With cutting function<br>PP covered TPR handle<br>65Mn material blade<br>Product size:175*85mm<br>Packed by double blister  | INDUSTRIAL     |                        | PLIER WIRE STRIP 0.5-6 GUN TPE |
| HWSP851    | 01.00 (0.00  | Size:8.5"/215mm with sharp edge for cutting wire With push down wire function With wire stripping function Can strip Seven kinds of Wire size Can cut five kinds of copper screw size Packed by sliding card |                |                        | PLIER WIRE STRIPPER 215MM      |
| HWSP101    |  | Size:10"/250mm with sharp edge for cutting wire With push down wire function With wire stripping function Can strip Six kinds of Wire size Can cut five kinds of copper screw size Packed by sliding card    | INDUSTRIAL     |                        | PLIER WIRE STRIPPER 254MM      |
| HCCP011801 | No <   | Straight head circlip Plier External circlip plier Size:"/180mm Diameter of the head : 1.8mm Carbon steel Packed by PP hanger  |                |                        | PLIER CIRCLIP 180MM STR EXT    |
| HCCP011751 | 700  | Bent head circlip Plier External circlip plier Size:"/180mm Diameter of the head : 1.8mm Carbon steel Packed by PP hanger  |                |                        | PLIER CIRCLIP 180MM BNT EXT    |
| HCCP011802 | 人  | Straight head circlip Plier<br>Internal circlip plier<br>Size:?"/180mm<br>Diameter of the head : 1.8mm<br>Carbon steel<br>Packed by PP hanger  |                |                        | PLIER CIRCLIP 180MM STR INT    |

| Short Code  | Image  | Features  | Classification | Additional Information | Description                   |
|-------------|--|---|----------------|------------------------|-------------------------------|
| HCCP011752  | るる   | Bent head circlip Plier<br>Internal circlip plier<br>Size:7"/180mm<br>Diameter of the head : 1.8mm<br>Carbon steel<br>Packed by PP hanger   |                |                        | PLIER CIRCLIP 180MM BNT INT   |
| HCCPS01180  | and the state of t | 4Pcs Circlip Plier Set 2pcs of 180°,2pcs of 90° Size:7"/180mm Diameter : 1.8mm Carbon steel Packed by double blister  |                |                        | PLIER CIRCLIP 180MM SET 4PCE  |
| HSCRS2301   | stainless steel  | Size: 9"(230mm) Multi-function Scissors With 7 Function 1. Scissors 2. Wire cutter 3. Twine cutter 4. Power notch for rope 5. Pointed awl tip 6. Bottle opener 7. Knife Stainless steel blade Polished finish | INDUSTRIAL     |                        | SCISSORS MULTIFUNCTION 230MM  |
| HES02855    | 145mm(5.5°)  | Size:145mm(5.5") Material: Stainless steel Blade thickness:3.0mm Unique design handle Sand blast surface Packed by sliding card   |                |                        | SCISSOR ELECTRICIANS 145MM    |
| НРК02101    |  | The straight head<br>Size:210mm,Special steel<br>Thickness:2.5mm<br>wooden handle<br>Packed by sliding card   |                |                        | KNIFE SHOE STR 210MM WOOD HND |
| <b>М</b> у. | Curved Blade   | Size:200mm Curved blade Material: Stainless steel With plastic protective cover Unique design handle Sand blast surface Packed by sliding card  |                |                        | CABLE KNIFE 200MM             |
| HPW0808     | Sangar Strings (E)   | Size:8"(200mm)  Max clamping diameter:27mm  Mobile jaw drop-forged with high quality carbon steel  Inactivate treatment  Body material:ductile cast iron  Black finish and polish  Solid rivet                | INDUSTRIAL     |                        | PIPE WRENCH 200MM             |
| HPW0810     |  | Body material:ductile cast iron Black finish and polish Solid rivet   | INDUSTRIAL     |                        | PIPE WRENCH 250MM 10"         |
| HPW0812     |  | Size:12" (300mm)  Max clamping diameter:42mm  Mobile jaw drop-forged with high quality carbon steel  Inactivate treatment  Body material:ductile cast iron  Black finish and polish  Solid rivet              | INDUSTRIAL     |                        | PIPE WRENCH 300MM 12"         |
| HPW0814     |  | Size:14" (350mm)  Max clamping diameter:50mm  Mobile jaw drop-forged with high quality carbon steel  Inactivate treatment  Body material:ductile cast iron  Black finish and polish  Solid rivet              | INDUSTRIAL     |                        | PIPE WRENCH 350MM 14"         |

| Short Code | Image  | Features   | Classification | Additional Information | Description                    |
|------------|--|--|----------------|------------------------|--------------------------------|
| HPW0818    |  | Size:18" (450mm) Max clamping diameter:60mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet | INDUSTRIAL     |                        | PIPE WRENCH 450MM 18"          |
| HPW0824    | Samp Shine (D)   | Size:24" Max clamping diameter:76mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet         | INDUSTRIAL     |                        | PIPE WRENCH 600MM 24"          |
| HPW0836    |  | Size:36" Max clamping diameter:85mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet         | INDUSTRIAL     |                        | PIPE WRENCH 900MM 36"          |
| HPW0848    |  | Body material:ductile cast iron Black finish and polish Solid rivet  | INDUSTRIAL     |                        | PIPE WRENCH 1200MM 48"         |
| HALPW0114  | Handle   | Size:14" (350mm) Max clamping diameter:50mm Aluminum Handle,easy to use Mobile jaw drop-forged with high quality carbon steel Solid rivet Packed by paper card                             |                |                        | PIPE WRENCH ALUM 350MM 14"     |
| HALPW0118  | 187  | Size:18" (450mm) Max clamping diameter:60mm Aluminum Handle,easy to use Mobile jaw drop-forged with high quality carbon steel Solid rivet Packed by paper card                             |                |                        | PIPE WRENCH ALUM 450MM 18"     |
| HALPW0124  | Aluminum Handle  Max 076mm Stronger  | Size:24" (600mm) Max clamping diameter:76mm Aluminum Handle,easy to use Mobile jaw drop-forged with high quality carbon steel Solid rivet Packed by paper card                             |                |                        | PIPE WRENCH ALUM 600MM 24"     |
| HPW04011   | Ø40mm  | 90" Heavy duty type Size:1" Max clamping diameter:40mm Material:Carbon steel Inactivate treatment Solid rivet Packed by carton box   |                |                        | PIPE WRENCH SWEDISH CLAMP 40MM |
| HPW04151   | Francisco de la constante de l | 90° Heavy duty type Size:1-1/2" Max clamping diameter:55mm Material:Carbon steel Inactivate treatment Solid rivet Packed by carton box   |                |                        | PIPE WRENCH SWEDISH CLAMP 55MM |
| HPW04021   | Ø67mm  | 90° Heavy duty type<br>Size:2"<br>Max clamping diameter:67mm<br>Material:Carbon steel<br>Inactivate treatment<br>Solid rivet<br>Packed by carton box                                       |                |                        | PIPE WRENCH SWEDISH CLAMP 67MM |

| Short Code | Image  | Features   | Classification | Additional Information | Description                   |
|------------|--|--|----------------|------------------------|-------------------------------|
| нмвсовов   | Cr-V   | Size:8" Cr-V blade Black finish and polish TPR two colour handle A lock at the end of handle Packed by sliding card  | INDUSTRIAL     |                        | CUTTER BOLT MINI 200MM 8" CRV |
| HBC0812    | Cr-V Constantiale  | Size:12"<br>Cr-V blade<br>Black finish and polish<br>TPR two colour handle<br>Packed by paper card   | INDUSTRIAL     |                        | CUTTER BOLT 300MM 12" CRV     |
| HBC0814    | CT-V Confinedake   | Size:14"<br>Cr-V blade<br>Black finish and polish<br>TPR two colour handle<br>Packed by paper card   | INDUSTRIAL     |                        | CUTTER BOLT 350MM 14" CRV     |
| HBC0818    | CT-V Continuate option transition  | Size:18"<br>Cr-V blade<br>Black finish and polish<br>TPR two colour handle<br>Packed by paper card   | INDUSTRIAL     |                        | CUTTER BOLT 450MM 18" CR-V    |
| HBC0824    | Cr-V Continues   | Size:24" Cr-V blade Black finish and polish TPR two colour handle Packed by paper card   | INDUSTRIAL     |                        | CUTTER BOLT 600MM 24" CRV     |
| HBC0830    | CT-V Controllable Cryster handles  | Size:30" Cr-V blade Black finish and polish TPR two colour handle Packed by paper card   | INDUSTRIAL     |                        | CUTTER BOLT 750MM 30" CR-V    |
| нвс0836    | GEV Continuate Continu | Size:36"<br>Cr-V blade<br>Black finish and polish<br>TPR two colour handle<br>Packed by paper card   | INDUSTRIAL     |                        | CUTTER BOLT 900MM 36" CRV     |
| НВС0842    | Cr-V Confinition   | Size:42"<br>Cr-V blade<br>Black finish and polish<br>TPR two colour handle<br>Packed by paper card   | INDUSTRIAL     |                        | CUTTER BOLT 1040MM 42" CR-V   |
| нвс0848    | Cr-V Confortable nubber bundle   | Size:48" Cr-V blade Black finish and polish TPR two colour handle Packed by paper card   | INDUSTRIAL     |                        | CUTTER BOLT 1220MM 48" CR-V   |
| ннст0170   |  | Crimping range: Cu 4-70mm2 Crimping force: 45KN Crimping type: hexagon crimping Stroke: 11mm Length: approx.310mm Weight: approx.1.80kg Weight of box: 1.1kg ACCESSORIES |                |                        | HYDRAULIC CRIMP 70KIT+ 9 DIES |

| Short Code | Image  | Features   | Classification | Additional Information | Description                         |
|------------|--|--|----------------|------------------------|-------------------------------------|
| HHCT01240  | Mark .   | Crimping range: Cu 16-240mm2 Crimping force: 70kN Crimping type: hexagon crimping Stroke: 18mm Length: approx.475mm Weight: approx.3.6kg Weight of box: approx.1.8kg ACCESSORIES |                |                        | HYDRAULIC CRIMP 240KIT + 10 DIES    |
| HHSC0112   | The state of the s | Crimping range: \$\phi4-\phi12mm\$ Output: 45KN Stroke: 15mm Length: approx.315mm Weight: 1.90kg Weight of case: approx.0.56Kg packed by BMC                                     |                |                        | HYDRAULIC STEEL CUTTER 315MM        |
| HHSC0112B  | Suitable for HHSC0112  | Cutting diameter: 4-12mm<br>Material: CR12MOV<br>heat treatSuitable for item HHSC0112packed<br>by Sliding card   |                |                        | HYDRAULIC STEEL CUTTER BLADE 4-12MM |
| HHSC0122   | Production of the second   | Crimping range: \$\phi4-\phi22mm\$ Output: 100KN Stroke: 24mm Length: approx.480mm Weight: 4.20kg Weight of case: approx.1.20Kg packed by BMC                                    |                |                        | HYDRAULIC STEEL CUTTER 480MM        |
| HHSC0122B  | Suitable for HHSC0112  | Cutting diameter: 4-22mm<br>Material: CR12MOV<br>heat treatSuitable for item HHSC0122packed<br>by Sliding card   |                |                        | HYDRAULIC STEEL CUTTER BLADE 4-22MM |
| нссв0206   | Copper and summount cables   | Size:6"/160mm<br>Black finish and polish<br>55# Carbon steel<br>Packed by half double blister  | INDUSTRIAL     |                        | CUTTER CABLE 160MM                  |
| нссв0208   | Copper and aluminum cables   | Size:8"/200mm<br>Black finish and polish<br>55# Carbon steel<br>Packed by half double blister  | INDUSTRIAL     |                        | CUTTER CABLE 200MM CUT:7MM          |
| нссв0210   | Copper and aluminum cables   | Size:10"/250mm<br>Black finish and polish<br>55# Carbon steel<br>Packed by half double blister   | INDUSTRIAL     |                        | CUTTER CABLE 250MM CUT: 8MM         |
| HPC0543    | Automatic open   | Length:193mm<br>Material : 3cr13<br>Cutting diameter:3-42mm<br>Auto-open function<br>Packed by double blister  |                |                        | PIPE CUTTER PVC 193MM 3-42AUTO      |
| HPC0442    | Automatic open   | Length:225mm<br>Cutting diameter:3-42mm<br>Auto-open function<br>Packed by double blister  | INDUSTRIAL     |                        | PIPE CUTTER PVC 225MM 3-42AUTO      |

| Short Code | Image  | Features  | Classification | Additional Information | Description                    |
|------------|--|---|----------------|------------------------|--------------------------------|
| HPC0232    | Aluminium knob                                       | Copper and aluminum pipe cutter<br>Cutting diameter:3-32mm<br>With high Quality blade<br>Aluminium knob<br>Packed by sliding card   | INDUSTRIAL     |                        | PIPE CUTTER COP/ALUM 3-32MM    |
| HPC0142    |  | Can cut copper pipe & aluminum pipe & steel<br>pipe<br>Cutting diameter:10-42mm<br>With high Quality blade<br>Packed by carton box  | INDUSTRIAL     |                        | PIPE CUTTER COP/ALU/ST 10-42MM |
| HPC0535    | Ø3:35inm)  | Length:210mm<br>Cutting diameter:3-35mm<br>Material : Aluminum<br>packed by double blister  |                |                        | PIPE CUTTER PVC 225MM 3-35MM   |
| HCCB0124   | Comfortable Rubber Handle  Copperand aluminum cables | Size:24" Blades Material:65Mn Used for cutting copper and aluminum cable Not for cutting ACSR , wire rope,steel or self supporting strand Cutting Area:240mm2 Body heat treatment,cutting edges induction quenched Packed by paper card   | INDUSTRIAL     |                        | CUTTER CABLE 600MM,COP/ALUM    |
| HKSD0258   |  | 2 pcs screwdriver setnew design handle<br>Material:CR-V<br>Round blade<br>1pcs SL6X125mm<br>1pcs PH2X125mm<br>Packed by plastic hanger  |                |                        | S/DRIVER 2PC SET PH/SL         |
| HKSD0458   |  | 4 pcs screwdriver setnew design handle Material:CR-V Round blade 1pcs SL5X100mm 1pcs SL6X150mm 1pcs PH1X100mm 1pcs PH2X150mm Packed by plastic hanger   |                |                        | S/DRIVER 4PC SET CARD          |
| HKSD0658   |  | 6 pcs screwdriver setnew design handle Material:CR-V Round blade 1pcs SL5X75mm 1pcs SL5X100mm 1pcs SL6X150mm 1pcs PH1X75mm 1pcs PH1X100mm   |                |                        | S/DRIVER 6PC SET CARD          |
| HKSD1058   | 10Pcs/set  | 10 Pcs screwdriver and precision screwdriver set Material: CR-V, Round blade 6 Pcs screwdriver: 1pcs SL5X75mm 1pcs SL5X100mm 1pcs SL6X150mm 1pcs PH1X75mm 1pcs PH2X100mm 1pcs PH2X150mm 4 Pcs precision screwdriver: SL3*50; PH0*50; T6*50; T8*50 Packed by plastic hanger and double blister |                |                        | S/DRIVER 10PC SET CARD         |
| HKSD2658   | 26Pcs/set  | 26 pcs screwdriver set Material: CR-V Round blade include: 7PCS Slotted screwdriver: SL6*38; SL3*75; SL5.5*100 ; SL5.5*100; SL6.5*125; SL6.5*150; SL8* 200; 11PCS Phillips  |                |                        | SCREWDRIVER SET 26 PIECE       |

| Short Code  | lmage  | Features   | Classification | Additional Information | Description                   |
|-------------|--|--|----------------|------------------------|-------------------------------|
| HS585100P   | 1pcs screwdriver with 1pcs plastic hanger  | 1pcs screwdriver with 1pcs plastic hanger<br>CRV, Round shank<br>Slotted : 5.0mm<br>Diameter : 5.0mm<br>Length : 100mm<br>Packed by plastic hanger |                |                        | S/DRIVER 5X100MM SLOTTED      |
| HS586125P   | 1pcs screwdriver<br>with 1pcs plastic hanger   | 1pcs screwdriver with 1pcs plastic hanger<br>CRV, Round shank<br>Slotted : 6.0mm<br>Diameter : 6.0mm<br>Length : 125mm<br>Packed by plastic hanger |                |                        | S/DRIVER 6X125MM SLOTTED      |
| HS586150P   | 1pcs screwdriver with 1pcs plastic hanger  | 1pcs screwdriver with 1pcs plastic hanger<br>CRV, Round shank<br>Slotted: 6.0mm<br>Diameter: 6.0mm<br>Length: 150mm<br>Packed by plastic hanger    |                |                        | S/DRIVER 6X150MM SLOTTED      |
| HS58PH1100P | 1pcs screwdriver with 1pcs plastic hanger  | 1pcs screwdriver with 1pcs plastic hanger<br>CRV,PH1, Round shank<br>Diameter: 5.0mm<br>length: 100mm<br>Packed by plastic hanger                  |                |                        | S/DRIVER PH1X100MM            |
| НS58РН2125Р | 1pcs screwdriver with 1pcs plastic hanger  | 1pcs screwdriver with 1pcs plastic hanger<br>CRV,PH2,Round shank<br>diameter: 6.0mm<br>length: 125mm<br>Packed by plastic hanger                   |                |                        | S/DRIVER PH2X125MM            |
| HS58PH2150P | 1pcs screwdriver<br>with 1pcs plastic hanger   | 1pcs screwdriver with 1pcs plastic hanger<br>CRV,PH2,Round shank<br>diameter : 6.0mm<br>length : 150mm<br>Packed by plastic hanger                 |                |                        | S/DRIVER PH2X150MM            |
| HS288150    | 900  | Cr-V, Round shank<br>Slotted: 8.0mm<br>Diameter: 8.0mm<br>Length: 150mm<br>Packed by poly bag  | INDUSTRIAL     |                        | S/DRIVER 8X150MM SLOTTED CR-V |
| HS288200    | THE THE STATE OF T | Cr-V, Round shank<br>Slotted : 8.0mm<br>Diameter : 8.0mm<br>Length : 200mm<br>Packed by poly bag   | INDUSTRIAL     |                        | S/DRIVER 8X200MM SLOTTED CR-V |
| HS28PH3150  | No.  | CR-V,PH3, Round shank<br>Diameter : 8.0mm<br>length : 150mm<br>Packed by poly bag  | INDUSTRIAL     |                        | S/DRIVER 8X150MM PH3 CR-V     |
| HS28PH3200  |  | CR-V,PH3, Round shank<br>Diameter : 8.0mm<br>length : 200mm<br>Packed by poly bag  | INDUSTRIAL     |                        | S/DRIVER 8X200MM PH3 CR-V     |
| Н5684100    | SL4x100  | 1pcs screwdriver with 1pcs plastic hanger<br>S2, Round shank<br>Slotted : 4.0mm<br>Diameter : 4.0mm<br>Length : 100mm<br>Packed by plastic hanger  | INDUSTRIAL     |                        | S/DRIVER S2 6X38MM SLOTTED    |
| Н5685100    | SL5.5x100  | 1pcs screwdriver with 1pcs plastic hanger<br>S2, Round shank<br>Slotted : 5.5mm<br>Diameter : 5.0mm<br>Length : 100mm<br>Packed by plastic hanger  | INDUSTRIAL     |                        | S/DRIVER S2 5.5X100MM SLOTTED |
| НS686038    | SL6.5x38   | 1pcs screwdriver with 1pcs plastic hanger<br>52, Round shank<br>Slotted : 6.5mm<br>Diameter : 6.0mm<br>Length : 38mm<br>Packed by plastic hanger   | INDUSTRIAL     |                        | S/DRIVER S2 6X38MM SLOTTED    |
| HS686125    | SL6.5x125  | 1pcs screwdriver with 1pcs plastic hanger<br>S2, Round shank<br>Slotted : 6.5mm<br>Diameter : 6.0mm<br>Length : 125mm<br>Packed by plastic hanger  | INDUSTRIAL     |                        | S/DRIVER S2 6.5X125MM SLOTTED |

| Short Code             | Image  | Features  | Classification | Additional Information | Description                   |
|------------------------|--|---|----------------|------------------------|-------------------------------|
| HS686150               | C2 -   | 1pcs screwdriver with 1pcs plastic hanger<br>S2, Round shank<br>Slotted: 6.5mm<br>Diameter: 6.0mm<br>Length: 150mm<br>Packed by plastic hanger    | INDUSTRIAL     |                        | S/DRIVER S2 6.5X150MM SLOTTED |
| HS688200               | C2 -   | 1pcs screwdriver with 1pcs plastic hanger<br>S2, Round shank<br>Slotted : 8.0mm<br>Diameter : 8.0mm<br>Length : 200mm<br>Packed by plastic hanger | INDUSTRIAL     |                        | S/DRIVER S2 8X200MM SLOTTED   |
| HS68PH2038             |  | 1pcs screwdriver with 1pcs plastic hanger<br>S2,PH2, Round shank<br>Diameter: 6.0mm<br>length: 38mm<br>Packed by plastic hanger                   | INDUSTRIAL     |                        | S/DRIVER S2 PH2X38MM          |
| HS68PH0075             |  | 1pcs screwdriver with 1pcs plastic hanger<br>S2,PHO, Round shank<br>Diameter: 3.0mm<br>length: 75mm<br>Packed by plastic hanger                   | INDUSTRIAL     |                        | S/DRIVER S2 PH0X75MM          |
| HS68PH1075             | S2 • C   | length: 75mm<br>Packed by plastic hanger  | INDUSTRIAL     |                        | S/DRIVER S2 PH1X75MM          |
| HS68PH1100             | PH1x100  | 1pcs screwdriver with 1pcs plastic hanger<br>S2,PH1, Round shank<br>Diameter: 5.0mm<br>length: 100mm<br>Packed by plastic hanger                  | INDUSTRIAL     |                        | S/DRIVER S2 PH1X100MM         |
| HS68PH2125             |  | 1pcs screwdriver with 1pcs plastic hanger<br>S2,PH2,Round shank<br>diameter: 6.0mm<br>length: 125mm<br>Packed by plastic hanger                   | INDUSTRIAL     |                        | S/DRIVER S2 PH2X125MM         |
| HS68PH2150             | S2 • C   | 1pcs screwdriver with 1pcs plastic hanger<br>S2,PH2,Round shank<br>diameter: 6.0mm<br>length: 150mm<br>Packed by plastic hanger                   | INDUSTRIAL     |                        | S/DRIVER S2 PH2X150MM         |
| <b>М</b><br>НS68РН3200 |  | 1pcs screwdriver with 1pcs plastic hanger<br>S2,PH3, Round shank<br>Diameter: 8.0mm<br>length: 200mm<br>Packed by plastic hanger                  | INDUSTRIAL     |                        | S/DRIVER S2 PH3X200MM         |
| HS28T10100             |  | CR-V,T10, Round shank<br>diameter : 5.0mm<br>length : 100mm<br>Packed by poly bag   | INDUSTRIAL     |                        | S/DRIVER 5X100MM T10CR-V      |
| HS28T20150             | The state of the s | CR-V,T20, Round shank<br>diameter: 6.0mm<br>length: 150mm<br>Packed by poly bag   | INDUSTRIAL     |                        | S/DRIVER 6X150MM T20CR-V      |
| HS28PZ1100             |  | CR-V,P21, Round shank<br>diameter : 5.0mm<br>length : 100mm<br>Packed by poly bag   | INDUSTRIAL     |                        | S/DRIVER 5X100MM PZ1 CR-V     |
| HGTS286100             |  | S2 industrial steel , Hex shank Slotted : 6.5mm Shank : 6.0mm Length : 100mm Packed by poly bag   | INDUSTRIAL     |                        | S/DRIVER 6X100MM SLOTTED S2   |
| HGTS286150             |  | S2 industrial steel , Hex shank<br>Slotted : 6.5mm<br>Shank : 6.0mm<br>Length : 150mm<br>Packed by poly bag                                       | INDUSTRIAL     |                        | S/DRIVER 6X150MM SLOTTED S2   |
| HGTS288150             | GO G   | S2 industrial steel , Hex shank<br>Slotted : 8.0mm<br>Shank : 8.0mm<br>Length : 150mm<br>Packed by poly bag                                       | INDUSTRIAL     |                        | S/DRIVER 8X150MM SLOTTED S2   |

| Short Code | Image  | Features   | Classification | Additional Information | Description                 |
|------------|--|--|----------------|------------------------|-----------------------------|
| HGTS288200 | O CO CO  | S2 industrial steel , Hex shank<br>Slotted : 8mm<br>Shank : 8.0mm<br>Length : 200mm<br>Packed by poly bag  | INDUSTRIAL     |                        | S/DRIVER 8X200MM SLOTTED S2 |
| HGTSPH2100 | BEANX INCCO  | S2 industrial steel , Hex shank,PH2<br>Shank : 6.0mm<br>length : 100mm<br>Packed by poly bag   | INDUSTRIAL     |                        | S/DRIVER 6X100MM PH2 S2     |
| HGTSPH2150 | BHANK INCCO  | S2 industrial steel , Hex shank,PH2<br>Shank : 6.0mm<br>length : 150mm<br>Packed by poly bag   | INDUSTRIAL     |                        | S/DRIVER 6X150MM PH2 S2     |
| HGTSPH3150 | RUAKY INCCO  | S2 industrial steel , Hex shank,PH3<br>Shank : 8.0mm<br>length : 150mm<br>Packed by poly bag   | INDUSTRIAL     |                        | S/DRIVER 8X150MM PH3 S2     |
| HGTSPH3200 | BUANN INCCO  | S2 industrial steel , Hex shank,PH3<br>Shank : 8.0mm<br>length : 200mm<br>Packed by poly bag   | INDUSTRIAL     |                        | S/DRIVER 8X200MM PH3 S2     |
| HKSD0248   |  | 2 pcs screwdriver set Material: CR-V Round blade 1pcs SL6.5*6*125 1pcs PH2*6*125 Packed by plastic hanger  | INDUSTRIAL     |                        | S/DRIVER 2PC SET PH/SL CRV  |
| HKSD0628   | POPULAR  | 6 pcs screwdriver setnew design handle Material: CR-V Round blade 1pcs SL5.5*5*75 1pcs SL5.5*5*100 1pcs SL6.5*6*150 1pcs PH1*5*75 1pcs PH1*5*70 1pcs PH2*6*150 Packed by PP hanger   | INDUSTRIAL     |                        | S/DRIVER 6PC SET CARD CRV   |
| HKSD0828   | inge   | 8 pcs screwdriver set new design handle Material: CR-V Round blade 1pcs SL3.0*3*75 1pcs SL5.5*5*100 1pcs SL6.5*6*150 1pcs SL6.5*6*38 1pcs PH0*3*75 1pcs PH1*5*75 1pcs PH2*6*125 1pcs PH2*6*38 Packed by PP hanger                          | INDUSTRIAL     |                        | S/DRIVER 8PC SET CRV        |
| HKSD1028   |  | Packed by PP hanger  10 pcs screwdriver set new design handle  Material: CR-V  Round blade  1pcs SL3.0*3*75 1pcs SL4.0*4*100 1pcs SL5.5*5*125 1pcs SL6.5*6*150 1pcs SL8.0*8*200 1pcs SL6.5*6*38 1pcs PH0*3*60 1pcs PH1*5*80 1pcs PH2*6*100 |                |                        | S/DRIVER 10PC SET CRV       |
| HSGT280608 | STATE OF THE STATE | 6Pcs Go-Through Screwdriver Set S2 industrial steel Hex shank 1pcs SL6.5*6*100 1pcs SL6.5*8*200 1pcs PH2*6*100 1pcs PH2*6*100 1pcs PH2*8*150 1pcs PH3*8*200 Packed by PP hanger  | INDUSTRIAL     |                        | S/DRIVER 6PC SET PH/SL GT   |

| Short Code | Image  | Features   | Classification | Additional Information | Description                   |
|------------|--|--|----------------|------------------------|-------------------------------|
| HKSD1828   | TRICKS OF THE PARTY OF THE PART | 18 Pcs screwdriver and precision screwdriver set new design handle Material : CR-V, Round blade 18 Pcs screwdriver : 1pcs SL5.5*5*75 1pcs SL6.5*6*100 1pcs SL8.0*8*150 1pcs SL6.5*6*38 1pcs PH1*5*75 1pcs PH2*6*100 1pcs PH2*8*150 1pcs PH3*8*150 1pcs PH3*8*150 1pcs PH3*8*150 1pcs PH3*8*150 | INDUSTRIAL     |                        | S/DRIVER 18PC PRECIS SL/PH    |
| AKISD0608  | O Silvatorio del Control del C | 6 IN 1 Screwdriver set Unique design Handle 2 pcs two-way bit: 6.35*65mm,PH1+SL5 8.00*75mm,PH2+SL6 2pcs socket: 6mm, 8mm Material:CR-V With 1pcs interchangeable handle Packed by Display colour box   | INDUSTRIAL     |                        | S/DRIVER 6 IN ONE             |
| AKSDFL1208 | © KERLET  © PRIFICATO  © HATTELTOLIS  1Pes 4-6 adaptor   | 12 Pcs Flexible shaft screwdriver set Include: 1Pcs Flexible shaft handle 1Pcs 4-6mm(25mm)bits adaptor 10Pcs 6.35X25mm screwdriver bits: SL5,SL6,SL7,PH1,PH2,PH3,T10,T15,T20,T25 Packed by half double blister   | INDUSTRIAL     |                        | S/DRIVER 12PCE BIT FLEX SHAFT |
| AKISD0901  | Sens Series James  Sens Series J | Interchangeable screwdriver set Include: 3pcs SL3X65 SL5X65 SL6X65 3pcs PH0X65 PH1X65 PH2X65 1pcs SX65 tack remover 1pcs 3X65 scratch awl Material : CR-V with 1pcs Unique design Interchangeable Handle Packed by plastic box   | INDUSTRIAL     |                        | S/DRIVER SET 9PC INTERCHANG.  |
| HKSD0618   |  | 6PCS precision screwdriver set New design handle,New plastic box Include: SL2.0*50, SL2.5*50, SL3.0*50, PH000*50 , PH00*50, PH0*50 Material:CR-V Packed by plastic box   |                |                        | S/DRIVER 6PC PRECISION SET    |
| HKSD0718   | \$12,2400<br>\$12,2400<br>\$14,0400<br>\$740500<br>\$740500<br>\$1400  | Ergonomic comfort-grip handle<br>Packed by plastic box   | INDUSTRIAL     |                        | S/DRIVER 7PC PRECIS SL,PH,TX  |
| HKNSD0701  | 6 7 8 9 101112 7Pcs/set  | 7Pcs Nut Screwdriver Set New design handle Size: 6mm, 7mm, 8mm, 9mm, 10mm , 11mm, 12mm Length:185mm Packed by Double blister   |                |                        | NUT DRIVER 7PCE               |

| Short Code | Image                                     | Features  | Classification | Additional Information | Description                    |
|------------|---|---|----------------|------------------------|--------------------------------|
| AKISD0808  | 915.720                                   | 8 pcs Ratchet Screwdriver Set Include: 1pcs High Quality Ratchet Handle(new design) 7pcs 25mm Screwdriver bitsSL5,SL6,PH1,PH2,PH3,T15,T20 Packed by half double blister   | INDUSTRIAL     |                        | S/DRIVER 8PCE RATCHET          |
| AKISD1208  | S. F. | 13 IN 1 Ratchet Screwdriver set Include: 1 Pcs Unique design ratchet handle Folding handle, high quality ratchet 12 Pcs 6.35*25mm screwdriver bits Size: \$L4,SL5,SL6,SL7, Ph0, PH1,PH2,PH3,PZ0,PZ1,PZ2,PZ3 Material: CR-V Packed by display colour box   |                |                        | S/DRIVER 13 IN ONE RATCHET     |
| HKSDB0188  |   | 24PCS T-handle wrench screwdriver set Include: 15pcs 6.35x25MM CR-V screwdriver bit:SL3,SL4,SL5,SL6,PH0,PH1,PH2,PH3,PZ1,PZ 2,T15,T20,H4,H5,H6 1PC 5X100MM bit holder with strong magnetic 1PC unique design T-handle Ratchet wrench 1PC 4-6mm(25mm)bits adaptor 6PC 1/4" socket: 5,6,7,8,9,10 Packed by plastic box                       |                |                        | S/DRIVER BIT 24PC T HNDL       |
| HKSDB0268  | incco                                     | 26 PCS screwdriver bit set Include: 1pcs unique design Ratchet Holder 18pcs 65mm Screwdriver bit PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, S L3, SL4, SL5, SL6, SL7, T10, T15, T20 , T25, T27, T30 6pcs Power sleeve5mm, 6mm, 7mm, 8mm, 9mm, 1 0mm,Material: CR-V 1pcs pouch colour box for presentation Packed by double blister                | INDUSTRIAL     |                        | S/DRIVER BIT 26PC RATCHET HNDL |
| HKTHP21171 | incco                                     | 117 Pcs Tools Set Include: 1 Pcs 80z Claw hammer 1 Pcs 6" Combination Pliers 1 Pcs 6" Long nose pliers 1 Pcs SL5.5*100 Screwdriver 1 Pcs Ptl*100 Screwdriver 1 Pcs Screwdriver tester 1 Pcs 8" Adjustable Wrench 1 Pcs 3M Steel measuring tape 1 Pcs Mini Hacksaw frame 9 Pcs Hex key 1.5-2-2.5-3-4-5-6-8-10MM 1 Pcs 100mm magnetic shank |                |                        | TOOLKIT 117PCE BMC 1/4"        |
| HKTS14451  | incco                                     | 45PCS 1/4" Socket set<br>Include:<br>1Pcs 1/4" Ratchet wrench,45T<br>13Pcs 1/4"Dr Socket:4-4.5-5-5.5-6-7-8-9-10-<br>11-12-13-14mm<br>1Pcs 1/4" Dr. Universal joint<br>2Pcs 1/4"Dr Extension Bar: 50mm &100mm<br>1Pcs 1/4"*150mm Spinner handle<br>20Pcs Screwdriver bits:PH1-PH2-PH3-PZ1-PZ2:<br>PZ3-5L4-SL5-SL6-H1.5-H2-H3-H4-H5-H6-T10- | INDUSTRIAL     |                        | SOCKET 1/4" 45PC 4-14MM BMC    |

| Short Code | Image           | Features   | Classification | Additional Information | Description                    |
|------------|-----------------|--|----------------|------------------------|--------------------------------|
| HKTS12122  | 1/2° Socker Set | 12PCS 1/2" Socket set Include: 10pcs socket:10,11,12,13,14,15,17,19,21,24mm 1pcs 1/2" 45T quick release ratchet handle 1pcs 5" extention bar 50BV30 High quality CrV steel Chromed plated Packed by plastic hanger   | INDUSTRIAL     |                        | SOCKET 1/2" 12PC 10-24MM       |
| НКТS0243   | inco            | Include: 18pcs 1/2" CRV DR. Sockets: 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24 ,27,30,32 2pcs 1/2" DR. Extension bar 1pcs 1/2" DR. Sliding T bar 1pcs 1/2" DR. Universal joint 1pcs 1/2" DR. Speeder handle 1pcs 1/2" DR. Quick ratchet handle Packed by metal box  |                |                        | SOCKET 1/2" 24PC DIN 3122/3124 |
| HKTS12251  | inco            | 25Pcs 1/2" Socket set Include: 1Pcs 1/2"Dr Ratchet wrench,45T 18Pcs 1/2"Dr Socket: 10-11-12-13-14-15-16- 17-18-19-20-21-22-23-24-27-30-32mm 1Pcs 1/2"Dr Universal Joint 2Pcs 1/2"Dr Extension Bar: 125mm & 250mm 2Pcs Spark Plug Socket: 16mm & 21mm 1Pcs 1/2"*250mm Sliding T bar Material: CR-V(50BV30),heat treated Packed by BMC   | INDUSTRIAL     |                        | SOCKET 1/2" 25PC 10-32 BMC     |
| HKTS42441  |                 | 44PCS 1/4"+1/2" Socket set Include: 1Pcs 1/4"Dr Ratchet wrench,45T 13Pcs 1/4"Dr Socket:4-4.5-5-5.5-6-7-8-9-10- 11-12-13-14mm 1Pcs 1/4"Dr Universal Joint 2Pcs 1/4"Dr Extension Bar: 50mm &100mm 1Pcs 1/4"*114mm Sliding T bar 1Pcs 1/4"*150mm Flexible Extension Bar 1Pcs 1/2"Dr Ratchet wrench,45T 18Pcs 1/2"Dr Socket: 8-10-12-13-14-15-16- 17-18-19-20-21-22-23-24-27-30-32mm 1Pcs 1/2"Dr Universal Joint   | INDUSTRIAL     |                        | SOCKET SET 1/4"+1/2" 44PC BMC  |
| HKTS42941  |                 | 94Pcs 1/4"+1/2" Socket set Include: 18Pcs 1/2"DR Socket:10-11-12-13-14-15-16- 17-18-19-20-21-22-23-24-27-30-32mm 4Pcs 1/2"DR 77mm(L) Deep socket: 14-15-17- 19mm 13Pcs 1/4"DR Socket:4-4.5-5-5.5-6-7-8-9-10- 11-12-13-14mm 8Pcs 1/4"DR 50mm(L) Deep socket:6-7-8-9- 10-11-12-13mm 2PCS Ratchet wrench: 1/4" and 1/2"Dr 45T 17Pcs 1/4" x 32(L) bits Socket:Hex:3-4-5- 6mm Star: T8-T10-T15-T20-T25-T30 SL:4-5.5- 7mm,PH1,PH2,P21,P22 15Pcs 5/16" x 30mm(L) bits, Hex:8-10-12- 14mm,SL:8-10-12mm,P23-P24,PH3-PH4,T40- 45-50-55 1Pcs Extension flexible: 1/4" x 150mm 2Pcs Spark plug socket: 1/2"Dr.16mm-21mm 4Pcs Extension bar:1/2"Dr. x 125mm,1/2"Dr. x 250mm,1/4"Dr. x 50mm,1/4"Dr. x 100mm 2Pcs Universal joint 1/4"&1/2"Dr 1Pcs 1/2" Couple:1/2" x 5/16" 1Pcs Sliding "T" Bar:1/4" 1Pcs Spinner handle:1/4" 3Pcs Hex key wrench: 1.5-2-2.5mm 1Pcs 1/4" bit ADA: 1/4"*25mm(L) 1 Pcs Three way adaptor:3/8"(F)X1/2"(M) Packed by BMC | INDUSTRIAL     |                        | SOCKET SET 1/4"+1/2" 94PC BMC  |

| Short Code | Image  | Features  | Classification | Additional Information | Description                    |
|------------|--|---|----------------|------------------------|--------------------------------|
| HKTHP21421 | ingce  | 142 Pcs Combination Tools Set Include: 1/2"DR.Part: 19Pcs 1/2" Hexagonal Socket: 8-10-12-13-14- 15-16-17-18-19-20-21-22-23-24-25-27-30- 32MM 5Pcs 1/2" Star Socket:E10 12 14 16 20 1Pcs 1/2"Textheat wrench,45T 2Pcs 1/2" extension bar:75mm(3") 250mm(10") 1Pcs 1/2"Dr. Universal joint 1Pcs 1/2"Dr. Universal joint 1Pcs 1/2"Ch andle 3/8"DR.Part: 15Pcs 3/8" 12pt.socket:6-7-8-9-10-11-12-13-14-15-17-18-19-21-22 1Pcs 3/8" ratchet wrench,45T 2Pcs 3/8" Extension bar:75mm(3") 1Pcs 1/2"*N thandle 3/8"DR.Part: 15Pcs 3/8" 7 the the wrench,45T 2Pcs 3/8" Father wrench,45T 2Pcs 3/8" Father wrench,45T 2Pcs 3/8" Dr. Universal joint 1/4"DR.Part: 26Pcs 1/4"*25MM Screwdriver bits: PHO-PH1-PH2-PH3-PZ0-PZ1-PZ2-PZ3-SL4- SL5.5-SL7 1H2-H3-H4-H5-H6-H7-H8-H10, T10H-T15H-T20H-T25H-T27H-T30H-T40H 1Pcs Bit holder 9Pcs 1/4" Hexagonal Socket:4-4.5-5-5.5-6-7-8-9-10 5Pcs 1/4" Star Socket:E4 5 6 7 8 1Pcs 1/4" ratchet wrench,45T | INDUSTRIAL     |                        | TOOLKIT COMBINATION 142PCE BMC |
| HTCS15591  | TOOLSTONE STATE OF THE PARTY OF | 59 Pcs Tool Chest Set Include: 12Pcs Combination spanner:8-10-11-12-13- 14-15-16-17-18-19-22MM 8Pcs Screwdriver :SL3X75MM,4x100MM,5x125MM,6x100MM, 8x200MM;PH1X80MM,PH2X100MM,PH3X20 0MM 18Pcs 1/2" Hexagonal Socket: 8-10-12-13-14- 15-16-17-18-19-20-21-22-23-24-27-30-32MM 1Pcs 1/2" ratchet wrench,45T 2Pcs 1/2" Extension bar:125mm(5"),250mm(10") 2Pcs Spark plug socket 1/2"Dr.16MM&21MM 1Pcs 1/2" Dr. Universal joint 1Pcs 1/2"Dr. Flex handle, 375MM 1Pcs 8"Combination pliers 1Pcs 6"Long nose pliers 1Pcs 7"Diagonal cutting pliers 1Pcs 10"Adjustable wrench 1Pcs 10"Curved jaw lock wrench 9Pcs Hex key 1.5-2-2.5-3-4-5-6-8-10MM Packed by metal box   | INDUSTRIAL     |                        | TOOLKIT 59PCS 460X260X220      |
| HTCS220971 |  | 97 Pcs Tool Chest Set Chest part: Overall size:520*218*243mm Thickness of Cabinet:0.8mm Thickness of drawer:0.6mm With 1pcs 506*215*63mm Top Tracy Area With 2pcs 449*196*54mm drawer Tools part: Top Tracy Area Included: 1Pcs Ratchet wrench: 1/2" 18Pcs 1/2"DR Socket:10-11-12-13-14-15-16- 17-18-19-20-21-22-23-24-27-30-32mm 1Pcs 1/2"Universal joint 1Pcs Extension bar:1/2"Dr x 125mm 1Pcs 1/2**250mm Sliding T bar 2Pcs Spark plug socket: 1/2"Dr 16mm&21mm 1Pcs Ratchet wrench: 1/4" 13Pcs 1/4" socket 4-4.5-5-5.5-6-7-8-9-10-11- 12-13-14 1Pcs 1/4"Universal joint 1Pcs Extension bar:1/4"Dr x 100mm  | INDUSTRIAL     |                        | TOOLCHEST KIT 97PC             |

| Short Code      | Image         | Features   | Classification | Additional Information | Description                   |
|-----------------|---------------|--|----------------|------------------------|-------------------------------|
| HTCS271621      |               | 162 Pcs Tool Chest Set Chest part: With 7pcs drawers Overall size: 765x465x812mm Overall with casters size: 765x465x976mm Casters size: 5"*2" Thickness of Cabinet:0.8-1.0mm Thickness of drawer:0.7mm With 5pcs 536x410x74.5mm drawer With 2pcs 536x410x153.5mm drawer Tools part: Drawer 1 Included: 1Pcs Ratchet wrench: 1/4" 13Pcs 1/4" socket 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 17Pcs 1/4" x 32(L) bits Socket:Hex:3-4-5-6mm Star: T8-T10-T15-T20-T25-T30 SL:4-5.5-7mm,PH1,PH2,PZ1,PZ2 8Pcs 1/4"DR 50mm(L) Deep socket:6-7-8-9-10-11-12-13mm 2Pcs Extension bar:1/4"Dr. x 50mm,1/4"Dr. x 100mm 1Pcs Spinner handle:1/4"x150mm | INDUSTRIAL     |                        | TOOLKIT 162PCS 7 DRAW         |
| нтвоз           |               | Size:400x200x195mm<br>3 layers<br>Steel thickness : 0.6~0.8mm<br>Packed by label   | INDUSTRIAL     |                        | TOOL BOX 5 TRAY 400X200X195MM |
| нтво2           |               | Size:495x200x290mm<br>3 layers<br>Steel thickness: 0.6~0.8mm<br>Packed by label  | INDUSTRIAL     |                        | TOOL BOX 5 TRAY 495X200X290MM |
| НКТV01          | Emply         | SIZE: 340*250*60mm Can be stacked together Material: PP Plastic partition inside & Can separate the area packed by carton box  |                |                        | STACKABLE PLASTIC BOX         |
| HTBG28131       | 13"           | Size:13"  Max load: 12kg  Rigid frame for easy opening and access external pockets for additional storage capacity  Packed by paper card   |                |                        | TOOLS BAG 13"                 |
| HTBG28161       | 16"           | Size:16" Max load: 15kg Rigid frame for easy opening and access Internal & external pockets for additional storage capacity Packed by paper card   |                |                        | TOOLS BAG 16"                 |
| нтв <b>G</b> 05 | inoco         | Size:13" Rigid frame for easy opening and access Internal & external pockets for additional storage capacity Packed by paper card  | INDUSTRIAL     |                        | TOOL BAG 13"330MM             |
| нтвд03          | Plantic State | Size:16" Max load: 20kg Rigid frame for easy opening and access Reinforced plastic base for durability Internal pockets for additional storage capacity Adjustable shoulder strap included   | INDUSTRIAL     |                        | TOOL BAG 16"400MM HARD BOTTOM |

| Short Code  | Image   | Features  | Classification | Additional Information | Description                    |
|-------------|---|---|----------------|------------------------|--------------------------------|
| HTBG04      |   | Internal pockets for additional storage capacity Adjustable shoulder strap included   | INDUSTRIAL     |                        | TOOL BAG 24"600MM HARD BOTTOM  |
| НВР0101     | Theil Technology star ASUCAL 177 brown 1834 77 brown 1834 | Size: L34cm* W17cm*H45cm With 1pcs handle bag inside Max load: 20kg Material: polyester oxford 600D Rigid frame for easy opening and access Internal External pockets for additional storage capacity | INDUSTRIAL     |                        | TOOL BACKPACK                  |
| HSDT1408    |   | Test Voltage:AC 100-500V<br>Slotted size: 3x140mm<br>Packed by plastic hanger   |                |                        | S/DRIVER TEST 140MM AC100-500V |
| HSDT1908    |   | Test Voltage:AC 100-500V<br>Slotted size: 4x190mm<br>Packed by plastic hanger   |                |                        | S/DRIVER TEST 190MM AC100-500V |
| VD10003     |   | AC Voltage: 12V~1000V(High sensitivity) 48~1000V(Low sensitivity) Frequency:50/60Hz Alarm mode: Sound and light alarm Flash light: White LED Low battery indication Auto power off                    |                |                        | VOLTAGE DETECTOR AC 1000V      |
| HISD813075  | © 1000V   | CR-V,SL3.0×75 new design handle Round shank1000V,VDE Certification Packed by plastic hanger   | INDUSTRIAL     |                        | S/DRIVER 3X75MM INS. CR-V      |
| HISD814100  | <b>⊘</b> ′E <b>6</b> A 1000V  | CR-V,SL4.0×100<br>new design handle<br>Round shank1000V,VDE Certification<br>Packed by plastic hanger   | INDUSTRIAL     |                        | S/DRIVER 4X100MM INS. CR-V     |
| HISD815125  | (A) 1000V   | CR-V,SL5.5×125<br>new design handle<br>Round shank1000V,VDE Certification<br>Packed by plastic hanger   | INDUSTRIAL     |                        | S/DRIVER 5.5X125MM INS. CR-V   |
| HISD816150  | (a) 1000V   | CR-V,SL6.5×150 new design handle Round shank1000V,VDE Certification Packed by plastic hanger  | INDUSTRIAL     |                        | S/DRIVER 6.5X150MM INS. CR-V   |
| HISD81PH060 | <u>⊘</u> 1000V  | CR-V,PH0×60<br>new design handle<br>Round shank1000V,VDE Certification<br>Packed by plastic hanger  | INDUSTRIAL     |                        | S/DRIVER PH0X60MM INS. CR-V    |
| HISD81PH180 | (A) 1000V   | CR-V,PH1×80<br>new design handle<br>Round shank1000V,VDE Certification<br>Packed by plastic hanger  | INDUSTRIAL     |                        | S/DRIVER PH1X80MM INS. CR-V    |

| Short Code   | Image   | Features   | Classification | Additional Information | Description                     |
|--------------|---|--|----------------|------------------------|---------------------------------|
| HISD81PH2100 | (A) 1000V   | CR-V,PH2×100<br>new design handle<br>Round shank1000V,VDE Certification<br>Packed by plastic hanger  | INDUSTRIAL     |                        | S/DRIVER PH2X100MM INS. CR-V    |
| HISD81PH3150 | © 1000V   | CR-V,PH3×150<br>new design handle<br>Round shank1000V,VDE Certification<br>Packed by plastic hanger  | INDUSTRIAL     |                        | S/DRIVER PH3X150MM INS. CR-V    |
| HISD81PZ180  | 0°E € 1000V   | CR-V,PZ1×80<br>New design handle<br>Round shank<br>1000V,VDE Certification<br>Packed by plastic hanger   | INDUSTRIAL     |                        | S/DRIVER PZ1X80MM INS. CR-V     |
| HISD81PZ2100 | (b) € € 1000V   | CR-V,PZ2×100<br>new design handle<br>Round shank1000V,VDE Certification<br>Packed by plastic hanger  | INDUSTRIAL     |                        | S/DRIVER PZ2X100MM INS. CR-V    |
| HKISD0608    | inccondition dealing Control of the | 6 PCS Insulated Screwdriver Set SL3.0×75 SL4.0×100 SL6.5×150 PH0×60 PH1×80 PH2×100 new design handle Use Aluminum frame with 4pcs Screw and 4pcs Screw Plug Round shank 1000V,VDE Certification Packed by double blister | INDUSTRIAL     |                        | S/DRIVER 6PC CRV VDE INSUL.     |
| <b>Т</b> ур  | For alsolvician   | PVC Length:9.15m (10yards) colour:Black Width:18mm Thickness:0.13mm Packed by label  |                |                        | TAPE INSUL 18X.13X9.15M BL P/10 |
| HPET1101     | For electrician   | Pure PVC Real Length:10yards(9.15m) colour:Black Width:18mm Thickness:0.19mm Packed by label   | INDUSTRIAL     |                        | TAPE INSUL 18X19X9.15M BL P/10  |
| HGC0104      | C Comments  | Size:4"/100mm<br>Body malleable cast iron<br>T-shaped thread<br>Packed by paper card   | INDUSTRIAL     |                        | CLAMP G 4" 100MM CAST IRON      |
| HGC0105      | C C C C C C C C C C C C C C C C C C C   | Size:5"/125mm<br>Body malleable cast iron<br>T-shaped thread<br>Packed by paper card   | INDUSTRIAL     |                        | CLAMP G 5" 125MM CAST IRON      |
| HGC0106      | C COOL  | Size:6"/150mm<br>Body malleable cast iron<br>T-shaped thread<br>Packed by paper card   | INDUSTRIAL     |                        | CLAMP G 6" 150MM CAST IRON      |
| HFC020501    |   | Clamp size:50x150mm<br>Max clamp force: 170KGS<br>Thickness and width of iron ruler:5X15mm<br>Diameter of screw thread:11mm<br>Packed by paper card  | INDUSTRIAL     |                        | CLAMP F 50X150MM PLAS HND       |

| Short Code | lmage       | Features   | Classification | Additional Information | Description                 |
|------------|-------------|--|----------------|------------------------|-----------------------------|
| HFC020502  |             | Clamp size:50x200mm<br>Max clamp force: 170KGS<br>Thickness and width of iron ruler:5X15mm<br>Diameter of screw thread:11mm<br>Packed by paper card      | INDUSTRIAL     |                        | CLAMP F 50X200MM PLAS HND   |
| HFC020503  |             | Clamp size:50x250mm  Max clamp force: 170KGS  Thickness and width of iron ruler:5X15mm  Diameter of screw thread:11mm  Packed by paper card              | INDUSTRIAL     |                        | CLAMP F 50X250MM PLAS HND   |
| HFC020802  |             | Clamp size:80x300mm Max clamp force: 270KGS Thickness and width of iron ruler:6X22mm Diameter of screw thread:13.5mm Packed by paper card                | INDUSTRIAL     |                        | CLAMP F 80X300MM PLAS HND   |
| HFC021201  |             | Clamp size:120x300mm<br>Max clamp force: 450KGS<br>Thickness and width of iron ruler:8X30mm<br>Diameter of screw thread:15.3mm<br>Packed by paper card   | INDUSTRIAL     |                        | CLAMP F 120X300MM PLAS HND  |
| HFC021204  |             | Packed by paper card   | INDUSTRIAL     |                        | CLAMP F 120X400MM PLAS HND  |
| HFC021202  | Constant 1  | Clamp size:120x500mm  Max clamp force: 450KGS  Thickness and width of iron ruler:8X30mm  Diameter of screw thread:15.3mm  Packed by paper card           | INDUSTRIAL     |                        | CLAMP F 120X500MM PLAS HND  |
| HFC021205  |             | Clamp size:120x600mm<br>Max clamp force: 450KGS<br>Thickness and width of iron ruler:8X30mm<br>Diameter of screw thread:15.3mm<br>Packed by paper card   | INDUSTRIAL     |                        | CLAMP F 120X600MM PLAS HND  |
| HFC021203  | Constant 1  | Clamp size:120x800mm<br>Max clamp force: 450KGS<br>Thickness and width of iron ruler:8X30mm<br>Diameter of screw thread:15.3mm<br>Packed by paper card   | INDUSTRIAL     |                        | CLAMP F 120X800MM PLAS HND  |
| HFC021404  | - Crittee 1 | Clamp size:140x1000mm<br>Max clamp force: 550KGS<br>Thickness and width of iron ruler:10X35mm<br>Diameter of screw thread:17.8mm<br>Packed by paper card | INDUSTRIAL     |                        | CLAMP F 140X1000MM PLAS HND |
| HFC021401  |             | Clamp size:140x1200mm<br>Max clamp force: 550KGS<br>Thickness and width of iron ruler:10X35mm<br>Diameter of screw thread:17.8mm<br>Packed by paper card | INDUSTRIAL     |                        | CLAMP F 140X1200MM PLAS HND |
| HQSC0204   | 4"          | Size:4" Length: 110mm Clamping force:12KGS Black clip body Max open mouth: 50mm Packed by label  |                |                        | SPRING CLAMP 100MM 12KG     |
| HQSC0206   | 6"          | Size:6"  Length: 150mm  Clamping force:15KGS  Black clip body  Max open mouth: 68mm  Packed by label   |                |                        | SPRING CLAMP 150MM 15KG     |

| Short Code | lmage  | Features   | Classification | Additional Information | Description                      |
|------------|--|--|----------------|------------------------|----------------------------------|
| HGP08023   | 3-1  | Same as BETA quality Size:3", 2Jaws,Maxforce:2000KG material : Cr-v,heat treated surface treatment : chrome-plated range of application: A=80MM,L1=40MM,L2=44MM Packed by carton box | INDUSTRIAL     |                        | PULLER GEAR SZ 3 2 JAW           |
| <b>М</b> у |  | Swivel base Size: 60mm Weight:1.7kg Max clamping force:1000KGS With anvil Packed by carton box   |                |                        | VICE BENCH SWIVEL 60MM TABLE TOP |
| нвv084     | Ductile cast iron  | Swivel base Size: 4" Weight:6.7kg Max clamping force:1300KGS With anvil Packed by carton box   |                |                        | VICE BENCH SWIV BASE 4" 100MM    |
| нвv086     | Ductile cast iron  | Swivel base Size: 6" Weight:11.2kg Max clamping force:1600KGS With anvil Packed by carton box  |                |                        | VICE BENCH SWIV BASE 6" 150MM    |
| HBV088     | Duchle cast iron   | Swivel base Size: 8" Weight:21kg Max clamping force:2500KGS With anvil Packed by carton box  |                |                        | BENCH VICE SWIVEL 8"             |
| HWC0806    |  | Width:6mm<br>Length : 140mm<br>Wood Chisel, CRV<br>Packed by double blister  | INDUSTRIAL     |                        | CHISEL WOOD 06MM                 |
| нwс0809    | NO 2012  | Width:9mm<br>Length: 140mm<br>Wood Chisel, CRV<br>Packed by double blister   | INDUSTRIAL     |                        | CHISEL WOOD 09MM                 |
| HWC0812    | The second secon | Width:12mm<br>Length : 140mm<br>Wood Chisel, CRV<br>Packed by double blister   | INDUSTRIAL     |                        | CHISEL WOOD 12MM                 |
| HWC0814    | Mark to the second seco | Width:14mm<br>Length: 140mm<br>Wood Chisel, CRV<br>Packed by double blister  | INDUSTRIAL     |                        | CHISEL WOOD 14MM                 |
| HWC0816    | mes in the second secon | Width:16mm<br>Length: 140mm<br>Wood Chisel, CRV<br>Packed by double blister  | INDUSTRIAL     |                        | CHISEL WOOD 16MM                 |
| HWC0819    | Market Street Company  | Width:19mm Length : 140mm Wood Chisel, CRV Packed by double blister  | INDUSTRIAL     |                        | CHISEL WOOD 19MM                 |
| HWC0822    |  | Width:22mm<br>Length: 140mm<br>Wood Chisel, CRV<br>Packed by double blister  | INDUSTRIAL     |                        | CHISEL WOOD 22MM                 |

| Short Code | Image  | Features  | Classification | Additional Information | Description                    |
|------------|--|---|----------------|------------------------|--------------------------------|
| HWC0825    | HE TO BE SEED OF THE SEED OF T | Width:25mm<br>Length : 140mm<br>Wood Chisel, CRV<br>Packed by double blister  | INDUSTRIAL     |                        | CHISEL WOOD 25MM               |
| HKTWC0401  | The second secon | 4 pcs Wood Chisel Set<br>Width:6mm, 12mm, 19mm, 25mm<br>Length : 140mm<br>Wood Chisel, CRV<br>Packed by Sliding card  | INDUSTRIAL     |                        | CHISEL WOOD 4PCS 140MM BLISTER |
| HCCL082210 | •  | Unique design Handle<br>Head size:22mm<br>Handle size:16mm<br>Length:250mm<br>Material : 45# Carbon steel<br>Drop forged and heat treatment<br>Packed by plastic hanger |                |                        | CHISEL COLD 22MM 250MM+ GUARD  |
| HCCL082412 |  | Unique design Handle Head size:25mm Handle size:18mm Length:300mm Material : 45# Carbon steel Drop forged and heat treatment Packed by plastic hanger                   |                |                        | CHISEL COLD 24MM 300MM+ GUARD  |
| HCC0841016 |  | Unique design Handle Head size:4mm Handle size:16mm Length:250mm Material : 45# Carbon steel Drop forged and heat treatment Packed by plastic hanger                    |                |                        | CHISEL CONCR 4MX250M + GAURD   |
| HCC0841218 | 18mm (23,327)  | Unique design Handle<br>Head size:4mm<br>Handle size:18mm<br>Length:300mm<br>Material : 45# Carbon steel<br>Drop forged and heat treatment<br>Packed by plastic hanger  |                |                        | CHISEL CONCR 4MX300M + GAURD   |
| HCCL811910 | 254mm  | Head size:19mm<br>Handle size:16mm<br>Length:254mm<br>Packed by plastic hanger  | INDUSTRIAL     |                        | CHISEL COLD 19MM 254MM+ GUARD  |
| HCCL812512 | 305mm  | Head size:25mm Handle size:19mm Length:305mm Packed by plastic hanger   | INDUSTRIAL     |                        | CHISEL COLD 25MM 305MM+ GUARD  |
| HCC8141016 | 254mm  | Head size:4mm Handle size:16mm Length:254mm Packed by plastic hanger  | INDUSTRIAL     |                        | CHISEL CONCR 16MX254M + GAURD  |
| HCC8141219 | 305mm  | Head size:4mm<br>Handle size:19mm<br>Length:305mm<br>Packed by plastic hanger   | INDUSTRIAL     |                        | CHISEL CONCR 19MX305M + GAURD  |
| HCCL844410 | 215mm 44 mm  | Head size:44mm<br>Handle size:19mm<br>Length:215mm<br>Packed by plastic hanger  | INDUSTRIAL     |                        | CHISEL MASON 44MM 215MM+ GUARD |

| Short Code | Image      | Features   | Classification | Additional Information | Description                    |
|------------|------------|--|----------------|------------------------|--------------------------------|
| HCCL837610 | 215mm      | Head size:76mm<br>Handle size:19mm<br>Length:215mm<br>Packed by plastic hanger   | INDUSTRIAL     |                        | CHISEL BRICK 76MM 215MM+ GUARD |
| HWBA01142  |            | Size(AxBxC): 14"(350mm)x7/8"(22mm)x1/2"(12.0mm) Oval shank with notch(30°, 68°) Packed by label  | INDUSTRIAL     |                        | BAR WRECKING 22X350MM          |
| HWBA01242  |            | Size (AxBxC): 24"(600mm)x1-1/5"(30mm)x16/25"(16.0mm) Oval shank with notch (30°, 68°) Packed by label  | INDUSTRIAL     |                        | BAR WRECKING 29X600MM          |
| HWBA01362  |            | Size (AxBxC): 36"(900mm)x1-1/5"(30mm)x16/25"(16.0mm) Oval shank with notch (30°, 68°) Packed by label  | INDUSTRIAL     |                        | BAR WRECKING 29X900MM          |
| HWBA01482  |            | Size(AxBxC): 48"(1200mm)x1- 1/5"(30mm)x16/25"(16.0mm)  Oval shank with notch(30°, 68°)  Packed by label                                      | INDUSTRIAL     |                        | BAR WRECKING 29X1200MM         |
| HR104      |            | Size:10.5" Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by sliding card   |                |                        | RIVETER HAND 270MM             |
| HR101      |            | L:260mm,10"<br>Applicable rivet<br>size:2.4mm, 3.2mm,4mm,4.8mm<br>Packed by sliding card   |                |                        | RIVETER HAND 260MM             |
| HR105      | inces Acco | Size:10.5"<br>Aluminium alloy body<br>Applicable rivet<br>size:2.4mm, 3.2mm,4mm,4.8mm<br>Packed by double blister                            | INDUSTRIAL     |                        | RIVETER HAND 270MM ALUM BODY   |
| SHHR106    | 3600       | Size:10.5" 360 degrees of rotation in the head Applicable rivet size:2.4mm,3.2mm,4mm,4.8mm Material: Steel+Aluminum Packed by double blister | INDUSTRIAL     |                        | RIVETER HAND 360DEG SWIVEL     |
| HFOR321    |            | Size:815mm,32"<br>Applicable rivet<br>size:3.2mm,4mm,4.8mm,6mm,6.4mm<br>Packed by colour box   | INDUSTRIAL     |                        | RIVETER HAND CONCENTINA 815MM  |
| HR171      |            | Size:420mm,17" Applicable rivet size:3.2mm,4mm,4.8mm Material : Steel+Aluminum With Unique Design Rubber hand Packed by colour box           |                |                        | RIVETER HAND 420MM 17"         |

| Short Code  | Image  | Features  | Classification | Additional Information | Description                    |
|-------------|--|---|----------------|------------------------|--------------------------------|
| HWRT3200811 | incce and ince                               | 3.2x8mm<br>300 pcs in a bottle<br>Open end style  |                |                        | RIVET 3.2x8MM 300PC            |
| HWRT3201011 | incce Date Date Date Date Date Date Date Dat | 3.2x10mm<br>300 pcs in a bottle<br>Open end style   |                |                        | RIVET 3.2x10MM 300PC           |
| HWRT4001011 | incce  | 4x10mm<br>200 pcs in a bottle<br>Open end style   |                |                        | RIVET 4x10MM 200PC             |
| HWRT4001211 |  | 4x12mm<br>180 pcs in a bottle<br>Open end style   |                |                        | RIVET 4x12MM 180PC             |
| HWRT4801211 | inoce and                                    | 4.8x12mm<br>100 pcs in a bottle<br>Open end style   |                |                        | RIVET 4.8x12MM 100PC           |
| HWRT4801611 | ingco  | 4.8x16mm<br>100 pcs in a bottle<br>Open end style   |                |                        | RIVET 4.8x16MM 100PC           |
| HLHP01      |  | Auto-release feature ergonomic handle<br>Punch hole sizes : 2.5mm, 3mm, 3.5mm,<br>4mm, 4.5mm, 5mm<br>Packed by Half double blister  |                |                        | PLIER PUNCH REVOLVING AUTO REL |
| НSG1405     | 312  | 3 in 1 staple gun Adjustable driving force Staples:Wire:1.2mm,Crown:11.3mm,Length : 4-14mm U-Shape Staples : Wire:1.2mm,Crown:6.3mm,Length: 10- 12mm Brad Nails:Wire:1.2mm,Length: 4-14mm With 200pcs Staples/200pcs U-Shape Staples/200pcs Brad Nails Matched with Staples:STS0208/STS0210/STS0212 |                |                        | 3 IN 1 STAPLE GUN              |
| STS0310     | Graph 10-ser                                 | 1000pcs/colour box<br>Length:10mm<br>head:2.0mm<br>Width:1.2mm<br>Suitable for HSG1405<br>Packed by colour box  |                |                        | BRAD NAILL 1X2X1.2MM 1000PCS   |
| STS0412     | Stan 8 draw<br>Large 1 draw                  | 1000pcs/colour box<br>Length:10mm<br>head:2.0mm<br>Width:1.2mm<br>Suitable for HSG1405<br>Packed by colour box  |                |                        | STAPLES 1X2X1.2MM 1000PCS      |

| Short Code | Image                                   | Features   | Classification | Additional Information | Description                 |
|------------|---|--|----------------|------------------------|-----------------------------|
| STS0212    | Winds S                                 | 1000pcs staples(for HSG1404/HSG1405)<br>size:12mmwidth:1.2mm<br>Packed by colour box   |                |                        | STAPLE 12MMX1.2MM BOX 1000  |
| HSG1403    | La D                                    | Staple gun Adjustable driving force Wire:0.7mm Crown:11.3mm Length : 4-14mm Packed by double blister Match with STS0108/STS0110/STS0112                |                |                        | STAPLE GUN 4-14MM           |
| STS0108    | Sidh &                                  | 1000pcs saples(for HSG1403)<br>size:8mmwidth:0.7mm<br>Packed by colour box   |                |                        | STAPLE 08MMX0.71MM BOX 1000 |
| STS0110    | ingco mu loopes Stoples width           | 1000pcs staples(for HSG1403)<br>size:10mmwidth:0.7mm<br>Packed by colour box   |                |                        | STAPLE 10MMX0.71MM BOX 1000 |
| STS0112    | Width (8                                | 1000pcs staples(for HSG1403)<br>Size:12mmwidth:0.7mm<br>Packed by colour box   |                |                        | STAPLE 12MMX0.71MM BOX 1000 |
| HSG1404    |   | Heavy duty staple gun Wire:1.2mm Crown:10.6mm or 11.3mm Length : 4-14mm With 1000PCS nails Packed by double blister Match with STS0208/STS0210/STS0212 | INDUSTRIAL     |                        | STAPLE GUN HD 6-14MM        |
| STS0208    | Sign 8                                  | 1000pcs staples(for HSG1404/HSG1405)<br>size:8mmwidth:1.2mm<br>Packed by colour box  |                |                        | STAPLE 08MMX1.2MM BOX 1000  |
| STS0210    | incco mas 1000pcs Stopks man 200 Midth  | 1000pcs staples(for HSG1404/HSG1405)<br>size:10mmwidth:1.2mm<br>Packed by colour box   |                |                        | STAPLE 10MMX1.2MM BOX 1000  |
| МННF1501   | 150mm(6°)                               | Mini Hacksaw<br>Size : 150mm (6")<br>With 1 pcs blade<br>Packed in paper card  |                |                        | SAW MINI FRAME 150MM        |
| МННF1503   | 6 (150mm) Attention (150mm) 24TPI BLADE | Mini Hacksaw<br>Size : 150mm (6")<br>Comfortable handle<br>Aluminium body<br>With 1 pcs blade<br>Packed in paper card                                  |                |                        | SAW MINI FRAME 150MM        |

| Short Code              | lmage  | Features   | Classification | Additional Information | Description                          |
|-------------------------|--|--|----------------|------------------------|--------------------------------------|
| MHSB1521                | Suitable<br>for mini<br>hacksaw  | Size: 152mm (6") Number of teeth: 24T 10Pcs/Set Material: 65Mn Suitable for item MHHF1501 MHHF1502 MHHF1503 Packed by Plastic bag  |                |                        | BLADES MINI HACKSAW 10PK             |
| ннғ3038                 |  | Size:300mm/12" Unique design Hacksaw frame Including 1pcs 65Mn saw blade Packed by paper card  |                |                        | HACKSAW FRAME 300MM +BLD             |
| ннғ3028                 | 65Mn blade   | Size:300mm/12" handle hacksaw frame, adjustable With Soft grip Including 1pcs 65Mn saw blade Packed by paper card  |                |                        | HACKSAW FRAME 300MM WING NUT         |
| ннғ3008                 | 65Mn blade   | Adjustable tension Quick-release blade changing mechanism Including 1pcs 65Mn saw blade Packed by paper card   | INDUSTRIAL     |                        | HACKSAW FRAME 300MM S/GRIP           |
| ннғ3088                 | 65Mn blade   | Unique design INDUSTRIAL Hacksaw frame Size:300mm/12" Heavy duty frame Aluminum + ABS + TPR handle,Strong and Comfortable Adjustable tension Quick-release blade changing mechanism Including 1pcs 65Mn saw blade Packed by paper card | INDUSTRIAL     |                        | HACKSAW FRAME 300MM IND+BLD          |
| HSBB12186               | MERICON CONTROL OF THE PROPERTY OF THE PROPERT | Material: M42+D6A<br>Number of teeth: 18T<br>Size: 300mm (12")<br>Sizebalbe for item HHF3038/<br>HHF3028/HHF3008/HHF3088<br>Packed by plastic box  | INDUSTRIAL     |                        | BLADE H/SAW BI-METAL 300X18TPI 100/P |
| HSBB12246               | (MYEDAN)   | Material: M42+D6A<br>Number of teeth: 24T<br>Size: 300mm (12")<br>Suitable for item<br>HHF3038/HHF3028/HHF3008//HHF3088<br>Packed by plastic box   | INDUSTRIAL     |                        | BLADE H/SAW BI-METAL 300X24TPI 100/P |
| <b>Тър</b><br>ННАЅ48400 | 16"(400mm)  2020- inoco  | Length: 400mm,<br>Thickness: 0.9mm, 7TPI<br>With teeth protector<br>Packed by paper card   |                |                        | SAW HAND 400MM 7TPI                  |
| HHAS08400               | 16"(400mm)  *********************************  | Length: 400mm,<br>Thickness: 0.9mm, 7TPI<br>With teeth protector<br>Heat treatment<br>Packed by paper card   |                |                        | SAW HAND 400MM 7TPI BEV BLD          |
| HHAS08450               | 18"(450mm)   | Length: 450mm,<br>Thickness: 0.9mm, 7TPI<br>With teeth protector<br>Heat treatment<br>Packed by paper card   |                |                        | SAW HAND 450MM 7TPI BEV BLD          |

| Short Code | Image                         | Features   | Classification | Additional Information | Description                    |
|------------|-------------------------------|--|----------------|------------------------|--------------------------------|
| HHAS08500  | 20" (500mm)                   | Length: 500mm,<br>Thickness: 0.9mm, 7TPI<br>With teeth protector<br>Heat treatment<br>Packed by paper card   |                |                        | SAW HAND 500MM 7TPI BEV BLD    |
| HHAS08550  | 22" (550mm)  # B229 inece     | Length: 550mm,<br>Thickness: 0.9mm, 7TPI<br>With teeth protector<br>Heat treatment<br>Packed by paper card   | INDUSTRIAL     |                        | SAW HAND 550MM 7TPI BEV BLD    |
| HHAS28500  | 20" (500mm)  SKS FIFE CUT TIP | Same as STANLEY quality level Size:20"/500mm Material: Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Two colour soft handle Fast cut and long life Packed by colour sleeve |                |                        | SAW HAND 500MM 7TPI FAST CUT   |
| HMBSB3008  | incco                         | Unique design new design handle Length: 300mm (12") Material: 65Mn Thickness: 0.8mm, 11TPI With teeth protector Heat treatment Packed by paper card  |                |                        | HANDSAW BACK 300MM 11TPI       |
| HMBS3008   | 380                           | Plastic mitre box with back saw set 1pcs plastic mitre box Size:300×140×80 thickness:20mm 1pcs back saw Size:300mm/12", 11TPI Unique design new design handle Packed by shrink                                 |                |                        | MITRE BX PLAS & SAW 300X140X80 |
| HCS3008    | 12 (300mm)                    | Same as STANLEY quality level Size:12"/300mm Material: Taiwan SK5 7TPI,heat treatment teeth Precision ground teeth 2 edges Fast cut and long life Packed by colour sleeve                                      | INDUSTRIAL     |                        | SAW COMPASS 12"/300MM          |
| HWBSW68    | 6 (150mm)                     | Same as STANLEY quality level Size:6"/150mm Material: Taiwan SK5 8TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Fast cut and long life Packed by colour sleeve                         | INDUSTRIAL     |                        | SAW WALL BOARD 150MM SK5 8TPI  |
| HKNS18068  |                               | Blade Size:9mmx80mm<br>With 1 pcs blade,Auto-Lock<br>Length:150mm<br>With flat push button<br>Packed by Blister card   |                |                        | KNIFE 150MM S/OFF 9MM          |
| HKNS16518  | IRCCO                         | Blade Size:18mmx100mm<br>With 1 pcs SK5 blade (HKNSB181)<br>Length:173mm<br>With flat push button<br>Packed by sliding card  |                |                        | KNIFE 173MM S/OFF 18MM FLAT    |
| HKNS16618  |                               | Blade Size:18mmx100mm<br>With 1 pcs SK5 blade(HKNSB181)<br>Length:158mm<br>With round push button<br>Packed by sliding card  |                |                        | KNIFE 158MM S/OFF 18MM RND     |

| Short Code | Image                          | Features  | Classification | Additional Information | Description                    |
|------------|--------------------------------|---|----------------|------------------------|--------------------------------|
| HKNS16538  | ineco (ineco)                  | Blade Size:18mmx100mm<br>With 3 pcs SK5 blades(HKNSB181)<br>Length:169mm<br>With flat push button<br>Packed by sliding card   |                |                        | KNIFE 169MM S/OFF 18MM +3BL HD |
| HKNS1808   | Aluminum Alloy                 | Blade:100mm(L)x18mm(W) With 6 pcs SK5 blades (HKNSB181) Aluminum alloy shell With blade locking bolt With flat push button Net weight:190g Packed by double blister | INDUSTRIAL     |                        | KNIFE 100MM S/OFF 18MM +6BL    |
| НUК6128    |                                | Blade size:61x19mm<br>SK5 blade<br>With 6PCS blades (HUKB611)<br>Pack by double blister   |                |                        | KNIFE UTIL.RETRACT 61X19MM+6BL |
| НИК6118    | SPCS SKS biasine               | Blade size:61x19mm<br>Size:180x45mm<br>SK5 blade<br>With 5 blades(HUKB611)<br>Pack by double blister  | INDUSTRIAL     |                        | KNIFE UTILITY 5BL SK5          |
| НИК614     | SPCS SKS bludee                | Blade size:61x19mm<br>With 5PCS SK5 blades<br>Zinc alloy body<br>Pack by double blister   | INDUSTRIAL     |                        | KNIFE BANANA STYLE 61X19MM+5BL |
| HUK618     | Zinc Alloy  Process SKS blades | Blade size:61x19mm<br>SKS blade with 6 blades (HUKB611)<br>Zinc alloy shell<br>Net weight:256g<br>pack by double blister<br>Packed by double blister                | INDUSTRIAL     |                        | KNIFE UTILITY 6BL SK5          |
| ник615     | incco Θ incco Θ                | Zinc alloy body 65MN Tool carrier With 1 pcs SK5 blade, Auto-Lock Blade:61mm(L)x19mm(W)x0.6(T) Weight:110g Packed by sliding card                                   |                |                        | KNIFE UTILITY RETRACTABLE      |
| HKNS1806   |                                | Blade:9mm(L)x80mm(W) Stainless steel body With 1 pcs blade,Auto-Lock Length:129mm With flat push button Packed by bulk  |                |                        | KNIFE 129MM S/OFF 9MM S/STEEL  |
| HKNS1807   | INCCO.                         | Blade:18mm(L)x100mm(W) Zinc alloy body With 1pcs SK5 blade,Auto-Lock Length:158mm With flat push button Packed by double blister                                    |                |                        | KNIFE 158MM S/OFF 18MM ALUM    |
| НИК6138    | TICCO TRECT                    | Folding knife<br>Aluminum alloy handle<br>Blade size:61x19mm<br>With 5PCS SK5 blades (HUKB611)<br>Packed by double blister  |                |                        | KNIFE FOLDING 61X19MM+5BL      |

| Short Code              | Image  | Features  | Classification | Additional Information | Description                    |
|-------------------------|--|---|----------------|------------------------|--------------------------------|
| HKNSB181                | inece en constitution of the constitution of t | With 10pcs blade<br>Size:18x100mm<br>Suitable for item HKNS16218/HKNS16518/<br>HKNS16618//HKNS16538/ HKNS1808<br>Packed by plastic box  |                |                        | BLADE S/OFF 10PCS 18X100MM     |
| HUKB611                 | ingco x 10PCS(SK5)   | With 10pcs SK5 blade<br>Size:61x19mm<br>Suitable for item HUK6118/ HUK6128<br>/HUK618/HUK6138<br>Packed by plastic box  |                |                        | BLADE SET 10PCE 61X19MM        |
| HGS3008                 |  | Material:ABS&TPR Handle,Zinc alloy knife<br>plate<br>With 6pcs SK5 knife Blade<br>Blade size:18*100mm<br>Length:300mm<br>Weight:260G<br>Packed by half double blister   |                |                        | SCRAPER 300MM 6PCS BLD 18X100M |
| <b>М</b> ГД<br>НМFK8108 | Function   | Multi-function Knife With 10 Function 1.Large knife 2.Can opener 3.Phillips screwdriver 4.Bottle Opener 5.Scissors 6.Slotted Screwdriver 7.corkscrew 8.Nail cleaner 9.Nail file 10.Key ring Two colour soft handle Product size : 9.5cm Packed by display colour box  |                |                        | KNIFE MULTIFUNCTIONAL 10 FUNC  |
| HMFK8158                |  | Multi-function Knife With 15 Function 1.Large knife 2.Can opener 3.Phillips screwdriver 4.Leather punch 5.Bottle Opener 6.Scissors 7.Needle 8.Slotted Screwdriver 9.Fish scaler 10.Hook remover 11.Saw 12.corkscrew 13.Nail cleaner 14.Nail file 15.Key ring Strong Aluminium Handle Product size: 9.5cm                              |                |                        | KNIFE MULTIFUCTIONAL           |
| HFMFT0115               |  | Stainless steel handle with soft rubber grip Stainless steel components Foldable, easy to carry Includes 1pcs nylon belt pouch Overall size: 155mm closed size: 100mm With 15 Function 1.Flat nose Pliers 2.Regular pliers 3.Wire Cutters 4.Sharp knife   |                |                        | MULTI FOLDABLE TOOL 15 FUNCT   |
| HMFH0121                |  | 5.3# Screwdriver. 6. Bottle opener Multi-function hammer With 12 Function 1. Claw hammer 2. Flat nose Pliers 3. Regular pliers 4. Wire Cutters 5. Large knife 6. Wood Saw 7. Hook remover 8. Phillips Screwdriver 9. Metal File 10. Wood File 11. SL5 Slotted screwdriver 12. Hex key Strong Aluminum Handle Packed by double blister |                |                        | HAMMER MULTIFUNCTIONAL 12+CASE |
| HGCT02                  | Total Control of the  | Wooden handle<br>Glass cutter with 6pcs wheels blade<br>Total cutting length : 3000x6=18000m<br>length:130mm<br>Packed by sliding card  |                |                        | CUTTER GLASS 130MM + 6 BLADES  |
| HGCT03                  | Call de Lancie Clarico   | Iron body<br>Auto oil feed cutter<br>Cutting length:5000m<br>length:178mm<br>With 1pcs oil suction pipe<br>Packed by sliding card   |                |                        | CUTTER GLASS 178MM             |

| Short Code | Image                                      | Features   | Classification | Additional Information | Description                    |
|------------|--|--|----------------|------------------------|--------------------------------|
| HTSNK0110  |  | Two tone soft handle 3Pcs Aviation snip (Left,Straight,Right) Length:250mm (10") Max.cutting thickness: Carbon steel ≤1.2mm Stainless steel ≤0.7mm Packed by double blister    |                |                        | AVIATION SET 3 PIECE           |
| HTSN0110L  | Districts about Cortor wheel               | Unique design two tone soft handle Aviation snip (Left) Length:250mm(10") Max.cutting thicness: Carbon steel ≤1.2mm Stainless steel ≤0.7mm Packed by half double blister       |                |                        | TIN SNIP AVIATION LEFT         |
| HTSN0110S  | Meaning global Carden plans (Carden plans) | Unique design two tone soft handle Aviation snip( Straight) Length:250mm (10") Max.cutting thickness: Carbon steel ≤1.2mm Stainless steel ≤0.7mm Packed by half double blister |                |                        | TIN SNIP AVIATION STRAIGHT     |
| HTSN0110R  | Regions glass Cartory plans                | Unique design two tone soft handle Aviation snip( Right) Length:250mm (10") Max.cutting thickness: Carbon steel ≤1.2mm Stainless steel ≤0.7mm Packed by half double blister    |                |                        | TIN SNIP AVIATION RIGHT        |
| HTSN0112S  | Pleasific or Copper violative over over    | Aviation snip( Straight) Length:300mm (12") Unique design two tone soft handle Cutting plastic or rubber or 0.5mm brass wire net Packed by half double blister                 |                |                        | TIN SNIP AVIATION STR 300MM    |
| HTS0410    |  | Size:10"  Max.cutting thicness:  Carbon steel ≤0.8mm  Stainless steel ≤0.6mm  Drop-forged steel  Double dipped grip handle  Packed by half double blister                      |                |                        | TIN SNIP SCISSOR 250MM         |
| HTS0412    | 8  | Size:12"  Max.cutting thicness: Carbon steel ≤0.8mm  Stainless steel ≤0.6mm  Drop-forged steel  Double dipped grip handle  Packed by half double blister                       |                |                        | TIN SNIP SCISSOR 300MM         |
| HWB02250   |  | Plastic handle<br>Coated Copper<br>Length:250mm<br>Packed by double blister  |                |                        | BRUSH WIRE COPPER 250 PLS HNDL |
| нвро2250   |  | Length:250mm<br>Bolck plane<br>It can be changed blade<br>Packed by paper hanger   |                |                        | SURFORM PLANER 250MM           |

| Short Code | Image   | Features  | Classification | Additional Information | Description                   |
|------------|---------|---|----------------|------------------------|-------------------------------|
| HPLB2501   |         | Length:250mm,carbon steel,black plat<br>Matched with HBP02250<br>Packed by polybag+header   |                |                        | SURFORM BLADE 250MM           |
| HPL01300   |         | Length:235mm<br>Steel Q195<br>Planing width&depth:44x2mm<br>Packed by hanger card   |                |                        | PLANER 235MM WIDTH:44MM       |
| HPLB301    | IT. CO. | Length:80x44<br>Matched with HPL01300<br>Packed by bulk   |                |                        | BLADE SPARE PLANNER 81X44     |
| HSFF088    | - mece  | Length:200mm<br>T12 Steel<br>Packed by poly bag   | INDUSTRIAL     |                        | FILE FLAT 200MM WITH HANDLE   |
| HSHF088    |         |   | INDUSTRIAL     |                        | FILE HALF ROUND 200MM + HNDL  |
| HSRF088    | Heco    | Length:200mm<br>T12 Steel<br>Packed by poly bag   | INDUSTRIAL     |                        | FILE ROUND 200MM+HNDL         |
| HSTF088    |         | Length:200mm<br>T12 Steel<br>Packed by poly bag   | INDUSTRIAL     |                        | FILE TRIANGLE 200MM+HNDL      |
| HSSF088    |         | Length:200mm<br>T12 Steel<br>Packed by poly bag   | INDUSTRIAL     |                        | FILE SQUARE 200MM+HNDL        |
| HWFF088    |         | Length:200mm<br>T12 Steel<br>Packed by poly bag   | INDUSTRIAL     |                        | FILE FLAT WOOD 200MM+ HNDL    |
| HWHF088    |         | Length:200mm<br>T12 Steel<br>Packed by poly bag   | INDUSTRIAL     |                        | FILE RASP HALF RND 200MM+HNDL |
| HWRF088    |         | Length:200mm<br>T12 Steel<br>Packed by poly bag   | INDUSTRIAL     |                        | FILE RASP ROUND 200MM+HNDL    |
| HKTFS1308  |         | Half round steel file 1pcs<br>Packed by double blister  | INDUSTRIAL     |                        | FILE SET 3PCE 200MM +3 HND    |
| НКТFS0508  |         | Length:8"/200mm, T12 Steel Flat steel file 1pcs Half round steel file 1pcs Round steel file 1pcs Triangle steel file 1pcs Square steel file 1pcs Packed by double blister | INDUSTRIAL     |                        | FILE SET 5PCE 200MM +5 HND    |

| Short Code | Image   | Features   | Classification | Additional Information | Description                    |
|------------|---|--|----------------|------------------------|--------------------------------|
| HKTFW0308  |   | Length:8"/200mm Flat wood file 1pcs Half round wood file 1pcs Round wood file 1pcs Packed by double blister  | INDUSTRIAL     |                        | FILE SET WOOD 3PCE 200MM+ 3HND |
| НКТF63     |   | 6pcs File set Length: 140mm Diameter: 3mm Flat,Round,Half round,Square,Triangle,Knife With two colour handle Packed by double blister  |                |                        | FILE SET NEEDLE GPCE 140MM     |
| нсG0309    |   | 9" caulking gun Iron shank with teeth Length:235mm(9") Thickness: 0.8mm Diameter:51mm Packed by label  |                |                        | CAULKING GUN HALF BARREL 232MM |
| нсG0909    |   | 9" caulking gun Thickness: 1.0mm Length: 235mm(9") Diameter:51mm With cutting function Packed by label   |                |                        | CAULKING GUN HALF BARREL 235MM |
| HCG1409    | Double push plate   | 9" caulking gun Aluminum handle Length:235mm Double push plate With needle Thickness: 2.2mm Diameter:55mm Packed by paper card   |                |                        | CAULKING GUN SKELETON 232MM    |
| HCG0112    | INCCO AND                 | 12" aluminum caulking gun<br>Length:305mm<br>Diameter:51mm<br>With 1pcs plastic adaptor<br>Packed by paper card  | INDUSTRIAL     |                        | CAULKING GUN ALUM 308MM        |
| HCG0115    | INCCO AND A   | 15" aluminum caulking gun<br>Length:380mm<br>Diameter:51mm<br>With 1pcs plastic adaptor<br>Packed by paper card  | INDUSTRIAL     |                        | CAULKING GUN ALUM 15"          |
| HSGU3122   | incco   | Material:100% purity glue Hardening time: 10 seconds Net weight:3g One year guarantee 3 parts big cap colour:Clear Application:Plastics,leather,metal,ceramic and wood. 12Pcs/Set Packed by blister card |                |                        | SUPER GLUE 3G 12PCE CARD       |
| GRG015001  | 400ce  Key components made in Taiwan Top quality in the world | Heavy-Duty Grease Gun Taiwan Quality Capacity: 400CC / 140z Loading way: 1402 Cartridge / 400CC Bulk   | INDUSTRIAL     |                        | GUN GREASE 500G 400MM 2PC HOSE |

| Short Code | Image | Features   | Classification | Additional Information | Description                    |
|------------|-------|--|----------------|------------------------|--------------------------------|
| HPUT68050  |       | Size:50(2")mm<br>Carbon steel<br>Heat treatment<br>Fine polished   |                |                        | KNIFE PUTTY 50MM C/STEEL BLD   |
| HPUT68075  |       | Size:75(3")mm<br>Carbon steel<br>Heat treatment<br>Fine polished   |                |                        | KNIFE PUTTY 75MM C/STEEL BLD   |
| НРИТ68100  | M     | Size:100(4")mm<br>Carbon steel<br>Heat treatment<br>Fine polished  |                |                        | KNIFE PUTTY 100MM C/STEEL BLD  |
| HPUT68125  |       | Size:125(5")mm<br>Carbon steel<br>Heat treatment<br>Fine polished  |                |                        | KNIFE PUTTY 125MM C/STEEL BLD  |
| НРUТ08060  |       | Size:60mm<br>stainless steel<br>Heat treatment<br>Fine polished<br>Double colour plastic handle<br>Packed by label   | INDUSTRIAL     |                        | KNIFE PUTTY 60MM S/STEEL BLD   |
| HPUT08080  |       | Size:80mm<br>stainless steel<br>Heat treatment<br>Fine polished<br>Double colour plastic handle<br>Packed by label   | INDUSTRIAL     |                        | KNIFE PUTTY 80MM S/STEEL BLD   |
| HPUT08100  | 0     | Size:100mm<br>stainless steel<br>Heat treatment<br>Fine polished<br>Double colour plastic handle<br>Packed by label  | INDUSTRIAL     |                        | KNIFE PUTTY 100MM S/STEEL BLD  |
| HPUT08125  |       | Size:125mm<br>stainless steel<br>Heat treatment<br>Fine polished<br>Double colour plastic handle<br>Packed by label  | INDUSTRIAL     |                        | KNIFE PUTTY 125MM S/STEEL BLD  |
| HPUT08150  |       | Size:150mm<br>stainless steel<br>Heat treatment<br>Fine polished<br>Double colour plastic handle<br>Packed by label  | INDUSTRIAL     |                        | KNIFE PUTTY 150MM S/STEEL BLD  |
| HPUT08060M |       | Size:60mm  1.5mm thickness stainless steel Heat treatment Fine polished NO.1 Clean roller cover NO.2 Scrapes NO.3 Spreads NO.4 Knock NO.5 Convex scraper Packed by label | INDUSTRIAL     |                        | KNIFE PUTTY MULTIFUNCTION 60MM |

| Short Code | Image | Features   | Classification | Additional Information | Description                    |
|------------|-------|--|----------------|------------------------|--------------------------------|
| НВТ718     |       | Size: 7"/180mm(plastic handle) Diameter of connecting rod:9.5mm unique design handle Packed by label       |                |                        | TROWEL BRICK 180MM PLAST HNDLE |
| HBT818     |       | Size: 8"/200mm(plastic handle) Diameter of connecting rod:9.5mm unique design handle Packed by label       |                |                        | TROWEL BRICK 200MM PLAST HNDLE |
| НВТ1018    |       | Size:10"/250mm Diameter of connecting rod:9.5mm unique design handle Packed by label                       |                |                        | TROWEL BRICK 250MM PLAST HNDLE |
| НВТ1118    |       | Size:11"/275mm Diameter of connecting rod:11.5mm unique design handle Packed by label                      |                |                        | TROWEL BRICK 275MM PLAST HNDLE |
| HPT23108   |       | Size:230x100mm<br>Carbon steel<br>Packed by label  |                |                        | TROWEL PLASTER 230X100MM       |
| HPTT23108  |       | Size:230x100mm<br>Teeth:10*6mm<br>Carbon steel<br>Packed by label  |                |                        | TROWEL NOTCH 230X100MM         |
| HPT28138   |       | Plastering trowel<br>Size:280x130mm<br>Unique design handle<br>Packed by label                             |                |                        | TROWEL PLAST 280X130MM PLS HND |
| HPTT28138  |       | Plastering trowel with teeth<br>Size:280x130mm<br>Teeth:10*10mm<br>Unique design handle<br>Packed by label |                |                        | TROWEL NOTCH 10X10MM TPR/ABS   |
| HPT28138S  |       | Stainless steel blade<br>Size:280x130mm<br>Unique design handle<br>Packed by paper hanger                  | INDUSTRIAL     |                        | TROWEL PLAST 280X130MM TPR/ABS |

| Short Code | Image                  | Features  | Classification | Additional Information | Description                    |
|------------|------------------------|---|----------------|------------------------|--------------------------------|
| HPTT28138S |                        | Stainless steel blade<br>Size:280x130mm<br>Teeth:10*10mm<br>Unique design handle<br>Packed by paper hanger                                      | INDUSTRIAL     |                        | TROWEL NOTCH 280X130MM TPR/ABS |
| HSFR24108  |                        | Size:240mmx100mm EVA Thickness:19mm Pure PP handle Aluminium base plate Packed by label   |                |                        | FLOAT RUB GROUT 240X100MM PLS  |
| HSFR24008  | Foam rubber base plate | Size:230mm(L)*100mm(W) Rubber Thickness:15mm Pure PP handle Aluminium base plate Cleaning function Sanding cement wall function Packed by label | INDUSTRIAL     |                        | FLOAT FINE RUB 230X100MM PLS H |
| HCLR0130   | inoco                  | Chalk line reel Length: 30m With 1 bottle chalk With 1 pcs spirit bubble Packed by double blister   |                |                        | CHALK LINE REEL SET 3 PCE      |
| СНРТВО101  |                        | Width: 1" For Oil-Based paint Bristle length: 44mm Thickness: 12.5mm Wooden handle Packed by plastic bag  |                |                        | PAINT BRUSH 1" 25MM WOOD HND   |
| СНРТВО115  |                        | Width: 1.5" For Oil-Based paint Bristle length: 44mm Thickness: 13.5mm Wooden handle Packed by plastic bag                                      |                |                        | PAINT BRUSH 1.5" 38MM WOOD HND |
| СНРТВО102  |                        | Width: 2" For Oil-Based paint Bristle length: 51mm Thickness: 14.5mm Wooden handle Packed by plastic bag  |                |                        | PAINT BRUSH 2" 50MM WOOD HND   |
| СНРТВ0125  |                        | Width: 2.5" For Oil-Based paint Bristle length: 51mm Thickness: 15.5mm Wooden handle Packed by plastic bag                                      |                |                        | PAINT BRUSH 2.5" 63MM WOOD HND |
| СНРТВО103  |                        | Width: 3" For Oil-Based paint Bristle length: 57mm Thickness:16mm Wooden handle Packed by plastic bag   |                |                        | PAINT BRUSH 3" 75MM WOOD HND   |

| Short Code   | Image   | Features  | Classification | Additional Information | Description                    |
|--------------|---|---|----------------|------------------------|--------------------------------|
| СНРТВО104    |   | Width: 4" For Oil-Based paint Bristle length: 57mm Thickness:17.5mm Wooden handle Packed by plastic bag   |                |                        | PAINT BRUSH 4" 100MM WOOD HND  |
| СНРТВ0114091 | TO DAY ON THE REAL PROPERTY OF THE PARTY OF | 9pcs paint brush set For Oil-Based paint 3pcs 1" 2pcs 1.5" 2pcs 2.0" 1pcs 3.0" 1pcs 4.0" Wooden handle Packed by double blister                 |                |                        | PAINT BRUSH SET 9PCE WOOD HND  |
| СНРТВ68701   |   | Width:1" For Oil-Based paint Unique design plastic handle Bristle length: 45mm Thickness: 10mm Packed by label                                  |                |                        | PAINT BRUSH 1" 25MM PLAS HND   |
| СНРТВ68715   |   | Width:1.5" For Oil-Based paint Unique design plastic handle Bristle length: 45mm Thickness: 11mm Packed by label                                |                |                        | PAINT BRUSH 1.5" 38MM PLAS HND |
| СНРТВ68702   | Collaboration   | Width:2" For Oil-Based paint Unique design plastic handle Bristle length: 51mm Thickness: 11mm Packed by label                                  |                |                        | PAINT BRUSH 2" 50MM PLAS HND   |
| СНРТВ68703   |   | Width:3" For Oil-Based paint Unique design plastic handle Bristle length: 57mm Thickness: 12mm Packed by label                                  |                |                        | PAINT BRUSH 3" 76MM PLAS HND   |
| СНРТВ68704   |   | Width:4" For Oil-Based paint Unique design plastic handle Bristle length: 57mm Thickness: 14mm Packed by label                                  |                |                        | PAINT BRUSH 4" 100MM PLAS HND  |
| СНРТВ8701    | Paint Brush 25mm(17) GSTRADS1   | Width: 1" For Oil-Based paint High quality bristles Unique design plastic handle Bristle length: 51mm Thickness: 16mm Packed by colour sleeve   | INDUSTRIAL     |                        | PAINT BRUSH 25MM ENA PLAS HNDL |
| СНРТВ8715    | Paint Brush 38mm(1.5') George 115   | Width: 1.5" For Oil-Based paint High quality bristles Unique design plastic handle Bristle length: 51mm Thickness: 18mm Packed by colour sleeve | INDUSTRIAL     |                        | PAINT BRUSH 38MM ENA PLAS HNDL |

| Short Code  | Image  | Features   | Classification | Additional Information | Description                    |
|-------------|--|--|----------------|------------------------|--------------------------------|
| СНРТВ8702   | Paint Brush Somm(2') Gurranze2   | Width: 2" For Oil-Based paint High quality bristles Unique design plastic handle Bristle length: 57mm Thickness: 18mm Packed by colour sleeve  | INDUSTRIAL     |                        | PAINT BRUSH 50MM ENA PLAS HNDL |
| СНРТВ8725   | Point Brush 53mm(2.5°) Cortarys  Cortarys  | Width : 2.5" For Oil-Based paint High quality bristles Unique design plastic handle Bristle length: 57mm Thickness: 20mm Packed by colour sleeve   | INDUSTRIAL     |                        | PAINT BRUSH 63MM ENA PLAS HNDL |
| СНРТВ8703   | Point Brush 75mm(3 ) CHPTScha  | Width: 3" For Oil-Based paint High quality bristles Unique design plastic handle Bristle length: 64mm Thickness: 22mm Packed by colour sleeve  | INDUSTRIAL     |                        | PAINT BRUSH 75MM ENA PLAS HNDL |
| СНРТВ8704   | Paint Brush 100mm(47 Gertrans)   | Width: 4" For Oil-Based paint High quality bristles Unique design plastic handle Bristle length: 70mm Thickness: 22mm Packed by colour sleeve  | INDUSTRIAL     |                        | PAINT BRUSH 100MM ENA PLAS HND |
| HCLB100308  | The state of the s | Size:4"(100*30mm) For Oil-Based paint Bristle length:70mm Thickness: 28mm High quality bristles unique design plastic handle Packed by colour sleeve   | INDUSTRIAL     |                        | PAINT BRUSH 100MM CEILING HND  |
| HCLB120308  | Oll Cated  | Size:5"(120*30mm) For Oil-Based paint Bristle length:70mm Thickness: 28mm High quality bristles unique design plastic handle Packed by colour sleeve   | INDUSTRIAL     |                        | PAINT BRUSH 120MM CEILING HND  |
| HRHT061001D | Fibre height Inner wall with the same refree Micro Fibre   | Material:Micro fibre Size:100mm/4" Fibre height:12mm Suitable for inner wall 6mm central shank With 1pcs roller cover Match with unique handle Packed by plastic bag                           | INDUSTRIAL     |                        | P/ROLL 100MM (IW) MF 12MM      |
| HRHT052301  | Fibre height Smooth Source Acrylic   | Material:Acrylic Size:230mm/9" Fibre height:7mm Suitable for inner wall 6mm central shank With 1pcs roller cover With 4pcs assistant shank Match with unique handle Packed by plastic bag      | INDUSTRIAL     |                        | P/ROLL 230MM (IW) ACRY 7MM     |
| HRHT042301D | Fibre height (Service Wilcro Fibre   | Material:Micro fibre Size:230mm/9" Fibre height:12mm Suitable for inner wall 6mm central shank With 1pcs roller cover With 4pcs assistant shank Match with unique handle Packed by plastic bag | INDUSTRIAL     |                        | P/ROLL 230MM (IW) MF 12MM      |

| Short Code  | Image  | Features  | Classification | Additional Information | Description                    |
|-------------|--|---|----------------|------------------------|--------------------------------|
| HRHT042302D | Fibre height Micro Fibre   | Material:Micro fibre Size:230mm/9" Fibre height:18mm Suitable for outer wall 8mm central shank Match with unique handle With 1pcs roller cover With 4pcs assistant shank Packed by plastic bag  | INDUSTRIAL     |                        | P/ROLL 230MM (OW) MF 18MM      |
| HRHT092551  | Fibre height Acrylic   | Material:Acrylic Size:255mm/10" Supper bigger size Fibre height:22mm Suitable for outer wall 8mm central shank Match with unique handle With 1pcs roller cover Packed by plastic bag  | INDUSTRIAL     |                        | P/ROLL 255MM (OW) ACRY 22MM    |
| HRHT061001  | Fibre height from wall   | Material:Acrylic<br>Size:100mm/4"<br>Fibre height:12mm<br>Suitable for inner wall<br>6mm central shank<br>With 1pcs roller cover<br>Packed by plastic bag   |                |                        | P/ROLL 100MM (IW) ACRY 12MM    |
| HRHT042301  | Fibre height   | Material:Acrylic Size:230mm/9" Fibre height:12mm Suitable for inner wall 6mm central shank With 1pcs roller cover With 4pcs assistant shank Packed by plastic bag   |                |                        | P/ROLL 230MM (IW) ACRY 12MM    |
| HRHT042302  | Fibre height   | Material:Acrylic Size:230mm/9" Fibre height:18mm Suitable for outer wall 8mm central shank With 1pcs roller cover With 4pcs assistant shank Packed by plastic bag   |                |                        | P/ROLL 230MM (OW) ACRY 18MM    |
| HRHT442302T | MICCO FIDOO  | Material:Micro fibre Size:230mm/9" Fibre height:12mm Suitable for inner wall Mini length:440mm Max length:880mm With 1pcs roller cover With 4pcs assistant shank 8mm central shank With 3 parts telescoping aluminum tube                   |                |                        | P/ROLL 230MM (IW) MF T/S 12MM  |
| HKTCB121001 | Polyester foam Acrylic  Pibre Fibre Height Fibre Fibre Height Fibre Fibr | Material:Acrylic + polyester foam Size:100mm/4" Suitable for inner wall and smooth surface 6mm central shank With 5pcs 12mm acrylic mini rollers With 5pcs polyester foam rollers Packed by double blister                                  |                |                        | P/ROLL SET 12IN1 IW 100MM FOAM |
| HKTCB041002 | Polyester foam  Pibre height  Snapoli-surface  | Material:Polyester foam Size:100mm/4" Suitable for inner wall or smooth surface With 2pcs polyester foam rollers 6mm central shank With 1pcs 4" paint tray Packed by shrink   |                |                        | P/ROLL SET 4IN1 IW 100MM FOAM  |
| HKTCB032301 | Acrylic Sieges Coarse curious  | Material:Acrylic Cylinder brush size:230mm/9" Bigger size roller cover Fibre height:12mm Suitable for inner wall 6mm central shank With 1pcs 10" paint tray With 1pcs acrylic cylinder brush Paint tray size:435x300x7.5mm Packed by shrink |                |                        | P/ROLL SET 3IN1 IW 230MM 12MM  |

| Short Code    | Image   | Features   | Classification | Additional Information | Description                    |
|---------------|---|--|----------------|------------------------|--------------------------------|
| HKTCB83230083 | Inner wall  Models consists surface  Acrylic  Outer wall  Coarse surface  | Suitable for inner wall and outer wall 1pcs 230mm(9") 7mm roller cover 3pcs 230mm(9") 12mm roller cover 1pcs 230mm(9") 18mm roller cover 1pcs 230mm(9") cylinder brush bracket 1pcs 25mm(1") unique design paint brush 1pcs Unique design paint tray Paint tray size:435*300*75mm Packed by shrink |                |                        | P/ROLL SET 8IN1 I&OW 230MM ACR |
| СНРТТ082551   | 435mm   | Pure material Net weight:395g Size:435*300*75mm Match with 9inch cylinder brush With volume mark function Unique design paint tray Special flow channel design Packed by label   |                |                        | PAINT TRAY 435X300X75MM        |
| HRC3610012    | Micro Fibre Inner wall  Widda  Fibre height   | Suitable for HRHT061001D and HRHT061001<br>Material:Micro fibre<br>Size:100mm/4"<br>Fibre height:12mm<br>Suitable for inner wall<br>Packed by plastic bag  |                |                        | P/ROLL REFIL (IW)MF 100MM      |
| HRC0523007    | Acrylic Inner wall Fibre height   | Suitable for HRHT052301 Material:Acrylic Size:230mm/9" Fibre height:7mm Suitable for inner wall Packed by plastic bag  |                |                        | P/ROLL REFIL (IW)ACR 230MM     |
| HRC3323014    | Micro Fibre Inner wall Widdle Widdle Coorse surface   | Suitable for HRHT042301D ,HRHT042301 and<br>HRHT442302T<br>Material:Micro fibre<br>Size:230mm/9"<br>Fibre height:12mm<br>Used for inner wall<br>Packed by plastic bag  |                |                        | P/ROLL REFIL (IW)MF 230MM      |
| HRC3323018    | Micro Fibre Outer wall  | Suitable for HRHT042302D and HRHT042302<br>Material:Micro fibre<br>Size:230mm/9"<br>Fibre height:18mm<br>Suitable for outer wall<br>Packed by plastic bag  |                |                        | P/ROLL REFIL (OW)MF 230MM      |
| HRC0925522    | Acrylic Outer wall Corte beight   | Suitable for HRHT092551 Material:Acrylic Size:255mm/10" Super bigger size Fibre height:22mm Suitable for outer wall Packed by plastic bag  |                |                        | P/ROLL REFIL (OW)MF 255MM      |
| HRCEP0205     | SEGDreet .  | Material:Aluminum<br>Length:200cm<br>With screw connection function<br>With insert function<br>Packed by label   |                |                        | TELESCOPIC ROD 200CM           |
| HKSPA1088-I   | 6 <sub>m</sub> 8 <sub>m</sub> 10 <sub>m</sub> 13 <sub>m</sub> 14 <sub>m</sub> 15 <sub>m</sub> 17 <sub>m</sub> 19 <sub>m</sub> | 8pcs combination spanner set Size:6-19mm 6mm,8mm,10mm,13mm,14mm,15mm,17m m,19mm Fine polished Packed by plastic hanger   | INDUSTRIAL     |                        | TOOL SET 8PCE INC 13MM IN CLIP |

| Short Code | Image | Features   | Classification | Additional Information | Description                    |
|------------|-------|--|----------------|------------------------|--------------------------------|
| HKSPA2088  |       | 8pcs double open end spanner set<br>Size:6-22mm<br>6x7mm,8x9mm,10x11mm,12x13mm,<br>14x15mm,16x17mm,18x19mm,20x22mm<br>Fine polished<br>Packed by plastic hanger        | INDUSTRIAL     |                        | SPANNER DOE 8PC 6-22MM         |
| HKSPA3088  |       | 8pcs offset ring spanner set Size:6-22mm 6x7mm,8x9mm,10x11mm, 12x13mm,14x15 mm,16x17mm,18x19mm, 20x22mm Fine polished Packed by plastic hanger                         | INDUSTRIAL     |                        | SPANNER DBL RING 8PC 6-22MM    |
| HKSPAR1082 |       | 8pcs Ratchet Spanner Set<br>High quality Cr-Mo Ratchet<br>Size:8-19mm<br>8mm,10mm,12mm,13mm,14mm,15mm,17m<br>m,19mm<br>Fine polished ,CR-V<br>Packed by plastic hanger | INDUSTRIAL     |                        | SPANNER RAT/OE 8PC 6-19MM      |
| HKSPA1142  |       | 12pcs combination spanner set<br>Size:6-24mm<br>6mm,8mm,10mm,11mm, 12mm,13mm,14<br>mm,15mm,17mm,19mm,22mm,24mm<br>Fine polished<br>Packed by canvas bag                | INDUSTRIAL     |                        | SPANNER COMB 12PC 6-24MM POUCH |
| HCSPA061   | 2     | Size:6mm<br>Length:101mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card   | INDUSTRIAL     |                        | SPANNER COMBINATION 6MM        |
| HCSPA071   | 2     | Size:7mm<br>Length:111mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card   | INDUSTRIAL     |                        | SPANNER COMBINATION 7MM        |
| HCSPA081   | 2     | Size:8mm<br>Length:121mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card   | INDUSTRIAL     |                        | SPANNER COMBINATION 8MM        |
| HCSPA091   | 2     | Size:9mm<br>Length:131mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card   | INDUSTRIAL     |                        | SPANNER COMBINATION 9MM        |
| HCSPA101   | 2     | Size:10mm Length:141mm Material:Cr-V Chrome plated,matt finish Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 10MM       |
| HCSPA111   | 2     | Size:11mm Length:152mm Material:Cr-V Chrome plated,matt finish Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 11MM       |
| HCSPA121   | 2     | Size:12mm Length:161mm Material:Cr-V Chrome plated,matt finish Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 12MM       |
| HCSPA131   | 2     | Size:13mm Length:172mm Material:Cr-V Chrome plated,matt finish Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 13MM       |
| HCSPA141   | 2     | Size:14mm Length:183mm Material:Cr-V Chrome plated,matt finish Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 14MM       |

| Short Code | Image | Features   | Classification | Additional Information | Description              |
|------------|-------|--|----------------|------------------------|--------------------------|
| HCSPA151   | 2     | Size:15mm<br>Length:191mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 15MM |
| HCSPA161   |       | Size:16mm<br>Length:201mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 16MM |
| HCSPA171   | 0     | Size:17mm<br>Length:211mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 17MM |
| HCSPA181   | 2     | Size:18mm<br>Length:221mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 18MM |
| HCSPA191   | 200   | Size:19mm<br>Length:231mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 19MM |
| HCSPA201   | 200   | Size:20mm<br>Length:242mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 20MM |
| HCSPA211   | 20    | Size:21mm<br>Length:253mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 21MM |
| HCSPA221   | 20    | Size:22mm<br>Length:262mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 22MM |
| HCSPA241   | 3     | Size:24mm<br>Length:287mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 24MM |
| HCSPA271   | 2-0   | Size:27mm<br>Length:331mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card  | INDUSTRIAL     |                        | SPANNER COMBINATION 27MM |
| HCSPA301   | 2     | Size:30mm Length:384mm Material:Cr-V Chrome plated,matt finish Packed by paper card              | INDUSTRIAL     |                        | SPANNER COMBINATION 30MM |
| HCSPA321   | 20    | Size:32mm Length:405mm Material:Cr-V Chrome plated,matt finish Packed by paper card              | INDUSTRIAL     |                        | SPANNER COMBINATION 32MM |
| HCSPA361   | 3     | Size:36mm Length:460mm Material:Cr-V Chrome plated,matt finish Packed by paper card              | INDUSTRIAL     |                        | SPANNER COMBINATION 36MM |
| HCSPAR061  | 00    | Size:6mm<br>Length : 125mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card | INDUSTRIAL     |                        | SPANNER RATCHET 06MM     |
| HCSPAR081  | 00    | Size:8mm Length: 140mm Material:Cr-V Chrome plated,matt finish Packed by paper card              | INDUSTRIAL     |                        | SPANNER RATCHET 08MM     |
| HCSPAR101  | 00    | Size:10mm<br>Length : 159mm  | INDUSTRIAL     |                        | SPANNER RATCHET 10MM     |
| HCSPAR111  | 00    | Length: 165mm Material:Cr-V Chrome plated,matt finish Packed by paper card                       | INDUSTRIAL     |                        | SPANNER RATCHET 11MM     |
| HCSPAR121  | 00    | Size:12mm<br>Length : 171mm  | INDUSTRIAL     |                        | SPANNER RATCHET 12MM     |

| Short Code               | Image  | Features  | Classification | Additional Information | Description                 |
|--------------------------|--|---|----------------|------------------------|-----------------------------|
| HCSPAR131                | 00   | Size:13mm<br>Length: 178mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card  | INDUSTRIAL     |                        | SPANNER RATCHET 13MM        |
| HCSPAR141                | 00   | Size:14mm Length: 191mm Material:Cr-V Chrome plated,matt finish Packed by paper card  | INDUSTRIAL     |                        | SPANNER RATCHET 14MM        |
| HCSPAR151                | 00   | Size:15mm Length: 200mm Material:Cr-V Chrome plated,matt finish Packed by paper card  | INDUSTRIAL     |                        | SPANNER RATCHET 15MM        |
| HCSPAR161                | 00   | Size:16mm Length: 209mm Material:Cr-V Chrome plated,matt finish Packed by paper card  | INDUSTRIAL     |                        | SPANNER RATCHET 16MM        |
| HCSPAR171                | 00   | Size:17mm Length: 225mm Material:Cr-V Chrome plated,matt finish Packed by paper card  | INDUSTRIAL     |                        | SPANNER RATCHET 17MM        |
| HCSPAR191                | 00   | Size:19mm Length: 245mm Material:Cr-V Chrome plated,matt finish Packed by paper card  | INDUSTRIAL     |                        | SPANNER RATCHET 19MM        |
| HCSPAR211                | 00   | Size:21mm<br>Length: 290mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card  | INDUSTRIAL     |                        | SPANNER RATCHET 21MM        |
| HCSPAR241                | 00   | Size:24mm Length: 335mm Material:Cr-V Chrome plated,matt finish Packed by paper card  | INDUSTRIAL     |                        | SPANNER RATCHET 24MM        |
| HCSPAR271                | 00   | Size:27mm<br>Length : 359mm<br>Material:Cr-V<br>Chrome plated,matt finish<br>Packed by paper card   | INDUSTRIAL     |                        | SPANNER RATCHET 27MM        |
| HBW5110808               | POST OF THE POST O | 1 PCS double open end wrench, 9-14mm,15-<br>22mm<br>1 PCS single open end wrench, 23-32mm<br>Chrome plated<br>Two colour handle<br>Packed by sliding card |                |                        | WRENCH BENT DOE 15-32MM     |
| HADW131062               | More to  | Length:150mm(6")<br>Adjustable clamp size:0-19.2mm<br>Packed by paper card  |                |                        | WRENCH ADJUSTABLE 150MM 6"  |
| HADW131082               | The more to  | Length:200mm(8") Adjustable clamp size:0-24mm Packed by paper card  |                |                        | WRENCH ADJUSTABLE 200MM 8"  |
| HADW131102               | The same special (   | Length:250mm(10") Adjustable clamp size:0-30mm Packed by paper card   |                |                        | WRENCH ADJUSTABLE 250MM 10" |
| HADW131122               | The Most IO  | Length:300mm(12")<br>Adjustable clamp size:0-35mm<br>Packed by paper card   |                |                        | WRENCH ADJUSTABLE 300MM 12" |
| <b>187</b><br>НАDW131152 | 375mm(15")   | Length:375mm(15")<br>Adjustable clamp size:0-46mm<br>Material : 45# Carbon steel<br>Packed by paper card  |                |                        | WRENCH ADJUSTABLE 375MM 15" |
| HADW131182               | 450mm(18")   | Length:450mm(18")<br>Adjustable clamp size:0-55mm<br>Material : 45# Carbon steel<br>Packed by paper card  |                |                        | WRENCH ADJUSTABLE 450MM 18" |

| Short Code | Image  | Features   | Classification | Additional Information | Description                    |
|------------|--|--|----------------|------------------------|--------------------------------|
| HADW131068 | wide spending  | Length:150mm(6"),CrV<br>Adjustable clamp size:0-24mm<br>Unique design two tone soft handle<br>Packed by plastic hanger                             | INDUSTRIAL     |                        | WRENCH ADJUST 150MM S/GRIP CRV |
| HADW131088 | wide conting   | Length:200mm(8"),CrV<br>Adjustable clamp size:0-30mm<br>Unique design two tone soft handle<br>Packed by plastic hanger                             | INDUSTRIAL     |                        | WRENCH ADJUST 200MM S/GRIP CRV |
| HADW131108 | vide spetting  | Length:250mm(10"),CrV<br>Adjustable clamp size:0-35mm<br>Unique design two tone soft handle<br>Packed by plastic hanger                            | INDUSTRIAL     |                        | WRENCH ADJUST 250MM S/GRIP CRV |
| HADW131128 | wride sperring   | Length:300mm(12"),CrV<br>Adjustable clamp size:0-41mm<br>Unique design two tone soft handle<br>Packed by plastic hanger                            | INDUSTRIAL     |                        | WRENCH ADJUST 300MM S/GRIP CRV |
| ннк11091   | Long arm   | 9pcs hex key set<br>Material : Cr-V<br>Size : 1.5-10mm<br>Long arm<br>Heat treatment and chrome plate<br>Packed by double blister                  | INDUSTRIAL     |                        | A/KEY 9PC 1.5-10MM LONG CRV    |
| ннк11092   | Extra long arm   | 9pcs hex key set<br>Material : Cr-V<br>Size : 1.5-10mm<br>Extra-long arm<br>Heat treatment and chrome plate<br>Packed by double blister            | INDUSTRIAL     |                        | A/KEY 9PC 1.5-10MM XLONG CRV   |
| ннк12091   | Long arm   | 9pcs ball point hex key set<br>Material : Cr-V<br>Size : 1.5-10mm<br>Long arm<br>Heat treatment and chrome plate<br>Packed by double blister       | INDUSTRIAL     |                        | A/KEY 9PC 1.5-10MM BP LNG CRV  |
| ннк12092   | Extra long arm   | 9pcs ball point hex key set<br>Material : Cr-V<br>Size : 1.5-10mm<br>Extra-long arm<br>Heat treatment and chrome plate<br>Packed by double blister | INDUSTRIAL     |                        | A/KEY 9PC 1.5-10MM BP XL CRV   |
| ннк13091   | Long arm   | 9pcs torx key set<br>Material : Cr-V<br>Size : T10-T50<br>Long arm<br>Heat treatment and chrome plate<br>Packed by double blister                  | INDUSTRIAL     |                        | A/KEY 9PC TORX T10-T50 CRV     |
| ннк13092   | Extra long arm   | 9pcs torx key set Material: Cr-V Size: T10-T50 Extra-long arm Heat treatment and chrome plate Packed by double blister                             | INDUSTRIAL     |                        | A/KEY 9PC TORX XL T10-T50 CRV  |
| HHKSET0181 | Hardware Company of the Company of t | 18 Pcs Hex Key And Torx Key Set Include: 9 Pcs Hex Key Size: 1.5-10mm 9 Pcs Torx Key Size: T10-T50 Extra-long arm Material: Cr-V                   | INDUSTRIAL     |                        | A/KEY 18PC HEX / TORX XL CRV   |
| ннк14081   |  | 8pcs hex key( Pocket) Size: 2-8mm Material: Cr-V Heat treatment and chrome plate Packed by plastic hanger  | INDUSTRIAL     |                        | A/KEY 8PC KNIFE 2.0-8.0MM CRV  |
| ннк14082   |  | 8pcs ball point hex key set( Pocket)<br>Size : 2-8mm<br>Material : Cr-V<br>Heat treatment and chrome plate<br>Packed by plastic hanger             | INDUSTRIAL     |                        | A/KEY 8PC KNIFE BP 2.0-8MM CRV |

| Short Code   | Image           | Features   | Classification | Additional Information | Description                    |
|--------------|-----------------|--|----------------|------------------------|--------------------------------|
| ннк14083     |                 | 8pcs torx key set( Pocket)<br>Size : T9-T40<br>Material : Cr-V<br>Heat treatment and chrome plate<br>Packed by plastic hanger  | INDUSTRIAL     |                        | A/KEY 8PC TORX KNIFE T9-T40    |
| ННКТ8081     |                 | 8 Pcs T-handle hex wrench set Unique design New Handle Size: 2X75,2.5X75,3X100,4X100,5X150,6X15 0,8X200,10X200 Material: Cr-V, Heat treatment and chrome plate Packed by double blister                              | INDUSTRIAL     |                        | A/KEY 8PC T HANDLE SET 2-10MM  |
| ННКТ8082     |                 | 8 Pcs T-handle ball point hex wrench set<br>Unique design New Handle<br>Size: 2X75,2.5X75,3X100,4X100,5X150,6X15<br>0,8X200,10X200<br>Material: Cr-V, Heat treatment and<br>chrome plate<br>Packed by double blister | INDUSTRIAL     |                        | A/KEY 8PC T HANDLE SET BP 2-10 |
| ННКТ8083     |                 | 8 Pcs T-handle torx wrench set<br>Unique design New Handle<br>Size: T10X75,T15X75,T20X100,T25X100,T30<br>X150,T40X150,T45X200,T50X200<br>Material: Cr-V, Heat treatment and<br>chrome platePacked by double blister  | INDUSTRIAL     |                        | A/KEY 8PC T HANDLE SET T10-T50 |
| ННК1561501   | Size:6x150mm    | T-handle hex wrench Size: 6X150 Material: Cr-V Heat treatment and chrome plate Packed by paper card  | INDUSTRIAL     |                        | A/KEY T HANDLE 6X150MM CRV     |
| HHK15T201001 | Size:T20x100mm  | T-handle hex wrench Size: T20X100 Material: Cr-V Heat treatment and chrome plate Packed by paper card  | INDUSTRIAL     |                        | A/KEY T HANDLE TORX T20X100MM  |
| HHK15T251001 | Size:T25x100mm  | T-handle hex wrench<br>Size: T25X100<br>Material: Cr-V<br>Heat treatment and chrome plate<br>Packed by paper card  | INDUSTRIAL     |                        | A/KEY T HANDLE TORX T25X100MM  |
| HHK15T301501 | Size:T30x150mm  | T-handle hex wrench Size: T30X150 Material: Cr-V Heat treatment and chrome plate Packed by paper card  | INDUSTRIAL     |                        | A/KET T HANDLE TORX T30X150MM  |
| HRCW40231    | Save Energy 50% | Size: 16" With 4 pcs 1/2" Socket:17mm 19mm 21mm 23mm Drop forged and chrome plate Cross save power design provides extra leverage and torque Packed by leather bag   | INDUSTRIAL     |                        | WRENCH RAPID CROSS 17X19X21X23 |

| Short Code | Image                            | Features   | Classification | Additional Information | Description                    |
|------------|----------------------------------|--|----------------|------------------------|--------------------------------|
| LASWT0901  | 1/2 or open of orged non welding | L-Angled socket wrench set<br>9pcs/set<br>Size: 7mm 8mm 10mm 11mm 12mm 13mm<br>14mm 17mm 19mm<br>Material:CR-V<br>One-piece structure,Drop-forged<br>Same as FACOM quality level<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET WRENCH SET L AGL 7-19MM |
| HRTH0814   |                                  | Size:1/4" 45T<br>Length:158mm<br>Material : CR-V+Cr-Mo<br>Packed by plastic hanger   | INDUSTRIAL     |                        | RATCHET 1/4" 45TEETH CRV       |
| нктновз8   |                                  | Size:3/8" 45T<br>Length:205mm<br>Material : CR-V+Cr-Mo<br>Packed by plastic hanger   | INDUSTRIAL     |                        | RATCHET 3/8" 45TEETH CRV       |
| HRTH0812   |                                  | Size:1/2" 45T<br>Length:260mm<br>Material : CR-V+Cr-Mo<br>Packed by plastic hanger   | INDUSTRIAL     |                        | RATCHET 1/2" 45TEETH CRV       |
| HRTH8412   |                                  | racked by plastic flanger  | INDUSTRIAL     |                        | RATCHET 1/2" 72 TEETH CRV      |
| HHAST12081 |                                  | 1/2" Dr.6pt.socket,8MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger  | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 8MM       |
| HHAST12091 |                                  | 1/2" Dr.6pt.socket,9MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger  | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 9MM       |
| HHAST12101 |                                  | 1/2" Dr.6pt.socket,10MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger   | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 10MM      |
| HHAST12111 |                                  | 1/2" Dr.6pt.socket,11MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger   | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 11MM      |
| HHAST12121 |                                  | 1/2" Dr.6pt.socket,12MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger   | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 12MM      |
| HHAST12131 |                                  | 1/2" Dr.6pt.socket,13MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger   | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 13MM      |
| HHAST12141 |                                  | 1/2" Dr.6pt.socket,14MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger   | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 14MM      |
| HHAST12151 |                                  | 1/2" Dr.6pt.socket,15MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger   | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 15MM      |

| Short Code | Image | Features   | Classification | Additional Information | Description               |
|------------|-------|--|----------------|------------------------|---------------------------|
| HHAST12161 |       | 1/2" Dr.6pt.socket,16MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 16MM |
| HHAST12171 |       | 1/2" Dr.6pt.socket,17MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 17MM |
| HHAST12181 |       | 1/2" Dr.6pt.socket,18MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 18MM |
| HHAST12191 |       | 1/2" Dr.6pt.socket,19MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 19MM |
| HHAST12201 |       | 1/2" Dr.6pt.socket,20MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 20MM |
| HHAST12211 |       | 1/2" Dr.6pt.socket,21MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 21MM |
| HHAST12221 |       | 1/2" Dr.6pt.socket,22MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 22MM |
| HHAST12231 |       | 1/2" Dr.6pt.socket,23MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 23MM |
| HHAST12241 |       | 1/2" Dr.6pt.socket,24MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 24MM |
| HHAST12251 |       | 1/2" Dr.6pt.socket,25MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 25MM |
| HHAST12261 |       | 1/2" Dr.6pt.socket,26MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 26MM |
| HHAST12271 |       | 1/2" Dr.6pt.socket,27MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 27MM |

| Short Code  | Image | Features  | Classification | Additional Information | Description                    |
|-------------|-------|---|----------------|------------------------|--------------------------------|
| HHAST12281  |       | 1/2" Dr.6pt.socket,28MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger      | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 28MM      |
| HHAST12291  |       | 1/2" Dr.6pt.socket,29MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger      | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 29MM      |
| HHAST12301  |       | 1/2" Dr.6pt.socket,30MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger      | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 30MM      |
| HHAST12321  |       | 1/2" Dr.6pt.socket,32MM<br>Material:50BV30,Heat treatment,black nickel<br>plated<br>Packed by plastic hanger      | INDUSTRIAL     |                        | SOCKET HEX 1/2DR 6PT 32MM      |
| HHAST12083L |       | 1/2" Deep Dr.6pt.socket,8MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger  | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 8MM  |
| HHAST12103L |       | 1/2" Deep Dr.6pt.socket,10MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 10MM |
| HHAST12113L |       | 1/2" Deep Dr.6pt.socket,11MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 11MM |
| HHAST12123L |       | 1/2" Deep Dr.6pt.socket,12MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 12MM |
| HHAST12133L |       | 1/2" Deep Dr.6pt.socket,13MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 13MM |
| HHAST12143L |       | 1/2" Deep Dr.6pt.socket,14MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 14MM |
| HHAST12153L |       | 1/2" Deep Dr.6pt.socket,15MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 15MM |
| HHAST12163L |       | 1/2" Deep Dr.6pt.socket,16MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 16MM |

| Short Code  | Image                          | Features   | Classification | Additional Information | Description                    |
|-------------|--------------------------------|--|----------------|------------------------|--------------------------------|
| HHAST12173L |                                | 1/2" Deep Dr.6pt.socket,17MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger            | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 17MM |
| HHAST12183L |                                | 1/2" Deep Dr.6pt.socket,18MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger            | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 18MM |
| HHAST12193L |                                | 1/2" Deep Dr.6pt.socket,19MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger            | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 19MM |
| HHAST12203L |                                | 1/2" Deep Dr.6pt.socket,20MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger            | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 20MM |
| HHAST12213L |                                | 1/2" Deep Dr.6pt.socket,21MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger            | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 21MM |
| HHAST12223L |                                | 1/2" Deep Dr.6pt.socket,22MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger            | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 22MM |
| HHAST12243L |                                | 1/2" Deep Dr.6pt.socket,24MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger            | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 24MM |
| HHAST12273L |                                | 1/2" Deep Dr.6pt.socket,27MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger            | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 27MM |
| HHAST12303L |                                | 1/2" Deep Dr.6pt.socket,30MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger            | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 30MM |
| HHAST12323L |                                | 1/2" Deep Dr.6pt.socket,32MM<br>Material:50BV30,Heat<br>treatment,black nickel plated<br>Packed by plastic hanger            | INDUSTRIAL     |                        | SOCKET DEEP HEX 1/2DR 6PT 32MM |
| HSPS12161   | Spark Plug 1/2* 16mm @W        | 1/2" Spark Plug Socket,16MM<br>size: 16mm<br>Material:50BV30<br>Heat treatment<br>chromed plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SPARKPLUG SOCKET 16MM          |
| HSPS12211   | Spark<br>Plug<br>1/2" 21mm GZV | 1/2" Spark Plug Socket,21MM<br>size: 21mm<br>Material:50BV30<br>Heat treatment<br>chromed plated<br>Packed by plastic hanger | INDUSTRIAL     |                        | SPARKPLUG SOCKET 21MM          |
| HHUJ1121    |                                | 1/2" Universal Joint<br>Material:50BV30,Heat treatment,chromed<br>plated<br>Packed by plastic hanger                         | INDUSTRIAL     |                        | JOINT UNIVERSAL 1/2"           |

| Short Code | Image                                  | Features  | Classification | Additional Information | Description                    |
|------------|--|---|----------------|------------------------|--------------------------------|
| HEB12051   | (a)                                    | 1/2"Extension bar,5"(127mm)<br>Material:40Cr,Heat treatment,chromed<br>plated<br>Packed by plastic hanger   | INDUSTRIAL     |                        | EXT BAR 1/2" 127MM             |
| HEB12101   | 9                                      | 1/2"Extension bar,10"(254mm) Material:40Cr,Heat treatment,chromed plated Packed by plastic hanger   | INDUSTRIAL     |                        | EXT BAR 1/2" 254MM             |
| HFXH012151 | 15"(375mm) GV                          | 1/2" Flexible Handle Size:1/2" Length:15" (375mm) Material:50BV30,Heat treatment,chromed plated Packed by plastic hanger  | INDUSTRIAL     |                        | POWER BAR FLEX HANDLE 375MM    |
| HSTB12101  | 50BV80                                 | 1/2" DR. Sliding T-bar Size:1/2" Length:10" (250mm) Material:CR-V(50BV30) Heat treatment Chromed plated Packed by plastic hanger  | INDUSTRIAL     |                        | SLIDING T'BAR 250MM            |
| HTC04600   | Comefortable Handle Max cuting: coomin | Tile cutter Max cutting length:600mm Max cutting thickness: 12mm  Steel base size:815x195cm Thickness of the base: 2mm With 2 pcs Tungsten carbide blade Blade size: 16x6x3mm Multi-function:direct line cutting, diagonal line cutting Diameter of sliding bar:19mm Packed by carton box |                |                        | CUTTER TILE 600MM              |
| нтсо4600В  | Suitable for HTC04600                  | Tile cutter blade Material : Tungsten carbide Blade size : 16x6x3mm Suitable for HTC04600 Packed by Blister card  |                |                        | CUTTER WHEEL FOR HTC04600      |
| нвј202     |  | 2Ton With safety valve Min. height: 180mm Max. height: 333mm Travel:153mm Net weight: 2.5kg   | INDUSTRIAL     |                        | JACK BOTTLE HYD 2T MAX: 345MM  |
| нвյ602     |  | 6Ton With safety valve Min. height: 210mm Max. height: 410mm Travel:200mm Net weight: 4.1kg Packed by colour box  | INDUSTRIAL     |                        | JACK BOTTLE HYD 6T MAX: 413MM  |
| нвј1002    |  | 10Ton With safety valve Min. height: 230mm Max. height: 460mm Travel:230mm Net weight: 5.8kg Packed by colour box   | INDUSTRIAL     |                        | JACK BOTTLE HYD 10T MAX: 460MM |
| нвл1202    |  | 12Ton With safety valve Min. height: 235mm Max. height: 470mm Travel:235mm Net weight: 6.7kg Packed by colour box   | INDUSTRIAL     |                        | JACK BOTTLE HYD 12T MAX: 465MM |
| нвյ2002    |  | 20Ton With safety valve Min. height: 240mm Max. height: 460mm Travel:220mm Net weight: 8.7kg Packed by colour box   | INDUSTRIAL     |                        | JACK BOTTLE HYD 20T MAX: 452MM |
| НВЈ3002    |  | 30Ton With safety valve Min. height: 260mm Max. height: 430mm Travel:170mm Net weight: 15.9kg Packed by colour box  | INDUSTRIAL     |                        | JACK BOTTLE HYD 30T MAX: 465MM |

| Short Code  | Image                               | Features   | Classification | Additional Information | Description                    |
|-------------|-------------------------------------|--|----------------|------------------------|--------------------------------|
| нвЈ5002     |                                     | 50Ton With safety valve Min. height: 280mm Max. height:470mm Travel:190mm Net weight: 22.6kg Packed by colour box                      | INDUSTRIAL     |                        | JACK BOTTLE HYD 50T MAX: 480MM |
| HFJ201      |                                     | 2Ton Min. height: 140mm Max. height: 340mm Travel:200mm Net weight : 8.5kg Packed by colour box  | INDUSTRIAL     |                        | JACK FLOOR 2T MAX 340MM        |
| HFJ302      | incco                               | 3Ton Min. height: 135mm Max. height: 410mm Travel:275mm Net weight: 16kg Packed by colour box  | INDUSTRIAL     |                        | JACK FLOOR 3T MAX 410MM        |
| нј50201     | 2Ton<br>2Pcs/Pair                   | 2pcs/pair<br>2Ton<br>Min. height: 250mm<br>Max. height:380mm<br>Net weight : 4.7kg<br>Large saddle,more stable<br>Packed by colour box | INDUSTRIAL     |                        | JACK STAND 2 PCE 2 TON         |
| ні50301     | 3Ton<br>2Pcs/Pair                   | Large saddle,more stable<br>Packed by colour box   | INDUSTRIAL     |                        | JACK STAND 2 PCE 3 TON         |
| HSMT0833-1  | Configurous Metric                  | Length & width:3mx16mm Double button Only metric Pure ABS material cover Packed by plastic hanger                                      |                |                        | TAPE MEASURE ABS 3M x 16MM     |
| HSMT08352-1 | Cootinuous Metric                   | Length & width:5mx19mm Double button Only metric Pure ABS material cover Packed by plastic hanger                                      |                |                        | TAPEMEASURE ABS 5M x 19MM      |
| HSMT0835-1  | Confinuous Confinuous Marking Blade | Length & width:5mx25mm Double button Only metric Pure ABS material cover Packed by plastic hanger                                      |                |                        | TAPE MEASURE ABS 5M x 25MM     |
| Н5МТ0838-1  | Continuous Marking Blade Metric     | Length & width:8mx25mm Double button Only metric Pure ABS material cover Packed by plastic hanger                                      |                |                        | TAPEMEASURE ABS 8M x 25MM      |
| HSMT0803.1  | Continuous<br>Marking Blade Metric  | Length & width:3mx16mm Self lock function Double button Only metric With all rubber cover Packed by plastic hanger                     |                |                        | TAPE MEASURE R/CASE 3M X 16MM  |
| HSMT08052.1 | Centinuous<br>Marking Blade Metric  | Length & width:5mx19mm Self lock function Double button Only metric With all rubber cover Packed by plastic hanger                     |                |                        | TAPE MEASURE R/CASE 5M X 19MM  |

| Short Code  | Image  | Features   | Classification | Additional Information | Description                    |
|---|--|--|----------------|------------------------|--------------------------------|
| HSMT0805.1  | Continuous<br>Marking Blade Metric                       | Length & width:5mx25mm<br>Self lock function<br>Double button<br>Only metric<br>With all rubber cover<br>Packed by plastic hanger      |                |                        | TAPE MEASURE R/CASE 5M X 25MM  |
| HSMT0808.1  | Continuous<br>Marking Blade Metric                       | Length & width:8mx25mm Self lock function Double button Only metric With all rubber cover Packed by plastic hanger                     |                |                        | TAPE MEASURE R/CASE 8M X 25MM  |
| HSMT0810.1  | Continuous Marking Blade Metric                          | Length & width:10mx25mm Self lock function Double button Only metric With all rubber cover Packed by plastic hanger                    |                |                        | TAPE MEASURE R/CASE 10M X 25MM |
| HSMT88052.1                                       | Metric S 1931 Continuous Marking Blade Nytier blade      | Length & width:5mx19mm Nylon blade Double side metric printing Only metric Double hook of blade Stronger clip                          | INDUSTRIAL     |                        | TAPE MEASURE IND 5M X 19MM     |
| HSMT8805.1  | Metric  23 56313  Continuous Marking Blade  Nytion blade | Length & width:5mx25mm Nylon blade Double side metric printing Only metric Double hook of blade Stronger clip                          | INDUSTRIAL     |                        | TAPE MEASURE IND 5M X 25MM     |
| HSMT8808.1  | Metric Selly Continuous Marking Blade Nylon blade        | Length & width:8mx25mm Nylon blade Double side metric printing Only metric Double hook of blade Stronger clip                          | INDUSTRIAL     |                        | TAPE MEASURE IND 8M X 25MM     |
| HMSL03101   | incco Presistant   | Length: 10cm VPA standard With strong magnet 0.5mm/m solid shockproof arcylic vial Thickness:1.5mm Shockproof end caps Packed by label |                |                        | LEVEL HAND 10CM                |
| HMSL01030   | EC 0-3   | Length: 225mm With magnetic With 3 vials Material:Aluminum and ABS plastic Packed by colour sleeve                                     |                |                        | LEVEL TORPEDO 225MM MAGNETIC   |
| HSL18030  | Inoco Od Q   | Length: 30cm<br>Aluminum<br>Aluminum thickness:1mm<br>Packed by colour sleeve  |                |                        | LEVEL ALUMINIUM 30CM 3 VIAL    |
| <b>М</b> . М. |  | Length: 40cm<br>Aluminum<br>Aluminum thickness:1mm<br>Packed by colour sleeve  |                |                        | SPIRIT LEVEL 40CM              |
| HSL18040  | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0                    | Length: 40cm<br>Aluminum<br>Aluminum thickness:1mm<br>Packed by colour sleeve  |                |                        | LEVEL ALUMINIUM 40CM 3 VIAL    |
| <b>К</b> <sub><b>д</b></sub> ,                    |  | Length: 60cm<br>Aluminum<br>Aluminum thickness:1mm<br>Packed by colour sleeve  |                |                        | SPIRIT LEVEL 60CM              |
| HSL18080  |  | Length: 80cm<br>Aluminum<br>Aluminum thickness:1mm<br>Packed by colour sleeve  |                |                        | LEVEL ALUMINIUM 80CM 3 VIAL    |

| Short Code | Image  | Features  | Classification | Additional Information | Description                  |
|------------|--|---|----------------|------------------------|------------------------------|
| HSL58100   |  | Length: 100cm<br>Aluminum<br>Aluminum thickness:1mm<br>Packed by colour sleeve  |                |                        | SPIRIT LEVEL 100CM           |
| HSL08030   | D INDEC   CONTROL OF THE PARTY  | Length: 30cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface                          | INDUSTRIAL     |                        | LEVEL ALUMINIUM 30CM         |
| HSL08040   | INCCO CONTROL OF THE PARTY OF T | Length: 40cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by colour sleeve  | INDUSTRIAL     |                        | LEVEL ALUMINIUM 40CM         |
| HSL08060   | ince   C   | Length: 60cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by colour sleeve  | INDUSTRIAL     |                        | LEVEL ALUMINIUM 60CM         |
| HSL08080   | EXPERIENCE AND LOSTS. AND  | Length: 80cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by colour sleeve  | INDUSTRIAL     |                        | LEVEL ALUMINIUM 80CM         |
| HSL08100   |  | Length: 100cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by colour sleeve | INDUSTRIAL     |                        | LEVEL ALUMINIUM 100CM        |
| HSL38030M  |  | Length: 30cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 2 Pcs powerful magnets Double flat surfaces design Packed by colour sleeve     | INDUSTRIAL     |                        | LEVEL ALUM WITH MAGNET 30CM  |
| HSL38040M  |  | Length: 40cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 2 Pcs powerful magnets Double flat surfaces design Packed by colour sleeve     | INDUSTRIAL     |                        | LEVEL ALUM WITH MAGNET 40CM  |
| HSL38060M  |  | Length: 60cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 3 Pcs powerful magnets Double flat surfaces design Packed by colour sleeve     | INDUSTRIAL     |                        | LEVEL ALUM WITH MAGNET 60CM  |
| HSL38080M  |  | Length: 80cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 4 Pcs powerful magnets Double flat surfaces design Packed by colour sleeve     | INDUSTRIAL     |                        | LEVEL ALUM WITH MAGNET 80CM  |
| HSL38100M  |  | Length: 100cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 4 Pcs powerful magnets Double flat surfaces design Packed by colour sleeve    | INDUSTRIAL     |                        | LEVEL ALUM WITH MAGNET 100CM |
| HSL08060D  |  | Length: 60cm Measuring ranger:0~360°(4*90°) Measuring accuracy:±0.2 3 Pcs powerful magnets Double side milled 0.5mm/m accurate vials Thickness:1.5mm  | INDUSTRIAL     |                        | LEVEL DIGITAL 60CM 0.2 ACCUR |

| Short Code | Image                                   | Features   | Classification | Additional Information | Description                    |
|------------|---|--|----------------|------------------------|--------------------------------|
| HSL01150   | O v area                                | Length : 150cm<br>Aluminum<br>Thickness:1mm  |                |                        | LEVEL ALUMINIUM 150CM 3 VIAL   |
| HSL01200   |   | Length: 200cm<br>Aluminum<br>Thickness:1mm   |                |                        | LEVEL ALUMINIUM 200CM 3 VIAL   |
| HSL02150   |   | Length : 150cm Aluminium<br>Shock Absorbent  |                |                        | LEVEL ALUM SHOCK ABS 150CM     |
| HSL02180   |   | Length : 180cm Aluminium<br>Shock Absorbent  |                |                        | LEVEL ALUM SHOCK ABS 180CM     |
| HSL02200   |   | Length: 200cm Aluminium<br>Shock Absorbent   |                |                        | LEVEL ALUM SHOCK ABS 200CM     |
| HBSL08060  | Back                                    | Length: 60cm Net weight:790g Accuracy:0.5mm/m Finely milled bottom surface and front surface Heavy-duty cast aluminum tapered body Shock-absorbing rubber strike pads & end caps To withstand trowel blows and protect the | INDUSTRIAL     |                        | LEVEL ALUM MASON 60CM          |
| HAR01060   |   | Length: 60cm<br>Material:Aluminum<br>With spirit level function<br>Packed by label   |                |                        | RULER ALUMINUM INCL LEVEL      |
| H5R26002   | Aluminum<br>60cm                        | Length:60cm<br>Width:5cm<br>Material:Anodized aluminum<br>Printed scale accurate 0.7mm/m<br>Packed by label  |                |                        | RULER ANO/ALUM 600MM METRIC    |
| HAS123002  |   | Length:300mm(12") Blade Width:40mm Blade Thickness:1.5mm Stainless steel blade With unique support ledge High-impact polymer handle  | INDUSTRIAL     |                        | SQUARE ANGLE 300MM             |
| HVC01150   |   | Range:0-150mm Reading:0.05mm Material:Carbon steel With metric and inch Packed by plastic box  |                |                        | VERNIER 150MM 0.05MM           |
| HVC01200   |   | Range:0-200mm<br>Reading:0.05mm<br>Material:Carbon steel<br>With metric and inch<br>Packed by plastic box  |                |                        | VERNIER 200MM 0.05MM           |
| HLDD0601   | G S S S S S S S S S S S S S S S S S S S | Measuring Range:0.05-60m Measuring Accuracy:±1.5mm Laser Type:635nm, <1mW, Class 2 Operating temp:-10°C ~ +50°C Storage temp:-20°C ~ +65°C Historical Measurements:50 values   | INDUSTRIAL     |                        | LASER DISTANCE DETECTOR.05-60M |

| Short Code            | Image           | Features  | Classification | Additional Information | Description                    |
|-----------------------|-----------------|---|----------------|------------------------|--------------------------------|
| DM2002                |                 | 2000 counts LCD display DC Voltage 200mV/2V/20V/200V/600V AC Voltage 200V/600V DC Current 20mA/200mA/10A Resistance $200\Omega/2k\Omega/20k\Omega/200k\Omega/2M\Omega/20M\Omega$ Packed by colour box   |                |                        | MULTIMETER DIGITAL AC/DC 600V  |
| DM200                 |                 | Display :2000 counts LCD with backlight DC Voltage: 200mV/2V/20V/200V/600V AC Voltage: 200V/600V DC Curren: 20mA/200mA/10A Resistance: $200\Omega/2k\Omega/20k\Omega/200k\Omega/2M\Omega/20M\Omega$ Diode test date hold  |                |                        | MULTIMETER DIGITAL AC/DC 600V  |
| <b>Феду</b><br>DM7504 |                 | Display : 6000 counts true RMS LCD with double colour backlight Auto range DC Voltage: $600\text{mV/6V/60V/600V/1000V}$ AC Voltage: $600\text{mV/6V/600V/750V}$ DC Current: $60\mu\text{A/600mA/10A}$ AC Current: $60\text{mA/600mA/10A}$ Resistance: $600\text{A/600M/600k}$ $600\text{A/60M}$ $6000\text{A/60M}$ $6000\text{A/60M}$ $6000\text{A/60M}$ $6000\text{A/60M}$ $6000\text{A/60M}$ $6000\text{A/60M}$ |                |                        | MULTIMETER AUTO RANGE TRUE RMS |
| DM7502                |                 | Display : 6000 counts true RMS LCD with double colour backlight DC Voltage: $600mV/6V/60V/600V/1000V$ AC Voltage: $600mV/6V/600V/750V$ DC Current: $60\mu\Delta/600mA/10A$ AC Current: $60mA/600mA/10A$ Resistance: $600\Omega/6k\Omega/60k\Omega/600k\Omega/6M\Omega/60$ M $\Omega$ Capacitance: $1000mV/1000mV/100mV/100mV/1000mV/100mV/1000mV/100mV/1000mV/100mV/100mV/100mV/100mV/1000mV/100mV/1000mV/100mV/1000mV/100MV/10$  |                |                        | MULTIMETER DIG AC/DC TRUE RMS  |
| НІТ010381             |                 | Human body mode:32°C~42.9°C (89.6°F~109.2°F) Accuracy:±0.3°C (ambient temperature 18~25°C) Response time: 1 second colour display screen D:S=12:1 Auto power off Back light Temperature upper / lower limit alarm (Red)   |                |                        | INFRARED THERMOMETER           |
| HGVK05                |                 | Size: 10 (XL) Use for transporting and cargo handling worker, recycling worker,repairer etc. Gauge:10 Weight:58g/Pair; 700g/Dozen Cotton class: A Packed in poly bag  |                |                        | GLOVE KNIT PVC DOT M/DUTY XL   |
| HGNG01                | CE CHASS ADD    | Size: XL Use for oil environment (less oil)worker etc. Nitrile coated palm, smooth and rough- texture palm finish. Packed by poly bag   |                |                        | GLOVE NITRILE PALM SZ:XL       |
| HGNG01.L              | C € 🖾 Mena dist | Size: L Use for oil environment (less oil) worker etc. Nitrile coated palm, smooth and rough- texture palm finish. Packed by poly bag   |                |                        | GLOVE NITRILE PALM SZ:L        |
| HGVL03                | CE Second Mater | Size: XL Use for heavy cargo handling worker, slight sharp objects carrier etc. Latex gloves Cotton/polyester seamless knitted shell. Textured palm dip for extra grip and durability.  |                |                        | GLOVE WRIST LATEX DIP PALM XL  |

| Short Code | Image               | Features   | Classification | Additional Information | Description                      |
|------------|---------------------|--|----------------|------------------------|----------------------------------|
| HGVL08-XL  | E DA306 1131        | Size:XL Use for heavy cargo handling worker, slight sharp objects carrier etc. From pressing,longer life time than normal. Latex gloves Polyester seamless knitted shell. Textured palm dip for extra grip and durability. | INDUSTRIAL     |                        | GLOVE WRIST LATEX HD DIP PALM XL |
| HGVL04-XL  | CHANGE COMP.        | Size: XL Use for heavy cargo handling worker, slight sharp objects carrier etc. Latex fully coated gloves Cotton/polyester seamless knitted shell. Textured palm dip for extra grip and                                    |                |                        | GLOVE LATEX SIZE XL              |
| HGVN01     | CE O CONTROL ATTAIL | Size:XL Use for oil environment (much oil) worker etc. Heavy nitrile fully coated gloves Packed by poly bag  |                |                        | GLOVE WRIST LATEX DIP FULL XL    |
| HGCG01-L   | C C Oct             | Size: L Use for timber and glass cutting worker, heavy sharp objects carriers etc. PU coated palm,flexible and good feeling. HPPE shell,cut-resistance and abrasion. Antistatic. Packed by poly bag                        | INDUSTRIAL     |                        | GLOVE CUT RESISTANCE L           |
| HGCG01-XL  | C E OAR             | Size:XL Use for timber and glass cutting worker, heavy sharp objects carriers etc. PU coated palm,flexible and good feeling. HPPE shell,cut-resistance and abrasion. Antistatic. Packed by poly bag                        | INDUSTRIAL     |                        | GLOVE CUT RESISTANCE XL          |
| HGCG08-XL  | € E                 | Size:XL Use for timber and glass cutting worker, heavy sharp objects carriers etc. From pressing,longer life time than normal. Latex coated palm HPPE shell,cut-resistance and abrasion. Packed by poly bag                | INDUSTRIAL     |                        | GLOVE CUT RESISTANCE HD DIP XL   |
| HGMG01-XL  |                     | Size:XL<br>Microfibre material palm provide dexterity to<br>utilize tools and equipments<br>Pack by paper hanger   | INDUSTRIAL     |                        | GLOVE MECHANIC XL                |
| HGMG02-XL  |                     | Size:XL Microfibre material palm with PVC leather reinforced on palm enhance extreme abrasion resistance. Rubber on back prevent hand from hazards in dark. Pack by paper hanger   | INDUSTRIAL     |                        | GLOVE MECHANIC WITH PU XL        |
| HGVC01     |                     | Size:10.5" Use for carriers, machining operators, garden work etc. Cow split leather gloves cotton back & rubberized cuff,half lining Packed by poly bag   |                |                        | GLOVE WRIST COW LEATHER 260MM    |
| HGVC02     |                     | Size:10" Use for driver,machining operator etc. Cow split leather gloves Full palm, full lining Packed by poly bag   |                |                        | GLOVE COW SPLIT LEATHER SZ 10    |
| HGVW02     |                     | Length:16" Use for professional welding worker etc. Cow split leather welder gloves, one piece back, full lining full palm with double palm Packed by poly bag   |                |                        | GLOVE WELD COW FUL LINED 400MM   |
| HGVP02     | age 1               | Material : High quality PVC<br>Size: L<br>Use for gardener, cleaner etc.<br>Weight :120-130g/ pair<br>Packaging by plastic bag   |                |                        | GLOVE PVC LARGE 120-130GSM L     |

| Short Code    | Image  | Features  | Classification | Additional Information | Description                    |
|---------------|--|---|----------------|------------------------|--------------------------------|
| RV02C         | JYL  | Common reflective strip + Polyester tricot waistcoat Colour:Fluorescent Orange Conforms to EN471 Class 2 Size: XL Packed by Poly bag  |                |                        | VEST REFL ORANGE REFL STRIP XL |
| HJATL2281.L   | anacord min<br>and and and and and and and and and and   | Size: L Fabric: 228 taslan with mesh lining Waterproofing index: 5000mmH2O Air permeability: 3000g/m²/24Hr,good breathability Zipper closure,warm and windproof Roomy pockets Packed by Poly bag  |                |                        | JACKET L                       |
| HJATL2281.XL  | Second Sec   | Size: XL Fabric: 228 taslan with mesh lining Waterproofing index: 5000mmH2O Air permeability: 3000g/m/24Hr,good breathability Zipper closure,warm and windproof Roomy pockets Packed by Poly bag  |                |                        | JACKET XL                      |
| HJATL2281.XXL | Managerial allessames and the second allessames are second allessames and the second allessames and the second allessames and the second allessames are second all the second all the second allessames and the second allessames are second all the second allessames and the second allessames are second all the second all the second all the second allessames are second all the second | Size: XXL Fabric: 228 taslan with mesh lining Waterproofing index: 5000mmH2O Air permeability: 3000g/m²/24Hr,good breathability Zipper closure,warm and windproof Roomy pockets Packed by Poly bag  |                |                        | JACKET XXL                     |
| HHWM102       | 100% NEW PP  | Welding mask Material:100% PP With 1 pcs 108*50*3mm welding glass and 1 pcs Protection glass Packed by label  |                |                        | WELDING MASK HAND HELD         |
| WM101         | 100% NEW PP  | Welding mask Material:100% PP Glass size:108*50*3mm, movable type glass 1 pcs clear protection glass Packed by label  |                |                        | WELDING HELMET MASK FLIPFRONT  |
| <b>Т</b> ен.  |  | Auto-Darkening Welding Glasses Viewing Area:95x31mm Cartridge Size: 108x 50.8x 5mm Sensors: 2 Light State: 3 Dark State: 11 UV/IR Protection: Up to DIN 16  |                |                        | AUTO DARKENING GLASSES         |
| АНМ008        | Viewing Area 92x42mm  Page 1 to 1 t  | Viewing Area:92×42mm Cartridge Size:110×90×9mm Arc Sensor:2 Optical Class : 1/1/1/2 Light State:DIN 4 Dark State:Variable shade, 9 ~13 Shade Control:External,Variable Power On/Off:Fully Automatic Sensitivity Control:AUTO UV/IR Protection:DIN 16 Power Supply:Solar cells+2*CR2032 Lithium batteries Switching Time:1/15000S,from Light to Dark Dark to Light (Delay) :0.1-1.0 Auto Low Amperage TIG:≥10amps(DC), ≥10amps(AC) Grinding Function :YES Low Volume Alarm:YES Operating Tep::5°C~+55°C Storing Tep::5°C~+55°C |                |                        | HELMET WELDING AUTO DARK       |
| HFSPC01       | The state of the s | Storing Teo:-20°(~+/0°C) Impact resistant visor Brim protects forehead from outside injure headgear with adjustable knobs, with antibacterial sweatband Packed by label   | INDUSTRIAL     |                        | FACE SHIELD                    |

| Short Code | Image       | Features   | Classification | Additional Information | Description                     |
|------------|-------------|--|----------------|------------------------|---------------------------------|
| HSG04      |             | The length of temple:4 different positions<br>Integrated encircling type design gives flank<br>protection<br>Packed by double blister  |                |                        | SAFETY SPECTACLES ADJUSTABLE    |
| HSG05      |             | Conforms to ANSI Z87.1 and CE EN166<br>Full-view full-slice structure prevents UV and<br>withstands impact<br>Packed by double blister   |                |                        | SAFETY SPECTACLES WRAP AROUND   |
| HSG02      |             | Has supple and lightweight PVC frame as well<br>unique air hole design.<br>High-impact polycarbonate lenses have high<br>transparency comfortable for wearing.<br>Packed by poly bag                               |                |                        | GOGGLE SAFETY PVC FRAME         |
| HSG06      |             | Material: PC Dark shade: 8 Light weight, comfortable to wear, wide visual field Packed by double blister   |                |                        | SAFETY SPECTACLES DARK SHADE 8  |
| HSG08      |             | Material:PC Dark shade:9 Light weight,comfortable to wear,wide visual field Packed by double blister   | INDUSTRIAL     |                        | SAFETY SPECTACLES DARK SHADE 9  |
| HSG07      | Welding     | Material:PC Dark shade:10 Use for welding Light weight,comfortable to wear,wide visual field Packed by double blister  |                |                        | SAFETY SPECTACLES DARK SHADE 10 |
| HSGW01     | 660         | Flexible PVC body, indirect ventilation design. Dark shade:5 Flip design with open-close locking positioning, easy to use. Inner lenses are clear, outer lenses adopt coloured inorganic glass. Packed by poly bag |                |                        | WELDING GOGGLES PVC F/FRONT     |
| HEM01      |             | Impact-resistant ABS shell body,soft foam<br>pad<br>NRR:24dB<br>Packed by paper card   |                |                        | EAR MUFF NRR 24DB               |
| HEP02      |             | Conforms to ear structure,safe and sanitary Made from polyurethane foam,smooth and ultra supple superior noise recuction effect, let operators keep acute hearing in noise ambient                                 |                |                        | EAR PLUG PU                     |
| <b>Му</b>  | incco       | Size: 215x180mm PVC outer shell provides maximum impact resistance Moulded foam body provides extra comfort Two elastic straps and flexible buckles ensure a comfortable fit Ergonomic design Packed by colour box | INDUSTRIAL     |                        | KNEEPADS 21.5X180MM             |
| НТВР02031  |             | Size: 2pcs L26*W23cm 1pcs L15*W13cm Adjustable belt(92-127cm) 14pcs pockets 2pcs hammer holders Max load: 10kg Material: 600D polyester Various pockets for tools Packed by paper card                             |                |                        | TOOL POUCH & BELT 2PCS          |
| HRSP262    | dh.         | Load:1.5T<br>Length:6M<br>Width:25mm<br>With ratchet and double j hooks<br>Packed by strap   |                |                        | STRAP RATCHET 1.5T 25MM 06M+2J  |
| HRSP2101   | Wind Street | Load:2T Length:10M Width:35mm With ratchet and double j hooks Packed by strap  |                |                        | STRAP RATCHET 2T 35MM 10M+2J    |
| HRSP361    |             | Load:3T<br>Length:6M<br>Width:50mm<br>With ratchet and double j hooks<br>Packed by strap   |                |                        | STRAP RATCHET 3T 50MM 06M+2J    |

| Short Code | lmage  | Features  | Classification | Additional Information | Description                        |
|------------|--|---|----------------|------------------------|------------------------------------|
| HRSP3101   | min.   | Load:3T<br>Length:10M<br>Width:50mm<br>With ratchet and double j hooks<br>Packed by strap   |                |                        | STRAP RATCHET 3T 50MM 10M+2J       |
| HRSP4101   | Mina Mina Mina Mina Mina Mina Mina Mina  | Load:4T Length:10M Width:50mm With ratchet and double j hooks Packed by strap   |                |                        | STRAP RATCHET 4T 50MM 10M+2J       |
| HRSP5101   | A STATE OF THE STA | Load:5T Length:10M Width:50mm With ratchet and double j hooks Packed by strap   |                |                        | STRAP RATCHET 5T 50MM 10M+2J       |
| HWL36008LI |  | Using Li-polymer rechageable battery Brightness: Max:350 lumens Low:170 lumens High light 4H runtime Low light 7H runtime With USB Charging line Net weight:260g Packed by double blister                           |                |                        | WORK LAMP USB CHARGE LINE          |
| HFL013AAA1 | SAMSUNG LED Same As Dewalt   | Aviation grade aluminum alloy:6N01-T6 Brightness:200 lumens Use alkaline 3AAA battery Tail light switch Waterproof grade IPX-4 Diameter/length :32mm/126.5mm, Weight:105g(without battery) Packed by double blister | INDUSTRIAL     |                        | TORCH ALUM. FLASH LIGHT LED 3W     |
| HHL013AAA2 | Tenta da Caración de Caración  | Brightness: Max:200 lumens Low:50 lumens Use alkaline 3AAA battery Max 91m beam distance IPX4 raining resistant Packed by double blister  | INDUSTRIAL     |                        | HEADLAMP 180 LUMENS                |
| HPS0109    |  | Aluminium body pruning shear blade<br>Handle non slip treatment<br>Max cutting diameter 12mm<br>Size:8"(200mm)<br>Packed by Paper card  |                |                        | SHEAR PRUNING 200MM                |
| HPS0308    |  | With heat treatment Aluminium handle with<br>soft TPR grip<br>Size:8"(205mm)<br>With hight quality blade<br>Packed by Paper card  | INDUSTRIAL     |                        | SHEAR PRUNE ALU. S/GRIP 200MM      |
| HPS0601    | MAXφ16mm   | Size:8.5"(220mm) Entire metal frame,more durable High-Quality Garden Pruning Shear 55# carbon steel blade Heat treatment Telfon coating PP handle coverd TPR grip Packed by blister card                            | INDUSTRIAL     |                        | SHEAR PRUNING 220MM 55 C/STEEL BLD |
| ннѕ6001    | No.  | Length:22"(557mm) Material:55# carbon steel Heat treatment blade Blade painted teflon Packed by paper hanger  | INDUSTRIAL     |                        | SHEAR HEDGE 600MM TEFL BLD         |
| нн56301    |  | Length:22"(557mm) Material:55# carbon steel Heat treatment blade Blade painted teflon Packed by paper hanger  | INDUSTRIAL     |                        | SHEAR HEDGE 630MM TEF BLD          |
| HLT7101    |  | Length:29"(725mm) Max cutting diameter:20mm Material:55# carbon steel Heat treatment blade Blade painted teflon Packed by paper hanger  | INDUSTRIAL     |                        | SHEAR LOPPING 710MM TEFL BLD       |

| Short Code | Image  | Features  | Classification | Additional Information | Description                   |
|------------|--|---|----------------|------------------------|-------------------------------|
| HLT7401    | MAXφ28mm                                     | Length:30"(760mm) Max cutting diameter:25mm Material:55# carbon steel Stress function on blade Heat treatment blade Blade painted teflon Packed by paper hanger   | INDUSTRIAL     |                        | SHEAR LOPPING 740MM TEFL BLD  |
| HFSW1808   | SK5 Long life  Anti-pinch Puction  Page 177P | Same as STANLEY quality level Size:7"/180mm Material: Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) With hand protection function Fast cut and long life Packed by Sliding card | INDUSTRIAL     |                        | SAW FOLDING 180MM 7TPI        |
| HPS3008    | 12' (300mm)                                  | Size:12"/300mm Material: Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Fast cut and long life Same as STANLEY quality level Packed by colour sleeve                             | INDUSTRIAL     |                        | SAW PRUNING 300MM 7TPI        |
| HPS3308    | 13"(330mm)                                   | Same as STANLEY quality level Size:13"/330mm Material: Taiwan SK5 TTPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) With Extension bar function Fast cut and long life                         | INDUSTRIAL     |                        | SAW PRUNING 330MM 7TPI        |
| нвs6101    |  | Handle hack saw frame<br>Size:610mm/24"<br>Including 1pcs saw blade<br>Packed by paper card   | INDUSTRIAL     |                        | SAW BOW 610MM 24"             |
| HFTT658    |  | length:320mm<br>Unique design patent handle<br>Width:65mm<br>Thickness:1.5mm<br>Material:carbon steel<br>Packed by paper card   |                |                        | GARDEN TRANSPLANTER 320MM     |
| HFTT858    |  | length:340mm<br>Unique design patent handle<br>Width:85mm<br>Thickness:1.5mm<br>Material:carbon steel<br>Packed by paper card   |                |                        | GARDEN TROWEL 340MM           |
| НЕТЕЗВ     | 36   | length:320mm Unique design patent handle Width:80mm Thickness:2.5mm Material:carbon steel Packed by paper card  |                |                        | GARDEN FORK 320MM             |
| HGR1008    | P  | length : 300mm Unique design patent handle Width:100mm Main rod:8.0mm Material:carbon steel Packed by paper card  |                |                        | GARDEN CALIVATOR 300MM        |
| нстэтэк    |  | length:290mm<br>Unique design patent handle<br>Fork Width:75mm<br>Main rod:8.0mm<br>Material:carbon steel<br>Packed by paper card   |                |                        | GARDEN TILER 300MM            |
| HWSG032    |  | Same as STANLEY quality level. Adjustable 3-Way Plastic Trigger Nozzle+3/4" Tool Adaptor High-Impact resistant ABS plastic body with TPR TPR insulated comfortable soft grip Nylon lever Packed by paper hanger     |                |                        | GARDEN NOZZEL TRIGGER 3-WAY   |
| HWSG092    |  | Same as STANLEY quality level. 9-Pattern Plastic Trigger Nozzle+3/4" Tool Adaptor High-Impact resistant ABS plastic body with TPR TPR insulated comfortable soft grip Nylon Lever Packed by paper hanger            |                |                        | GARDEN NOZ TRIG 9-PAT+3/4 ADP |

| Short Code | Image  | Features  | Classification | Additional Information | Description                    |
|------------|--|---|----------------|------------------------|--------------------------------|
| HWW092     |  | Same as STANLEY quality level. Adjusetable angle,powder-coated metal head 9-spray patterns for all watering needs:mist,soaker,flat,vertical,shower,cone,f an,center,jet TPR insulated comfort grip "U" style ON/OFF design Packed by paper hanger | INDUSTRIAL     |                        | GARDEN WATER WAND              |
| НРНМ0201   | ITICCO MAGGINE DAIR MAGGINE DAI | 1/2" plastic Hose Mender<br>Packed by paper hanger  |                |                        | GARDEN HOSE MENDER 1/2"        |
| ннсѕ05122  |  | 5 Piece Twist Nozzle set With 1pcs 1/2" Plastic Hose Quick Connector with Water Stop With 1pcs 1/2" Plastic Hose Quick Connector With 1pcs 3/4" TAP ADAPTOR AND 1/2"-3/4" REDUCER With 1pcs 5" Snap-in Twist Nozzle Packed by paper hanger        |                |                        | GARDEN HOSE ADPT SET 1/2" 5PCS |
| ннсѕоз122  |  | 3pcs Hose quick connectors set With 1pcs 1/2" Plastic Hose Quick Connector with Water Stop With 1pcs 1/2" Plastic Hose Quick Connector With 1pcs 3/4" TAP ADAPTOR AND 1/2"-3/4" REDUCER Packed by paper hanger                                    |                |                        | GARDEN HOSE ADPT SET 1/2" 3PCS |
| <b>Тер</b> |  | Plastic Auto Gear sprinkler head 3/4" tool adaptor 3 Pin plastic spike With 360° rotary function Dimension: 38*17.4*6.4cm Meterial Breakdown: ABS+PP Packed by paper hanger   |                |                        | GARDEN SPRINKLER PULSATING     |
| HPS0402    |  | Plastic pulsating sprinkler 2-Way Metal spike.<br>Head Full Or Part Circle.<br>Packed by paper hanger   | INDUSTRIAL     |                        | GARDEN SPRINKLER PULSATING     |
| НО53422    | B 223  | Same as STANLEY quality level. sprinkler with 3/4" tool adaptor ( aluminum spray tube with 18 brass jet mozzle on plastic housing,water up to 2202 sqft,powerful gear train mechanism) Packed by paper hanger                                     |                |                        | GARDEN SPRINKLER OSCILLATING   |
| НРН2001    | INCO CO MANAGEMENT OF THE PARTY | Packed by paper hanger  | INDUSTRIAL     |                        | GARDEN HOSE 1/2"X20M 300PSI    |
| HSPP2021   |  | 2L Safety value Aluminum pump lever Pressure: 2.5BAR Press and release fuction Adjustable nozzle with straight jet and mist spray Packed by poly bag  |                |                        | SPRAYER 2L                     |
| HSPP3051   | inece  | 5L Safety valve Handy carry strap Pressure: 2.5BAR 1.2m length flexible hose Stainless lance and plastic nozzle ON/OFF trigger with trigger lock Adjusteable sprayer pattern mist to stream   |                |                        | SPRAYER 5L                     |

| Short Code | Image                           | Features  | Classification | Additional Information | Description                   |
|------------|---------------------------------|---|----------------|------------------------|-------------------------------|
| HSPP4161   | іпосо                           | 16L Y trigger with fiber glass lance Pressure: 4.5BAR Adjustable nozzle from jet to mist Large container specifically designed for spraying larger areas Packed by colour box |                |                        | KNAPSACK SPRAYER 16L          |
| DIPLO301   | <b>32nm</b>                     | Size: 32mm Material:Iron Weight:95g With 3 pcs iron keys Brass lock cylinder With waterproof rubber cover Packed by colour box  |                |                        | PADLOCK IRON 32MM (BRASS CYL) |
| DIPL0401   | 38mm                            | Size: 38mm Material:Iron Weight:146g With 3 pcs iron keys Brass lock cylinder With waterproof rubber cover Packed by colour box   |                |                        | PADLOCK IRON 38MM (BRASS CYL) |
| DIPL0501   | 50mm                            | Size: 50mm Material:Iron Weight:289g With 3 pcs iron keys Brass lock cylinder With waterproof rubber cover Packed by colour box   |                |                        | PADLOCK IRON 50MM (BRASS CYL) |
| DIPL0601   | 68mm                            | Size: 63mm Material:Iron Weight:508g With 3 pcs iron keys Brass lock cylinder With waterproof rubber cover Packed by colour box   |                |                        | PADLOCK IRON 63MM (BRASS CYL) |
| DIPL0701   | 78mm                            | Size: 75mm Material:Iron Weight:714g With 3 pcs iron keys Brass lock cylinder With waterproof rubber cover Packed by colour box   |                |                        | PADLOCK IRON 75MM (BRASS CYL) |
| DBPL0202   | Heavy duty Same quality as Yale | Size: 20mm<br>Material:brass<br>Weight:40g<br>With 3 pcs brass keys<br>Packed by double blister   | INDUSTRIAL     |                        | PADLOCK BRASS 20MM H/D        |
| DBPL0302   | Same quality as Yale            | Size: 30mm<br>Material:brass<br>Weight:84g<br>With 3 pcs brass keys<br>Packed by double blister   | INDUSTRIAL     |                        | PADLOCK BRASS 30MM H/D        |
| DBPL0402   | Same quality as Yale            | Packed by double blister  | INDUSTRIAL     |                        | PADLOCK BRASS 40MM H/D        |
| DBPL0502   | Same quality as Yale            | Size: 50mm Material:brass Weight:270g With 3 pcs brass keys Packed by double blister  | INDUSTRIAL     |                        | PADLOCK BRASS 50MM H/D        |
| DBPL0602   | Same quality as Yale            | Size: 60mm<br>Material:brass<br>Weight:385g<br>With 3 pcs brass keys<br>Packed by double blister  | INDUSTRIAL     |                        | PADLOCK BRASS 60MM H/D        |

| Short Code   | Image                           | Features  | Classification | Additional Information | Description                    |
|--------------|---------------------------------|---|----------------|------------------------|--------------------------------|
| DBPL0702     | Heavy duty Same quality as Yale | Size: 70mm<br>Material:brass<br>Weight:542g<br>With 3pcs brass keys<br>Packed by double blister                         | INDUSTRIAL     |                        | PADLOCK BRASS 70MM H/D         |
| DBBPL0602    | Same quality as Yale            | Size: 60mm<br>Material:brass<br>Weight:234g<br>With 3 pcs brass keys<br>Packed by double blister                        | INDUSTRIAL     |                        | PADLOCK INS BRASS 60MM H/D     |
| DBBPL0702    | Same quality as Yale            | Size: 70mm<br>Material:brass<br>Weight:411g<br>With 3 pcs brass keys<br>Packed by double blister                        | INDUSTRIAL     |                        | PADLOCK INS BRASS 70MM H/D     |
| DBBPL0802    | Same quality as Yale            | Size: 80mm<br>Material:brass<br>Weight:568g<br>With 3 pcs brass keys<br>Packed by double blister                        | INDUSTRIAL     |                        | PADLOCK INS BRASS 80MM H/D     |
| DBBPL0902    | Same quality as Yale            | Size: 90mm<br>Material:brass<br>Weight:609g<br>With 3 pcs brass keys<br>Packed by double blister                        | INDUSTRIAL     |                        | PADLOCK INS BRASS 90MM H/D     |
| HCT1001      |                                 | colour:White Material: Nylon 66 Length:100mm Width:2.5mm 100pcs/set two year warranty Packed by label                   |                |                        | CABLE TIES 100MMx2.5MM 100PC   |
| HCT2001      |                                 | colour:White<br>Material: Nylon 66<br>Length:200mm<br>Width:3.6mm<br>100pcs/set<br>two year warranty<br>Packed by label |                |                        | CABLE TIES 200MMx3.6MM 100PC   |
| НСТ3002      |                                 | colour:White<br>Material: Nylon 66<br>Length:300mm<br>Width:4.8mm<br>100pcs/set<br>two year warranty<br>Packed by label |                |                        | CABLE TIES 300MMx4.8MM 100PC   |
| HWDS3502511  | incco                           | ST3.5x25mm<br>250 pcs in a bottle<br>Phillips drive, bugle head<br>coarse thread<br>black phosphated finish             |                |                        | SCREW D/WALL CT 3.5x25MM 250PC |
| HWD\$3503811 |                                 | ST3.5x38mm<br>150 pcs in a bottle<br>Phillips drive, bugle head<br>coarse thread<br>black phosphated finish             |                |                        | SCREW D/WALL CT 3.5x38MM 150PC |

| Short Code   | Image  | Features  | Classification | Additional Information | Description                    |
|--------------|--|---|----------------|------------------------|--------------------------------|
| HWDS4205111  | ince TT GE   | ST4.2x51mm<br>120 pcs in a bottle<br>Phillips drive, bugle head<br>coarse thread<br>black phosphated finish |                |                        | SCREW D/WALL CT 4.2x51MM 120PC |
| HWDS4206311  | INGCO PARENTE DE LA CONTROL DE | ST4.2x63mm<br>100 pcs in a bottle<br>Phillips drive, bugle head<br>coarse thread<br>black phosphated finish |                |                        | SCREW D/WALL CT 4.2x63MM 100PC |
| HWDS3502521  | inoco  | ST3.5x25mm 250 pcs in a bottle Phillips drive, bugle head fine thread black phosphated finish               |                |                        | SCREW D/WALL FT 3.5x25MM 250PC |
| HWDS3503221  | INGCO PARAMETERS OF THE PARAME | ST3.5x32mm<br>200 pcs in a bottle<br>Phillips drive, bugle head<br>fine thread<br>black phosphated finish   |                |                        | SCREW D/WALL FT 3.5x32MM 200PC |
| HWD\$3503821 | incco  | ST3.5x38mm<br>150 pcs in a bottle<br>Phillips drive, bugle head<br>fine thread<br>black phosphated finish   |                |                        | SCREW D/WALL FT 3.5x38MM 150PC |
| HWD\$4205121 | incco  | ST4.2x51mm<br>120 pcs in a bottle<br>Phillips drive, bugle head<br>fine thread<br>black phosphated finish   |                |                        | SCREW D/WALL FT 4.2x51MM 120PC |
| HWDS4206321  | incco  | ST4.2x63mm<br>100 pcs in a bottle<br>Phillips drive, bugle head<br>fine thread<br>black phosphated finish   |                |                        | SCREW D/WALL FT 4.2x63MM 100PC |
| HWBS3502511  | ingto  | ST3.5x25mm<br>250 pcs in a bottle<br>Pozi drive, CSK head<br>Heat treatment<br>Yellow Zinc plated finish    |                |                        | SCREW CHIP PZD ST3.5x25MM 250P |
| HWB\$4003011 |  | ST4.0x30mm<br>200 pcs in a bottle<br>Pozi drive, CSK head<br>Heat treatment<br>Yellow Zinc plated finish    |                |                        | SCREW CHIP PZD ST4.0x30MM 200P |
| HWBS4004011  |  | ST4.0x40mm<br>150 pcs in a bottle<br>Pozi drive, CSK head<br>Heat treatment<br>Yellow Zinc plated finish    |                |                        | SCREW CHIP PZD ST4.0x40MM 150P |
| HWBS5005011  | inco   | ST5.0x50mm<br>100 pcs in a bottle<br>Pozi drive, CSK head<br>Heat treatment<br>Yellow Zinc plated finish    |                |                        | SCREW CHIP PZD ST5.0x50MM 100P |
| HWBS5008011  |  | ST5.0x80mm<br>80 pcs in a bottle<br>Pozi drive, CSK head<br>Heat treatment<br>Yellow Zinc plated finish     |                |                        | SCREW CHIP PZD ST5.0x80MM 80P  |
| HWBS5010011  | mocte la   | STS.0x100mm<br>60 pcs in a bottle<br>Pozi drive, CSK head<br>Heat treatment<br>Yellow Zinc plated finish    |                |                        | SCREW CHIP PZD ST5.0x100MM 60P |
| HWPS3501911  | micco  | ST3.5x19mm<br>250 pcs in a bottle<br>Phillips drive<br>Pan head<br>Zinc plated finish                       |                |                        | SCREW S/TAP PAN 3.5x19MM 250PC |

| Short Code  | Image  | Features  | Classification | Additional Information | Description                    |
|-------------|--|---|----------------|------------------------|--------------------------------|
| HWPS4201611 | INCO ITT SE  | ST4.2x16mm<br>200 pcs in a bottle<br>Phillips drive<br>Pan head<br>Zine plated finish   |                |                        | SCREW S/TAP PAN 4.2x16MM 200PC |
| HWPS4202511 |  | ST4.2x25mm<br>180 pcs in a bottle<br>Phillips drive<br>Pan head<br>Zinc plated finish   |                |                        | SCREW S/TAP PAN 4.2x25MM 180PC |
| HWPS4803811 | inco<br>Trees I  | ST4.8x38mm<br>100 pcs in a bottle<br>Phillips drive<br>Pan head<br>Zinc plated finish   |                |                        | SCREW S/TAP PAN 4.8x38MM 100PC |
| HWPS4805111 | mcco   | ST4.8x51mm<br>80 pcs in a bottle<br>Phillips drive<br>Pan head<br>Zine plated finish  |                |                        | SCREW S/TAP PAN 4.8x51MM 80PC  |
| HWPS4201921 |  | ST4.2x19mm<br>200 pcs in a bottle<br>Phillips drive<br>Truss head<br>Zinc plated finish   |                |                        | SCREW S/TAP TRUS 4.2x19MM 200P |
| HWPS4202521 | incce  | ST4.2x25mm<br>150 pcs in a bottle<br>Phillips drive<br>Truss head<br>Zinc plated finish   |                |                        | SCREW S/TAP TRUS 4.2x25MM 150P |
| HWSS4202511 | incce<br>To see  | ST4.2x25mm<br>150 pcs in a bottle<br>Phillips drive<br>Truss head,drilling points<br>Zinc plated finish                           |                |                        | SCREW S/TAP T DP 4.2x25MM 150P |
| HWSS4203211 | incce<br>To see  | ST4.2x32mm<br>120 pcs in a bottle<br>Phillips drive<br>Truss head,drilling points<br>Zinc plated finish                           |                |                        | SCREW S/TAP T DP 4.2x32MM 120P |
| HWSS6302521 | incce  | ST6.3x25mm<br>50 pcs in a bottle<br>Hexagon flange head<br>Drilling points<br>Zinc plated finish                                  |                |                        | SCREW S/TAP+W HEX 6.3x25MM 50P |
| HWSP0603011 | INCCE CONTROL OF THE PARTY AND | 6x30mm<br>200 pcs in a bottle<br>grey colour  |                |                        | SCREW PLUG 6X30MM 200PCS       |
| HWSP0804011 | mice man   | 8x40mm<br>80 pcs in a bottle<br>grey colour   |                |                        | SCREW PLUG 8X40MM 80PCS        |
| HWSP1005011 |  | 10x50mm<br>40 pcs in a bottle<br>grey colour  |                |                        | SCREW PLUG 10X50MM 40PCS       |
| HWHA0605511 | I CO   | M6*55<br>Sleeve diameter:11.5mm<br>Sleeve length:45mm<br>25 pcs in a bottle<br>1000kgs pull out load<br>Yellow Zinc plated finish |                |                        | ANCHOR SHIELD M6x55 25PC       |
| HWHA0806511 | In-sce   | M8*65<br>Sleeve diameter:13.5mm<br>Sleeve length:52mm<br>15 pcs in a bottle<br>1200kgs pull out load<br>Yellow Zinc plated finish |                |                        | ANCHOR SHIELD M8x65 15PC       |

| Short Code   | Image  | Features  | Classification | Additional Information | Description                    |
|--------------|--|---|----------------|------------------------|--------------------------------|
| HWHA0606021  | inco   | Thread diameter:M6<br>Sleeve diameter:10mm<br>Total length:60mm<br>Sleeve length:40mm<br>24 pcs in a bottle               |                |                        | ANCHOR SHELL 4PC M6 24PCS      |
| HWHA0807521  | THE SECOND   | Thread diameter:M8<br>Sleeve meter:14mm<br>Total length:75mm<br>Sleeve length:50mm<br>12 pcs in a bottle                  |                |                        | ANCHOR SHELL 4PC M8 12PCS      |
| HWHA0607531  | incco  | Thread diameter:M6<br>Sleeve diameter:10mm<br>Total length:75mm<br>Sleeve length:40mm<br>16 pcs in a bottle               |                |                        | ANCHOR SHELL HOOK M6 16PC      |
| HWHA0809531  |  | Thread diameter:M8<br>Sleeve diameter:14mm<br>Total length:95mm<br>Sleeve length:50mm<br>8 pcs in a bottle                |                |                        | ANCHOR SHELL HOOK M8 8PC       |
| HWSPK4504512 | 25 P. C.   | ST4.0x40mm Pozi drive, CSK head 6x30 plastic screw plug grey colour 15 sets by blister card                               |                |                        | SCREW PLUG ST4X40MM 15PCS      |
| HWSPK5005512 | TICCO CONTROL OF THE PROPERTY  | ST5.0x50mm Pozi drive, CSK head 8x40 plastic screw plug grey colour 10 sets by blister card                               |                |                        | SCREW PLUG ST5X50MM 10PCS      |
| HWSPK7006512 | The state of the s | ST6.5x65mm<br>Hexagon head<br>10x50 plastic screw plug<br>grey colour<br>5 sets by blister card                           |                |                        | SCREW PLUG ST6.5X65MM 5PCS     |
| HWSPK5012    |  | 5mm Hook screw<br>8x40 plastic screw plug<br>grey colour<br>6 sets by blister card  |                |                        | SCREW PLUG HOOK 8X640MM 6PCS   |
| HWSPK5022    | and the second s | 5mm eye screw<br>8x40 plastic screw plug<br>grey colour<br>6 sets by blister card   |                |                        | SCREW PLUG EYE 8X40MM 6PCS     |
| HWSPK5032    | The state of the s | 5mm "L" screw<br>8x40 plastic screw plug<br>grey colour<br>6 sets by blister card   |                |                        | SCREW PLUG L SCREW 8X40MM 6PCS |
| HWNAK3505012 |  | Plug 6x40mm<br>Nylon,Gray colour<br>Screw 3.5x50mm<br>Pozi drive, CSK head<br>Heat treatment<br>Yellow Zinc plated finish |                |                        | NAIL ANCH NYL 6X40MM BLIS 20PC |
| HWNAK3507012 | Redon's Asset of the Second Se | Plug 6x60mm<br>Nylon,Gray colour<br>Screw 3.5x70mm<br>Pozi drive, CSK head<br>Heat treatment<br>Yellow Zinc plated finish |                |                        | NAIL ANCH NYL 6X60MM BLIS 15PC |
| HWNAK5007012 |  | Plug 8x60mm<br>Nylon,Gray colour<br>Screw 5.0x70mm<br>Pozi drive, CSK head<br>Heat treatment<br>Yellow Zinc plated finish |                |                        | NAIL ANCH NYL 8X60MM BLIS 10PC |
| HWNAK5009012 |  | Plug 8x80mm<br>Nylon,Gray colour<br>Screw 5.0x90mm<br>Pozi drive, CSK head<br>Heat treatment<br>Yellow Zinc plated finish |                |                        | NAIL ANCH NYL 8X80MM BLIS 10PC |
| RTB201041    |  | Router Bit CORE BOX 1/4"X5/16"  |                |                        | ROUTER BIT CORE BOX 1/4"X5/16" |

| Short Code | Image    | Features                       | Classification | Additional Information | Description                    |
|------------|----------|--------------------------------|----------------|------------------------|--------------------------------|
| RTB201042  |          | Router Bit CORE BOX 1/4"X3/8"  |                |                        | ROUTER BIT CORE BOX 1/4"X3/8"  |
| RTB301021  |          | Router Bit COVE 12mmX1/4" BEAR |                |                        | ROUTER BIT COVE 12MMX1/4" BEAR |
| RTB301022  |          | Router Bit COVE 1/2"X5/8" BEAR |                |                        | ROUTER BIT COVE 1/2"X5/8" BEAR |
| RTB401041  |          | Router Bit ROMAN OG 1/4'X1/2"  |                |                        | ROUTER BIT ROMAN OG 1/4'X1/2"  |
| RTB501041  |          | Router Bit VSLOT 1/4"X 3/8"    |                |                        | ROUTER BIT VSLOT 1/4"X 3/8"    |
| RTB501042  |          | Router Bit VSLOT 1/4"X 1/2"    |                |                        | ROUTER BIT VSLOT 1/4"X 1/2"    |
| RTB601021  | <b>*</b> | Router Bit CHAMFER 12mmX12mm   |                |                        | ROUTER BIT CHAMFER 12MMX12MM   |
| RTB701041  |          | Router Bit DOVE TAIL 1/4"X3/8" |                |                        | ROUTER BIT DOVE TAIL 1/4"X3/8" |
| RTB701042  |          | Router Bit DOVE TAIL 1/4"X1/2" |                |                        | ROUTER BIT DOVE TAIL 1/4"X1/2" |
| HSB10141   | ince     | Hole saw Bi-Metal 14mm         |                |                        | HOLE SAW BI-METAL 14MM         |
| HSB10171   | inces    | Hole saw Bi-Metal 17mm         |                |                        | HOLE SAW BI-METAL 17MM         |
| HSB10191   | ince     | Hole saw Bi-Metal 19mm         |                |                        | HOLE SAW BI-METAL 19MM         |
| HSB10211   | anceo    | Hole saw Bi-Metal 21mm         |                |                        | HOLE SAW BI-METAL 21MM         |
| HSB10241   | incco    | Hole saw Bi-Metal 24mm         |                |                        | HOLE SAW BI-METAL 24MM         |
| HSB10271   | inceo.   | Hole saw Bi-Metal 27mm         |                |                        | HOLE SAW BI-METAL 27MM         |

| Short Code | Image  | Features                                       | Classification | Additional Information | Description            |
|------------|--|--|----------------|------------------------|------------------------|
| HSB10281   | incco  | Hole saw Bi-Metal 28mm                         |                |                        | HOLE SAW BI-METAL 28MM |
| HSB10291   | inces  | Hole saw Bi-Metal 29mm                         |                |                        | HOLE SAW BI-METAL 29MM |
| HSB10331   | inces .  | Hole saw Bi-Metal 33mm                         |                |                        | HOLE SAW BI-METAL 33MM |
| HSB10371   | e incco  | Hole saw Bi-Metal 37mm  Hole saw Bi-Metal 41mm |                |                        | HOLE SAW BI-METAL 37MM |
| HSB10411   | incco  | Hole saw Bi-Metal 43mm                         |                |                        | HOLE SAW BI-METAL 41MM |
| HSB10431   | incco.   | Hole saw Bi-Metal 45mm                         |                |                        | HOLE SAW BI-METAL 43MM |
| HSB10461   | anceo  | Hole saw Bi-Metal 52mm                         |                |                        | HOLE SAW BI-METAL 46MM |
| HSB10521   | anoco  | Hole saw Bi-Metal 57mm                         |                |                        | HOLE SAW BI-METAL 52MM |
| HSB10571   | incco  |  |                |                        | HOLE SAW BI-METAL 57MM |
| HSB10651   | and the same of th | Hole saw Bi-Metal 65mm                         |                |                        | HOLE SAW BI-METAL 65MM |
| HSB10671   | e ince   | Hole saw Bi-Metal 67mm                         |                |                        | HOLE SAW BI-METAL 67MM |
| HSB10681   | incco  | Hole saw Bi-Metal 68mm                         |                |                        | HOLE SAW BI-METAL 68MM |
| HSB10731   | inco   | Hole saw Bi-Metal 73mm                         |                |                        | HOLE SAW BI-METAL 73MM |
| HSB10891   | ineco  | Hole saw Bi-Metal 89mm                         |                |                        | HOLE SAW BI-METAL 89MM |
| HSB10951   | anceo .  | Hole saw Bi-Metal 95mm                         |                |                        | HOLE SAW BI-METAL 95MM |

| Short Code | Image | Features                | Classification | Additional Information | Description             |
|------------|-------|-------------------------|----------------|------------------------|-------------------------|
| HSB10981   | inces | Hole saw Bi-Metal 98mm  |                |                        | HOLE SAW BI-METAL 98MM  |
| HSB101051  | anoco | Hole saw Bi-Metal 105mm |                |                        | HOLE SAW BI-METAL 105MM |
| HSB101081  | inco  | Hole saw Bi-Metal 108mm |                |                        | HOLE SAW BI-METAL 108MM |
| HSB101211  | incco | Hole saw Bi-Metal 121mm |                |                        | HOLE SAW BI-METAL 121MM |